

ISSUE NOTES (CONTINUED)					ISSUE NOTES (CONTINUED)					ISSUE NOTES				
CHG TAG H7291=LISTS 500,F1,F2,G1,G2 AND NOTE 151 ADDED. CHG TAG PT17=LINE OUT REMOVED FROM SL ITEM 1201. ORIG ISS: 08/27/87 CHANGE CLASS: B					CHG TAG PT10=SL ITEMS 1080,1090,1100 LINED OUT, SL ITEM 1105 ADDED. SL ITEM 1220 LIST READ 3,4. SL ITEM 1225 ADDED. TABLE A UPDATED WITH DA INFORMATION. CHG TAG H6860=LIST B & SL ITEMS 1186 & 1187 ADDED. ORIG ISS: 08/27/87 CHANGE CLASS: B					ORIG ISS: 08/27/87 CHANGE CLASS: DRAFT: DSL ENGR: JJR SUPV: JFM CERTIFIED: 08/27/87 ISSUE: 1				
DRAFT: JJR ENGR: JJR SUPV: GJM CERTIFIED: 08/26/94 ISSUE: 17					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 07/16/92 ISSUE: 10					NOTE 21 REMOVED. SL ITEMS 1050,1070,1130,1150 REMOVED. SL ITEM 1140 LINED OUT. SL ITEM 1141 ADDED. EQL & SD STAMPING ADDED TO FIG. 1. ORIG ISS: 08/27/87 CHANGE CLASS: M				
CHG TSG H7421=TABLES D1,D2,D4 & D5 ADDED. ORIG ISS: 08/27/87 CHANGE CLASS: B					CHG TAG H6844=LIST 4 READ STD, LIST 4A & SL 1191 ADDED. ORIG ISS: 08/27/87 CHANGE CLASS: B					DRAFT: DSL ENGR: JJR SUPV: CERTIFIED: 03/24/88 ISSUE: 2				
DRAFT: JJR ENGR: JJR SUPV: GJM CERTIFIED: 03/10/95 ISSUE: 18					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 08/11/92 ISSUE: 11					SL ITEM 1120 QTY READ 8. FIG 1 BLACK/WHITE & RED/WHITE READ BLACK & RED RESP. 840058598 SCREW ADDED TO FIG. 1. 840059208 & 814251856 READ 840059265 & 803875962 RESP. #600A-8-KT26 LINED OUT. NOTE 19 REMOVED. ORIG ISS: 08/27/87 CHANGE CLASS: M				
CHG TAG H7542=ADDED "DA" EFFECTIVE DATE TO LISTS 4A,A,B,C,D,F1,F2 G1,G1. ORIG ISS: 08/27/87 CHANGE CLASS: B					CHG TAG H6901=SL ITEM 1011 READ LIST 3,4,4A. ORIG ISS: 08/27/87 CHANGE CLASS: B					DRAFT: DSL ENGR: JJR SUPV: CERTIFIED: 07/29/88 ISSUE: 3				
DRAFT: JJR ENGR: JJR SUPV: GJM CERTIFIED: 05/05/95 ISSUE: 19					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 09/03/92 ISSUE: 12					LIST A ADDED. SL ITEMS 1230 THRU 1270 ADDED. ORIG ISS: 08/27/87 CHANGE CLASS: A				
CHG TAG PT20="OR EQUIV" REMOVED FROM SL ITEM 1010. SL ITEM 1120 LINED OUT, SL ITEM 1121 AND NOTE 22 ADDED. ORIG ISS: 08/27/87 CHANGE CLASS: M					CHG TAG PT12=LIST 4A ADDED TO DESCRIPTION OF LIST C. CHG TAG PT13=SL ITEM 1000 LINED OUT,SL ITEM 1001 ADDED CHG TAG H7027=LIST D,NOTE 21,TABLE JJ ADDED. ORIG ISS: 08/27/87 CHANGE CLASS: B					DRAFT: DSL ENGR: JJR SUPV: CERTIFIED: 04/28/89 ISSUE: 4				
DRAFT: JJR ENGR: JJR SUPV: GJM CERTIFIED: 06/12/95 ISSUE: 20					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 03/25/93 ISSUE: 13					SL ITEM 1011 ADDED. LIST A REVISED FOR EXISTING OFFICES. ORIG ISS: 08/27/87 CHANGE CLASS: A				
CHG TAG PT21=LISTS 4A,A,B,C,D,F1,F2,G1 & B G2, "DA" ADDED TO RATING COLUMN. ORIG ISS: 08/27/87 CHANGE CLASS: ME					CHG TAG PT14=SHEETS B1 & B2 UPDATED. ORIG ISS: 08/27/87 CHANGE CLASS: M					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 07/03/89 ISSUE: 5				
DRAFT: WAW ENGR: WAW SUPV: PCM CERTIFIED: 12/05/96 ISSUE: 21					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 10/27/93 ISSUE: 14					SL 1220 ADDED. REF TO ED5D195-30 REMOVED FOR FIG 1 REAR VIEW. REF TO ED5D195-30 ADDED TO DETAIL B. LIST A REVISED FOR TIP PARTY LINES. NOTE 54 ADDED PER POINT ISSUE. GRAPHICS CHANGED PER POINT ISSUES. ORIG ISS: 08/27/87 CHANGE CLASS: A				
					CHG TAG PT13=SL ITEMS 1110,1280 AND NOTE 20 LINED OUT. CHG TAG H7152=SL ITEMS 1001,1105,1141,1185,1186,1187,1191,1290 & 1300 LINED OUT. SL ITEMS 1360,1370 & 1380 ADDED. CHG TAG H7175=LISTS 100,101 & NOTE 56 ADDED. ORIG ISS: 08/27/87 CHANGE CLASS: B					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 10/06/89 ISSUE: 6				
					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 02/11/94 ISSUE: 15					S NOTE ADDED TO SL ITEMS 1230 THRU 1270. NOTE 53 READ PROVIDE LIST 3. SL ITEM 1210 REMOVED. ORIG ISS: 08/27/87 CHANGE CLASS: M				
					CHG TAG PT16=POINT ISSUE 15.1 SL ITEM 1201 LINED OUT. POINT ISS 15.2 "S" NOTE ADDED TO SL ITEMS 1500 & 1510. ORIG ISS: 08/27/87 CHANGE CLASS: M					DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 01/02/90 ISSUE: 7				
					DRAFT: JJR ENGR: JJR SUPV: GJM CERTIFIED: 07/14/94 ISSUE: 16					S NOTE ADDED TO SL ITEM 1270. GRP 10DD ADDED TO SL ITEM 1200. ORIG ISS: 08/27/87 CHANGE CLASS: M				
										DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 03/05/90 ISSUE: 8				
										CHANGE TAG H6605= LIST 3 READ STD. LIST 4 ADDED. ORIG ISS: 08/27/87 CHANGE CLASS: M				
										DRAFT: PKK ENGR: JJR SUPV: CERTIFIED: 11/05/90 ISSUE: 9				

SHEET INDEX												
SHT NBR	A1 THRU A2											ISSUE 21
ISSUE												
SHT NBR	D1 THRU D3											ISSUE 21
ISSUE												
SHT NBR	B1	B2										
ISSUE	14	14										
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A2
TABLE A	A2
B SECTION GRAPHICS	B1
MANUFACTURING NOTES	D1
STOCKLIST	D1
MISCELLANEOUS TABLES	D2

COPYRIGHT @ 1996 AT&T ALL RIGHTS RESERVED	
BT13	
SESS SWITCHING EQUIPMENT SPECIFICATION FOR FAN UNIT	
DWG SIZE C2	ISSUE 21
AT&T	J5D003BE-2
SHEET A1 OF 7	

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING AND EQUIPMENT FOR ONE THREE-FAN UNIT. (PROVIDES KS-22501L3A FAN). DA EFF:06/01/91 FE:J5D003BE-1,L4		DA	3	1	SD5D019-02	1					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE THREE - FAN UNIT. (PROVIDES KS-22501L3A FAN). DA EFF:08/03/92 FE:J5D003BE-2,L4A		DA	4	1	SD5D019-02	1		X			
ASSEMBLY WIRING & EQUIPMENT FOR ONE THREE-FAN UNIT. PROVIDES KS23912L1A (THERMISTOR) FAN. DA EFF:09/01/95 FE:J5D003FH-2,L1		DA	4A	1	SD5D019-02	2		W			
SPECIFY TO REPLACE EXISTING VINTAGE FANS.	56			100							
SPECIFY TO REPLACE,UPGRADE OR RETROFIT TO THE NOISE REDUCED THERMOSTATICALLY CONTROLLED FANS	56			101							
EQUIPMENT FOR ONE 3 FAN THERMOSTATICALLY CONTROLLED FAN UNIT.	151	LA		500							
REQUIRED IN ADDITION TO LIST 3 WHEN THIS UNIT IS MOUNTED IN AN LTP CABINET TO BE EQUIPPED WITH THREE (3) LINE UNITS AND ANY OF THESE LINE UNITS ARE ASSIGNED TIP PARTY LINES. (REQUIRED IN EXISTING OFFICES, NOT APPLICABLE FOR NEW ORDERS. (SEE NOTE 54). DA EFF:09/01/95 FE/RA:NONE		DA	A								
REQUIRED IN ADDITION TO LIST 4 OR 4A FOR NSC-X APPLICATION. DA EFF:09/01/95 FE/RA:NONE		DA	B								
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 3,4 OR 4A. (PROVIDES AIR FILTER)(PREVIOUSLY PART OF LIST 3,4,4A) DA EFF:09/01/95 FE/RA:NONE		DA	C								
EQUIPMENT REQUIRED IN ADDITION TO LIST 4A WHEN THIS UNIT MOUNTS IN 5ESS SM2000 CABINETS. (PROVIDES FUSES AND FUSE LABELS) DA EFF:09/01/95 FE/RA:NONE		DA	D								
FINAL ASSEMBLY (PAS KIT) TO MOUNT FAN UNIT IN A GLOBAL I CABINET E/W MODULAR FUSE/FILTER UNIT DA EFF:09/01/95 FE/RA:NONE	151	DA	F1								
FINAL ASSEMBLY (PAS KIT) TO MOUNT FAN UNIT IN A GLOBAL II CABINET E/W MODULAR FUSE/FILTER UNIT DA EFF:09/01/95 FE/RA:NONE	151	DA	F2								
PROVIDES UNIT GUIDE KIT TO MOUNT FAN UNIT IN A GLOBAL PHASE I CABINET. DA EFF:09/01/95 FE/RA:NONE	151	DA	G1								
PROVIDES UNIT GUIDE KIT TO MOUNT FAN UNIT IN A GLOBAL PHASE II CABINET. DA EFF:09/01/95 FE/RA:NONE	151	DA	G2								

END OF TABLE-A

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES-NONE.
52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.
53. TO REPLACE EXISTING VINTAGE FANS, ORDER 845622042 FAN ASSEMBLY.
TO REPLACE,UPGRADE OR RETROFIT TO THE NOISE REDUCED THERMOSTATICALLY CONTROLLED FANS ORDER 846937506.
54. THE LIST IS FOR FIELD APPLICATION ONLY.
55. DOLLAR SIGNS (\$) IN FRONT OF AND BEHIND WORDS, SENTENCES, PARAGRAPHS AND/OR CHARACTERS INDICATE HORIZONTALLY LINED OUT INFORMATION.
56. THIS LIST HAS BEEN CREATED TO BE AN ORDERING MECHANISM FOR REPLACEMENT FANS.
151. THIS LIST IS NOT GENERALLY AVAILABLE, BUT IS INTENDED TO SUPPORT FACTORY OPLOADS FROM NETWORK SYSTEMS INTERNATIONAL (NSI)

COPYRIGHT @ 1996 AT&T
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
FAN UNIT

DWG SIZE C2
ISSUE 21



SHEET A2
OF 7

J5D003BE-2

AT&T


J5D003BE-2

PRINTED IN U.S.A.




REAR VIEW
FIG. 1

COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED		
FAN UNIT	DWG SIZE	ISSUE
	c2	14
AT&T	J5D003BE-2	SHEET B1



DETAIL A
LOCATIONS OF MAGNETIC STRIPS
ON THE 843080532 PANEL ASSEMBLY



FRONT VIEW
DETAIL B

VIEW A-A

CONVERSION TABLE	
INCH	MM
3.75	95.2
13.25	336.5

COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED		
FAN UNIT	DWG SIZE	ISSUE
	C2	14
AT&T	J5D003BE-2	SHEET B2

STOCKLIST							
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE
							SYM NBR
1000	3,4,4A	3	402841860		GUARD, FINGER #351199 KOLSON CO /OR EQUIV.		13
1001	3,4,4A	3	847077070		GUARD, FAN		13
1005	4,4A	2	846022051		FILTER, RETAINER		
1010	3,4,4A	1	403977234		FILTER, AIR #UAF-233 UNIVERSAL AIR FILTER CO		14
1011	C	1	403977234		FILTER, AIR #UAF-233 UNIVERSAL AIR FILTER CO	S	14
1020	3	3	843067729		PIN		15
1030	3	3	403290745		SPRING #L1F028E-1 LEE SPRING CO /OR EQUIV.		
1040	3	1	843080532		ASSEMBLY, PANEL		
1060	3	4	405322033		STRIP #R4109 .060 X .150 X 6 IN ADAMS MAGNETIC PRODUCTS CO		
1080	3	6	840059208		SCREW, PAN HEAD MACHINE .164-32 X 2-1/2 STEEL 289A FINISH		
1090	3	6	814251856	P42E185	WASHER, PLAIN .164 STEEL 289A FINISH		
1100	3	6	900549759		NUT, WING #92771A009 .164-32 MCMASTER CARR CO. /OR EQUIV.		
1105	3,4,4A	6	406423475		SCREW, SLOTTED ANURLED THUMB #H110602B .138-32 X 2-1/4 CANCOR TEXARON		
1110	3,4,4A	12	840038396		SCREW, PAN HEAD MACHINE .138-32 X 3/8 STEEL 289A FINISH		
1120	3,4,4A	4	840026835		SCREW, TIF SLOTTED HEX, WASHER HD .216-24 X 3/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		*/
1121	4A	4	901271031		SCREW, HEXAGONAL WASHER #M6X16 PHILLIPS ACR 2		*/ 22
1140	3	3	403290620		BOARD, TERMINAL #800A-8-K126 KOLKA ELECTRIC CO. /OR EQUIV.		19
1141	3,4,4A	3	405432956		BOARD, TERMINAL #800A-8P-8-KT21-26 DOUBLE ROW 8 POS. 15 AMP 200V BREAKDOWN RIVETED KOLKA ELECTRIC CORP. /OR EQUIV.		
1160	3	3	843309889		DOOR		
1170	3	1	ED5D195-10,G2		ASSEMBLY, FAN UNIT CIRCUIT BOARD		
1175	4 4A	1 1	ED5D195-10,G5 G5		ASSEMBLY, FAN UNIT CIRCUIT BOARD		
1180	3	1	845619857		ASSEMBLY, CASE		
1183	4,4A	1	840506621		ASSEMBLY, CASE		
1186	B	CHIT 1	840506621		ASSEMBLY, CASE		
1187	B	1	840506596		ASSEMBLY, CASE		
1190	3,4	3	845622042		ASSEMBLY, FAN		
1191	4A	3	840537566		ASSEMBLY, FAN		
1200	3 4 4A	1 1 1	ED5D503-15, G151A G151A G151A		ASSEMBLY, CABLE		

STOCKLIST CONTINUED ON SHEET D2

J5D003BE-2

SHOP
LIST

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

12. \$THE 843080532 PANEL ASSEMBLY SHALL BE EQUIPPED WITH FOUR 405322033 MAGNETIC STRIPS. REFER TO DETAIL A FOR THEIR LOCATIONS.\$

13. WHEN USING FINGER GUARD WITH RIB BRACE, PLACE ON FAN WITH RIB BRACE OUTSIDE.

14. FILTER DIMENSIONS ARE 13.87IN. X 22.75IN. X .50IN.

15. THE ENDS OF THE PIN ARE TO BE DEFORMED IN SUCH A MANNER TO PREVENT DISASSEMBLY AND STILL ALLOW THE DOOR TO BE OPENED.

16. THIS DRAWING CONTAINS BOTH U.S. CUSTOMARY (INCH,ETC) AND SI (METRIC) DIMENSIONS.

19. UNASSIGNED.

20. \$TERMINAL NUMBERS SHALL BE SRAMPED ON THE TERMINAL BOARD IN CONTRASTING COLOR.\$

21. THE COMCODES SHOWN IN THE STOCKLIST IDENTIFICATION FIELD REFERENCE BY THIS NOTE ARE NOT THE INDIVIDUAL OR SINGULAR COMCODE FOR THE PART DESCRIBED BUT ARE THE FACTORY'S ORDERING COMCODE. TABLE JJ CONTAINS THE FACTORY'S ORDERING COMCODE FOR THE DESCRIBED PART AND THE EQUIVLENT SINGULAR/INDIVIDUAL COMCODE THAT MAY BE REQUIRED BY AN INSTALLER, CUSTOMER, REGIONAL LINE ENGINEER, OR A CLASS A CHANGE NOTICE.

22. WHEN THIS UNIT MOUNTS IN THE CLASSIC OR PHASE I CABINET, REPLACE 901271031 METRIC SCREW WITH 840026835 SCREW.

X
X
X
X
X
X
X
X

COPYRIGHT © 1996 AT&T
ALL RIGHTS RESERVED

BT13

SESS SWITCHING EQUIPMENT
SPECIFICATION FOR
FAN UNIT

DWG SIZE C2 ISSUE 21

AT&T

J5D003BE-2

SHEET D1 OF 7

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1201	3	1	ED5D503-15, G10DD		ASSEMBLY, CABLE			
	4	1	G10DD					
	4A	1	G10DD					
1220	3	3	840058572		SCREW, PAN HEAD MACHINE .138-32 X 1/4 STEEL 289A FINISH			
1225	4,4A	1	840058572		SCREW, PAN HEAD MACHINE .138-32 X 1/4 STEEL 289A FINISH			
1230	A	3	997458013	KS14603L2AD	RESISTOR 10 OHM		S	
1240	A	3	104074174	761G	CAPACITOR .01 UF		S	
1250	A	3	995236726	KS19658L37	CAPACITOR 500 UF		S	
1260	A	9	402634760		LUG, TERMINAL #42452-2 .187 FASTON AMP INC.		S	
1270	A	18	900715855		TUBING #RCS76 HEAT SHRINK 3/16 X 1.5 IN RED RAYCHEM CORP.		S	
1280	4	6	405949025		SCREW, SHOULDER TRUMB .138-32X2-1/4IN 25/04 HDWL WINDY CITY FASTENERS			
1290	4,4A	12	901215210		RIVET, BUTTON #7050-300-00 PRE-STARTED TIN LINX			
1300	4,4A	2	405949036		CLAMP, CABLE #220-121612-00 TIN PASTEK			
1310	D	4	406693895	WP91768L108	FUSE, 3.00 AMP FAST ACTING		*/	21
1320	D	1	ED5D088-12,G39		LABELS, FUSE		*/	
1330	D	1	ED5D088-12,G40		LABELS, FUSE		*/	
1340	D	1	ED5D088-12,G41		LABELS, FUSE		*/	
1350	D	1	ED5D088-12,G42		LABELS, FUSE		*/	
1360	4A	1	ED5D796-10,G1		FAN, PARTIAL ASSEMBLY			
1370	B	OMIT	ED5D796-10,G1		FAN, PARTIAL ASSEMBLY			
1380	B	1	ED5D796-10,G2		FAN, PARTIAL ASSEMBLY			
1500	100	1	845622042		ASSEMBLY, FAN		S	
1510	101	1	846937506		ASSEMBLY, FAN		S	
5000	500	1	847096336		ASSEMBLY, SHELF			
5010	F1	1	847168564		KIT, FINAL ASSEMBLY			
5020	F2	1	847270972		KIT, FINAL ASSEMBLY			
5030	G1	1	847196748		KIT, MOUNTING UNIT GUIDE FOR 132 TYPE APP MTG			
5040	G2	1	847286721		KIT, MOUNTING			

***** END OF STOCKLIST *****

JJ

TABLE JJ STOCKLIST ORDERING COMCODES TO INDIVIDUAL/SINGULAR COMCODE CROSS REFERENCE		
STOCKLIST ORDERING COMCODE	INDIVIDUAL/SINGULAR COMCODE	COMMENTS
406693895	406747535	

TABLE D4

TABLE D4 - FUNCTION ITEM/FUNCTIONAL OBJECT/ORDER CODE MAPPING			
FUNCTIONAL ITEM	NOTE	DESCRIPTION	ORDER CODE
3FUBE2		3 FAN FAN UNIT	
3FUBE2		3 FAN FAN UNIT	1 847096336

TABLE D5

TABLE D5 - OBJECT/HARDWARE TYPE ATTRIBUTES/ORDER CODE MAPPING							
OBJECT:	INTERFACE CHARACTERISTICS	MINIMUM US GENERIC	MINIMUM INTL GENERIC	EXCHANGE TYPE	FEATURE/OPTION	COUNTRY CUSTOMER	ORDER CODE
OBJECT:3FUBE2		5E1	5E1				847096336

COPYRIGHT © 1996 AT&T
ALL RIGHTS RESERVED

BT13

SESS SWITCHING EQUIPMENT
SPECIFICATION FOR
FAN UNIT

DWG SIZE C2 ISSUE 21

J5D003BE-2

AT&T

J5D003BE-2

SHEET D2 OF 7

PRINTED IN U.S.A.

TABLE D1

STOCKLIST FOR FASKIT 847168564 ISS: 1 CERTIFIED			
QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION
1	403977234		FILTER, AIR #UAF-233 UNIVERSAL AIR FILTER CO
0	406500926		LABEL, DESIGNATION OA WD .60 IN X OA LG 24.10 IN TOPLIGHT CORP.
4	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) PLATE 289A FINISH
4	406747535	WP91768L108	FUSE, 3.0 A 250 V
1	ED5D088-12,G39		DESCRIPTION NOT AVAILABLE
1	ED5D088-12,G40		DESCRIPTION NOT AVAILABLE
1	ED5D088-12,G41		DESCRIPTION NOT AVAILABLE
1	ED5D088-12,G42		DESCRIPTION NOT AVAILABLE

STOCKLIST FOR FASKIT 847270972 ISS: 1 CERTIFIED

QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION
1	403977234		FILTER, AIR #UAF-233 UNIVERSAL AIR FILTER CO
0	406500926		LABEL, DESIGNATION OA WD .60 IN X OA LG 24.10 IN TOPLIGHT CORP.
4	901271031		SCREW, HEXAGONAL WASHER #M6X16 PHILLIPS ACR 2
4	406747535	WP91768L108	FUSE, 3.0 A 250 V
1	ED5D088-12,G39		DESCRIPTION NOT AVAILABLE
1	ED5D088-12,G40		DESCRIPTION NOT AVAILABLE
1	ED5D088-12,G41		DESCRIPTION NOT AVAILABLE
1	ED5D088-12,G42		DESCRIPTION NOT AVAILABLE

TABLE D2

STOCKLIST FOR UNIT GUIDE KIT 847196748 ISS: 1 CERTIFIED			
QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION
2	843078015		GUIDE
8	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) PLATE 289A FINISH

STOCKLIST FOR UNIT GUIDE KIT 847286721 ISS: 1 CERTIFIED

QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION
2	843078015		GUIDE
8	901271031		SCREW, HEXAGONAL WASHER #M6X16 PHILLIPS ACR 2

COPYRIGHT © 1996 AT&T
ALL RIGHTS RESERVED

BT13

SESS SWITCHING EQUIPMENT
SPECIFICATION FOR
FAN UNIT

DWG SIZE C2 ISSUE 21

J5D003BE-2

AT&T

J5D003BE-2

SHEET D3
OF 7

PRINTED IN U.S.A.