



Upgrading from Call Center Reporting to Reporting for Contact Center

BCM
Contact Center

Document Number: NN40010-400

Document Status: Standard

Document Version: 02.00

Date: June 2006

Copyright © Nortel Networks Limited 2006

All rights reserved.

The information in this document is subject to change without notice. The statements, configurations, technical data, and recommendations in this document are believed to be accurate and reliable, but are presented without express or implied warranty. Users must take full responsibility for their applications of any products specified in this document. The information in this document is proprietary to Nortel Networks.

Trademarks

*Nortel, Nortel (Logo), the Globemark, and This is the way, This is Nortel (Design mark) are trademarks of Nortel Networks.

*Microsoft, MS, MS-DOS, Windows, and Windows NT are registered trademarks of Microsoft Corporation.

All other trademarks and registered trademarks are the property of their respective owners.

Table of Contents

Change History	5
How to Use this Guide	7
Introduction	7
How this guide is organized	7
Introduction	9
Upgraded Browser-Based Interface	9
Upgraded Web Host PC software	9
Upgrade! No Multiple Client software to install	9
Upgrade! No Upload of Call Center Configuration	9
Can the old Master PC be used as the Web Host PC?	10
Do I have to remove the old Nortel Networks Call Center Reporting 2.5, 3.0, or 3.5 software?	10
Can the upgraded software co-reside with the old software?	10
Recommended Minimum PC and Operating System Requirements	11
Operating System Compatibility	12
Recommended Minimum PC Specification for BCM50 2.0 with CCRS Installed	12
Operating System Compatibility	13
Recommended Minimum PC Specification for BCM50 2.0 on a PC with only CCRS installed	13
Installation	15
Introduction	15
Installation prerequisites	15
Installing Nortel Reporting for Contact Center software	16
TCP/IP Protocol	16
Checking whether the Windows Networking Component is Installed	16
Installing Nortel Reporting for Contact Center	17
Configuration	29
Quick Steps to Configure Nortel Reporting for Contact Center	29
Before You Begin	29
Configuring Nortel Reporting for Contact Center	29
Verification	37
Accessing the Real Time Screens	37
Reporting Option	37
References	41
Index	43

List of Figures

Figure 1: Download the Reporting for Contact Center Software	18
Figure 2: InstallShield Initialization Dialog Box	19
Figure 3: Language Selection Dialog	19
Figure 4: InstallShield Windows Installer Configuration Dialog Box.....	20
Figure 5: InstallShield Wizard Start Dialog Box	21
Figure 6: License Agreement Dialog Box	22
Figure 7: Customer Information Dialog Box.....	23
Figure 8: Choose Destination Location	24
Figure 9: Setup Status Dialog Box	25
Figure 10: ODBC Driver Installation Dialog.....	25
Figure 11: MySQL 3 Port Setter Dialog.....	26
Figure 12: MySQL 4 Port Setter Dialog.....	26
Figure 13: Database Installation Dialog Box.....	27
Figure 14: Java Installation Dialog Box	27
Figure 15: Installation Complete Dialog Box	28
Figure 16: Login Page	30
Figure 17: Change Password Page	31
Figure 18: Administration Menu Page.....	32
Figure 19: Contact Center Connection Page.....	33
Figure 20: Download Status Window	35
Figure 21: Administration Menu Page.....	37
Figure 22: User Main Menu	38
Figure 23: Real Time Menu Page.....	39
Figure 24: Real Time Call Summary Page	40

Change History

June-2006

1. New release for GA.

How to Use this Guide

1

Introduction

This guide is designed to lead you through the process of upgrading from Nortel Networks Call Center Reporting 2.5/3.0/3.5 to Nortel Reporting for Contact Center.

How this guide is organized

The *Upgrading from Call Center Reporting to Reporting for Contact Center* guide is organized as follows:

How to Use this Guide	This chapter provides a brief overview identifying the organization of this guide.
Introduction	This chapter gives a background to the upgrade process and what it involved. The chapter describes some differences between the previous architecture products and the updated architecture. The chapter also answers some questions you may have about the upgrade process.
Installation	This chapter describes how to install Nortel Reporting for Contact Center.
Configuration	This chapter describes how to configure Nortel Reporting for Contact Center including verification of a successful installation.
Verification	This chapter describes how to verify that Nortel Reporting for Contact Center is communicating correctly with the Contact Center.
References	This chapter lists documents referenced in the body of this guide.
Index	Provides a cross-reference of topics in this document.

Introduction

2

Upgraded Product Architecture

Nortel Reporting for Contact Center has undergone several major changes from Nortel Reporting for Contact Center and previous versions of Nortel Networks Call Center Reporting 2.5/3.0/3.5. The following sections list some main differences between the upgraded architecture and the previous versions.

For a full description of the upgraded features of Nortel Reporting for Contact Center, refer to the *Reporting for Contact Center Setup and Operations Guide*.

Upgraded Browser-Based Interface

Nortel Reporting for Contact Center is a reporting tool for the Contact Center. It has a browser-based interface, visually similar to the CallPilot Manager. As with the CallPilot interface, it is accessed from an Internet Explorer browser session.

Upgraded Web Host PC software

Nortel Reporting for Contact Center has a single software installation on one Personal Computer (PC). This PC is the Web Host PC, which functions similarly to the Master PC in the former Nortel Networks Call Center Reporting 2.5/3.0/3.5 streams.

The Web Host PC stores the historical statistical databases. It is connected to the Contact Center to obtain the historical statistical information and Real Time screen information.

The wallboards are also driven from the Web Host PC.

Upgrade! No Multiple Client software to install

In the Nortel Reporting for Contact Center streams, the customer had to install 'Multiple Client' software onto other PCs to view the Real Time screens or Reports.

With Nortel Reporting for Contact Center, the users of those other PCs use Internet Explorer to browse back to the Web Host PC to access the Real Time screens and Reports.

No Client software is now required for the other PCs.

Upgrade! No Upload of Call Center Configuration

In the Nortel Networks Call Center Reporting streams, the customer had to upload the Call Center configuration to view the Agent, Line, and Skillset names in the Reports and Real Time screens. If the Call Center configuration was modified, the Configuration Upload step had to be performed again.

Nortel Reporting for Contact Center automatically obtains the information it needs for the Real Time screens and Reports from the Contact Center, and it does not need to store a copy of the Contact Center configuration.

No Upload Configuration step is required in the configuration and maintenance of the Nortel Reporting for Contact Center software.

Can the old Master PC be used as the Web Host PC?

If the PC hardware and operating system meet the minimum specifications, then the answer is Yes. See below, Can the upgraded software co-reside with the old software?.

Do I have to remove the old Nortel Networks Call Center Reporting 2.5, 3.0, or 3.5 software?

No, but you can if it is no longer needed. See the following section, Can the upgraded software co-reside with the old software?.

Can the upgraded software co-reside with the old software?

None of the Nortel Networks Call Center Reporting 2.5/3.0/3.5 software is required for the operation of the upgraded Nortel Reporting for Contact Center software.

However, the customer may choose to retain the Nortel Networks Call Center Reporting 2.5/3.0/3.5 software to allow them to review the historical reports that are stored on their old system.

Leaving the Nortel Networks Call Center Reporting 2.5/3.0/3.5 Master or Multiple Client software on the PC that will be used as the Web Host PC does not affect the operation of Nortel Reporting for Contact Center.

The two different applications can co-reside on the same PC with no interaction.

Installing Nortel Reporting for Contact Center on a PC on which Nortel Networks Call Center Reporting 2.5/3.0/3.5 is already installed does not affect the operations of either application.

Note: If the Nortel Networks Call Center Reporting 2.5/3.0/3.5 software is configured to power any IP wallboards that Nortel Reporting for Contact Center is going to power, remember to remove them from the Nortel Networks Call Center Reporting 2.5/3.0/3.5 configurations. Otherwise, both sets of software try to power the wallboards, which results in the wallboard display alternating between the two sets of data from the two different applications.

Note: The specification of the hardware used as the Master PC for the Nortel Networks Call Center Reporting 2.5/3.0/3.5 software might not be sufficient to support the Nortel Reporting for Contact Center software. See the following section, Recommended Minimum PC and Operating System Requirement.

The minimum recommended requirements for the PC designated as the Nortel Reporting for Contact Center Web Host PC for BCM 4.0 and for BCM50 2.0 without the Contact Center Reporting Server (CCRS) installed on the Web Host PC are as follows:

Recommended Minimum PC and Operating System Requirements

Computer Platform Family

IBM™ Compatible PC

Microprocessor

Intel® Pentium™ IV (or equivalent) minimum

Microprocessor Speed

1.7 GHz minimum

Memory

512 MB minimum

Networking Components

Network Interface Card

TCP/IP protocol

Other Requirements

SVGA display

Mouse (or other Windows® compatible Pointing Device)

Microsoft Internet Explorer version 5 or higher

Nortel Reporting for Contact Center has been verified with Microsoft Internet Information Services 4, 5 and 6

Operating Systems

Microsoft Windows 2000 Service SP2

Microsoft Windows XP Professional

Microsoft Windows 2003 Server Standard Edition

Web Server

Microsoft Internet Information Services 4 or later.

Nortel Reporting for Contact Center is supported on a single PC only and is not intended to run on Cluster Servers like those supported by Windows 2003 Enterprise.

Hard Disk Space Required

For installation of application on Web Server: 109 MB

Storage space required for Historical Data: 4 GB minimum

Note that the database will grow through time and, if the diagnostic logging option is turned on, the log files will require extra disk space.

Operating System Compatibility

Nortel Reporting for Contact Center has been verified for correct operation on the following Operating Systems:

Operating System	Version
Windows NT	4.00.1381
Windows 2000	5.00.2195
Windows XP Professional (including SP 2)	Version 2002
Windows 2003 Server	Standard Edition

The minimum recommended requirements for the PC designated as the Nortel Reporting for Contact Center Web Host PC for BCM50 2.0 with the Contact Center Reporting Server (CCRS) installed on the Web Host PC are as follows:

Recommended Minimum PC Specification for BCM50 2.0 with CCRS Installed

IBM™ Compatible PC

Microprocessor

Intel® Pentium™ IV (or equivalent) minimum

Microprocessor Speed

2.0 GHz minimum

Memory

512 MB minimum

Network Interface Card

TCP/IP protocol

SVGA display

Mouse (or other Windows®-compatible pointing device)

Microsoft Internet Explorer version 5 or higher

Operating System

Microsoft Windows 2000 Professional SP4

Microsoft Windows XP Professional SP2

Web Server

Nortel Reporting for Contact Center has been verified with Microsoft Internet Information Services 4, 5, and 6.

Nortel Reporting for Contact Center is supported on a single PC only and is not intended to run on Cluster Servers like those supported by Windows 2003 Enterprise.

Hard Disk Space Required

For the CCRS application on Web Server: 1 GB minimum

For installation of application on Web Server: 109 MB

Storage space required for Historical Data: 4 GB minimum

Note that the database will grow through time and, if the diagnostic logging option is turned on, the log files will require extra disk space.

Operating System Compatibility

Nortel Reporting for Contact Center is verified for correct operation on the following operating systems:

Operating System	Version
Windows 2000	Professional
Windows XP Professional	2002

Recommended Minimum PC Specification for BCM50 2.0 on a PC with only CCRS installed

Refer to the *Contact Center Set Up and Operation Guide* (NN40040-301) for the recommended minimum specification for the CCRS installed on a PC that is not the Web Host PC.

Installation

3

Introduction


This chapter describes the installation prerequisites and how to install the Nortel Reporting for Contact Center software on the Windows Personal Computer (PC) that will be used as the Web Host PC. The Web Host PC is the PC that connects to the Nortel Contact Center. The Web Host PC also stores the Contact Center statistical database and the Nortel Reporting for Contact Center user interface, which is configured as a web site.

Other network users can use Internet Explorer to browse to the Nortel Reporting for Contact Center web site on the Web Host PC to access the software features and obtain Real Time displays and Reports.


Installation prerequisites

Before you install Nortel Reporting for Contact Center software, you must:

- Be familiar with the Contact Center and the Windows™ operating system that your Web Host PC uses.
- Ensure that the Contact Center is installed and configured.
- Ensure that the Contact Center platform is connected to, and is operational on, the network to which the Nortel Reporting for Contact Center Web Host PC is connected.
- Ensure that Microsoft Internet Information Services is installed and operational on the Web Host PC.

	Ensure that your Web Host PC Internet Information Services installation is as secure as possible. Generally, this involves loading security patches and/or service packs for Internet Information Services and for the operating system of the Web Host PC. These patches and service packs are available free of charge through Microsoft. Contact your network Administrator for further advice.
---	--

Now you are ready to install the Nortel Reporting for Contact Center software from the Contact Center platform.

	You must have Administrator's rights for the installation to be successful. If you do not have Administrator's rights for the PC on which you wish to install Nortel Reporting for Contact Center, the installation stops and you are requested to log out and log back in with Administrator's rights.
---	--

Installing Nortel Reporting for Contact Center software

By default, Nortel Reporting for Contact Center software creates a folder called **\Program Files\Nortel\Nortel Reporting for Contact Center** on the installation drive of the Web Host PC. This folder contains the application files Nortel Reporting for Contact Center uses. It also contains the Nortel Reporting for Contact Center configuration and statistical database.

Note: Before Nortel Reporting for Contact Center will operate correctly, you must enable the Contact Center Reporting Software Keycode. For Software Keycode information, refer to the *Software Keycode Installation Guide*.

TCP/IP Protocol

The Contact Center platform and Nortel Reporting for Contact Center use the industry standard TCP/IP protocol to link the Contact Center and the Nortel Reporting for Contact Center Web Host PC. Therefore, the Windows Network component is required for the Nortel Reporting for Contact Center Web Host PC.

The Nortel Reporting for Contact Center installation process does not install the Windows Network component. For instructions on installing the Windows Networking component, refer to your network or Windows documentation.

Checking whether the Windows Networking Component is Installed

To verify that the Windows Network component is installed on the PC that will operate as a Web Host PC, perform the following steps:

Note: If your company has a network administrator, check with your administrator before changing any network configuration parameters.

1. Start the Windows system on the PC on which you will install the Nortel Reporting for Contact Center application.
2. On the Windows taskbar, click **Start > Settings**, and then click **Control Panel**. The Control Panel window appears.

If you are using the Windows 2000 operating system, double-click **Networking and Dial-up Connections**. The Networking and Dial-up Connections window appears.

If you are using the Windows XP operating system, click **Start > Connect to**, and then click **Show All Connections**. The Networking Connections window appears.

3. Double-click the **Network** icon. The Network window appears with the **Configuration** tab displayed.



If you are using the Windows 2000 or Windows XP operating system, right-click the **Local Area Connection** icon and then click **Properties**.



4. Check that TCP/IP appears on the list of installed network components. If TCP/IP is not on the list, click **Add** to install this protocol using the Windows installation instructions, or refer to your network administrator.

Installing Nortel Reporting for Contact Center

Follow the steps in this section to install Nortel Reporting for Contact Center.

1. Exit any Windows programs that are open.
2. Start your Internet Browser (such as Internet Explorer or Netscape), and use it to connect to the Business Communications Manager. In the browser **Address Bar**, enter the IP Address of the Business Communications Manager, in the following format: <https://10.10.10.1/>

Remember to substitute the IP Address of *your* Business Communications Manager for the 10.10.10.1 shown in the format example.

Enter the username **nnadmin** and password in the BCM Login window. Consult your network administrator for the password, as this would have been changed from the default password of **PlsChgMe!** on first installation of Nortel Element Manager. The Welcome to BCM page appears.

3. Click **Administrator Applications**.
The Administrator Applications page appears.
4. From the Contact Center Applications list, click **Nortel Reporting for Contact Center**.
Information about the Nortel Reporting for Contact Center application appears. See Figure 1: Download the Reporting for Contact Center Software.




Figure 1: Download the Reporting for Contact Center Software

5. Click **Download Reporting for Contact Center** on the right side of the window. The **File Download** dialog box appears.
6. Select either **Run** to run this program from its current location, or **Save** to save this program to disk.

If you select **Save**, the Reporting for Contact Center executable file is downloaded to your PC, go to the location where you downloaded the file. Double-click the file to run it.

7. The Install Wizard shown in Figure 2: InstallShield Initialization Dialog Box appears. The wizard extracts the installation files required to install the Nortel Reporting for Contact

Center files on the Web Host PC. Wait until the files are extracted. To cancel the extraction process, click **Cancel**.




Figure 2: InstallShield Initialization Dialog Box

8. Once the files are extracted click the **Next** button.
9. The **Choose Setup Language** dialog box will be displayed, as shown in Figure 3: Language Selection Dialog, which allows you to select the default language for your installation of Nortel Reporting for Contact Center.



Figure 3: Language Selection Dialog

Note: Each User of Nortel Reporting for Contact Center is assigned a language. You can have different languages in use by various Users at the same time.

This dialog box allows you to define the default language for the Login Page and for the default Administrator. Click on the down arrow to the right of the dropdown box to display a list of languages. When you have selected your language, click **OK**. To stop the installation, click **Cancel**.

6. The Setup prepares the InstallShield Wizard, which is required to install the Nortel Reporting for Contact Center files on the Web Host PC. See Figure 4: InstallShield Windows Installer Configuration Dialog Box. Wait for the preparation process to complete. To cancel the preparation process, click **Cancel**.




Figure 4: InstallShield Windows Installer Configuration Dialog Box

7. The **Welcome** dialog box appears. See Figure 5: InstallShield Wizard Start Dialog Box. To cancel the installation procedure, click **Cancel**. To proceed, click **Next**.




Figure 5: InstallShield Wizard Start Dialog Box

8. The **License Agreement** dialog box appears. See Figure 6: License Agreement Dialog Box. To proceed with the installation, click **Yes**. To cancel the installation, click **No**. To return to the **Welcome** dialog box, click **Back**.




Figure 6: License Agreement Dialog Box

9. If you clicked **Yes** in the License Agreement dialog box, the **Customer Information** dialog appears. See Figure 7: Customer Information Dialog Box. Enter your user name in the **User Name** field. Enter the company name in the **Company Name** field. Click **Next**.

Note: The **Next** button is dimmed until you enter information in both required fields.

To cancel the installation, click the **Cancel** button. To return to the **License Agreement** dialog box, click **Back**.




Figure 7: Customer Information Dialog Box

10. If you clicked the **Next** button in the Customer Information dialog box, the Choose Destination Location dialog box appears. See Figure 8: Choose Destination Location. If you do not wish to install Nortel Reporting for Contact Center on the default drive (C:), click **Browse** and choose a new destination. Nortel recommends that you use the default location.




Figure 8: Choose Destination Location

To proceed with the installation, click **Next**. To cancel the installation, click **Cancel**. To return to the Customer Information dialog box, click **Back**.

11. If you clicked **Next** in the Choose Destination Location dialog box, the **Setup Status** dialog box appears. See Figure 9: Setup Status Dialog Box. To cancel the installation, click **Cancel**. To proceed with the installation, wait for the installation to complete.




Figure 9: Setup Status Dialog Box

12. During installation, the message shown in Figure 10: ODBC Driver Installation Dialog appears. Wait for the installation to complete.




Figure 10: ODBC Driver Installation Dialog

13. If MySQL 3 is installed on the Web Host PC, the MySQL Port Setter dialog box is displayed the first time the user installs Reporting for Contact Center using the MySQL 4.1 Server, see Figure 11: MySQL 3 Port Setter Dialog. The port number to be used by MySQL 4 can be entered, or selected from the drop down list box, or left at the default port number of 3309.




Figure 11: MySQL 3 Port Setter Dialog

On first installation of Reporting for Contact Center on a Web Host PC with MySQL 4 already installed, the MySQL Port Setter dialog box appears, as shown in Figure 12: MySQL 4 Port Setter Dialog. Select the port number to be used by the MySQL 4.1 Server from the drop down list box, or enter a new port number, otherwise the port number is set to the defaulted value of 3309.




Figure 12: MySQL 4 Port Setter Dialog

14. Click **OK** to set the port number for MySQL 4.
15. The message shown in Figure 13: Database Installation Dialog Box appears. Wait for the installation to complete.



Figure 13: Database Installation Dialog Box

16. This message informs you that the installation has proceeded to MySQL database installation. (The MySQL database is not installed into the same folders as Nortel Reporting for Contact Center; it is installed in \Program Files\MySQL\MySQL Server 4.1\data\mysql on the target hard drive.) Wait for the installation to complete.
17. The message shown in Figure 14: Java Installation Dialog Box appears.




Figure 14: Java Installation Dialog Box

This message informs you that the installation has proceeded to Java Runtime installation.

Note: The Java Runtime is not installed into the same folders as Nortel Reporting for Contact Center; it is installed into \Program Files\Java on the target hard drive.

18. When installation is complete, the Installation Complete dialog box appears. See Figure 15: Installation Complete Dialog Box.




Figure 15: Installation Complete Dialog Box

19. Before Nortel Reporting for Contact Center can operate correctly, you must restart your Web Host PC.

To have the installation restart your PC, click **Yes, I want to restart my computer now**, and then click **Finish**.

To complete the installation without restarting your PC, click **No, I will restart my computer later**, then click **Finish**.

When your PC has restarted, you can start using Nortel Reporting for Contact Center application.

Configuration

4

Quick Steps to Configure Nortel Reporting for Contact Center

Before You Begin

Ensure that the Contact Center is configured and operational, and that you have enabled the Reporting for Contact Center Reporting Software Keycode. For Software Keycode information, refer to the *Software Keycode Installation Guide*.

Configuring Nortel Reporting for Contact Center

Follow this procedure to configure Nortel Reporting for Contact Center.

1. Using Internet Explorer, go to the URL of the Nortel Reporting for Contact Center Web pages login page.

The URL is `http://NameOfWebHostPC/RCC/`

Replace *NameOfWebHostPC* with the network name or IP Address of the Web Host PC.

Note: If you are currently using the browser on the Web Host PC, you can replace *NameOfWebHostPC* with `localhost`.

When you reach the correct location, the Login page appears. See Figure 16: Login Page.




Figure 16: Login Page

2. Enter the username **admin**, the password **0000**, and click **Login**. The Change Password page appears. See Figure 17: Change Password Page.

Note: A System Administrator is already set up for you with a default password. You must change this password the first time you log in.




Figure 17: Change Password Page

3. Ask the Customer what they would like the new password to be.

The password can be from 1 to 4 digits and can be anything other than 0000. Enter the new password in the **New Password** field, and then re-enter the same password in the **Confirm password** field.

If there are any differences between the two entries, you are informed that the password and confirmation do not match, and you must re-enter the password in both fields.

When you have successfully entered the new password in both fields, the Administration Menu page appears. See Figure 18: Administration Menu Page.




Figure 18: Administration Menu Page

The options that are available to an Administrator are listed in the navigation pane on the left side of the page.

4. The **Contact Center Connection** option allows you to specify the network identifier (IP Address or Network Name) of the Contact Center platform.

Click **Contact Center Connection**. The Contact Center Connection web page appears. See Figure 19: Contact Center Connection Page.

The screenshot shows a web browser window titled "Nortel Reporting for Contact Center - Microsoft Internet Explorer provided by BTopenworld". The address bar shows the URL "http://devtest/rcc/admin_pages/security_settings.asp". The page has a blue header with the "NORTEL" logo and "Administration v 2.4.318a". A navigation bar includes "Main", "Logout", and "Help" links. On the left is a sidebar menu with "Contact Centre Connection", "System Administration", "Maintenance", "Company Details", and "Reporting". The main content area is titled "Contact Centre Connection" and contains the following fields and options:

- IP Address/Network name : [Text Input]
- Port : [Text Input with value 8088]
- CCRS Password : [Text Input]
- Confirm CCRS Password : [Text Input]
- Connection Security : Use SSL ☒
- Make historical data requests every : [Dropdown menu with value 15 Minutes]
- Select an IP Address : [Dropdown menu with value [IP Address Not Selected]]
- Wallboard and Real Time Refresh Interval : [Dropdown menu with value 1] Second(s)
- Download Contact Center Data :
 - ☒ All Data
 - ☐ Only Data starting from : [Text Input with value 2004/03/01]

At the bottom of the form are "Submit" and "Cancel" buttons. The browser status bar at the bottom shows "Done" and "Local intranet".

Figure 19: Contact Center Connection Page

5. In the **IP address/Network name** field, enter the IP Address or the Network Name of the Business Communications Manager. If you do not know what information to enter here, consult the Local Area Network Administrator for the site.
6. The **Port** field will be defaulted to the correct port number of 8088 to connect to the Business Communication Manager.

Note: If the User finds the **Port** field to be blank after upgrading from Nortel Reporting for Contact Center 2.1, or 2.2, the User must enter in the port number 8088 to re-establish a connection to the Application Server in the Contact Center.

7. When Nortel Reporting for Contact Center retrieves Real Time or Historical Report data from the Contact Center, the data request includes a password. This allows the Contact Center to verify that the application requesting the data is authorized to receive it.

This password is set in the Contact Center using CallPilot Manager.

Note: The default CCRS password is CCRS, but this might have been changed within CallPilot Manager.

8. In the **CCRS Password** field, enter CCRS and then re-enter it in the **Confirm CCRS Password** field.
9. The Connection Security option allows you to specify whether you are connecting to the Contact Center using SSL (also known as HTTPS). This is the default option. If it is changed on the Contact Center platform to Non SSL or standard HTTP, you must also change this setting.

Note: This is an advanced setting that is not usually changed from the default.

Leave the **Use SSL** check box selected.

10. The **Make data requests every** list allows you to specify how frequently the Web Host PC obtains reporting data from the Contact Center.

Set **Make data requests every** to **15 minutes**.

11. Use the **Select an IP Address** list to configure how Nortel Reporting for Contact Center broadcasts data to your wallboards. If the Web Host PC has multiple Network Interface Cards (NICs), select which network card is connected to the network [with your wallboards attached to. Consult your Network administrator to determine which IP address to use. If the Web Host PC has only one NIC, only one IP address appears in the list. If this is the case, select the only option.
12. Use the **Wallboard and Realtime Refresh Interval** setting to specify the rate at which your data refreshes on these devices. The default is **1 second**, and the default is the recommended setting. Note: All data within Reporting for Contact Center is calculated to a 1-second resolution. This setting refers only to how quickly your live data devices refresh.
13. On first installation of Nortel Reporting for Contact Center the **Download Contact Center Data** options are given. The User can select whether to download all data from the Contact Center by selecting **All Data**, or the User can select **Only Data starting from** and click on the calendar icon to the right to select a start date from when data should be downloaded from the Contact Center
14. Click **Submit**.

A download status window that displays the current status of the data exchange between the Contact Center and the Reporting for Contact Center client appears. See Figure 20: Download Status Window. Wait until the update completes before attempting to view any Reports or Real Time screens.




Figure 20: Download Status Window

Verification

5

Accessing the Real Time Screens

Once Nortel Reporting for Contact Center has been installed and configured this section describes how to verify that Nortel Reporting for Contact Center is communicating correctly with the Contact Center.

Reporting Option

Follow this procedure to use the **Reporting** option.

1. On the Administration Menu page shown in Figure 21: Administration Menu Page, click **Reporting**.




Figure 21: Administration Menu Page

The Main Menu page normally seen by regular (non-Administrative) Users when they log in to Nortel Reporting for Contact Center appears. See Figure 22: User Main Menu.




Figure 22: User Main Menu

2. Click **Real Time** option. The Real Time Menu page appears. See Figure 23: Real Time Menu Page.




Figure 23: Real Time Menu Page

3. Select **Call Summary** click **Select All**, and then click **Submit**.

The **Call Summary Real Time** page appears. See Figure 24: Real Time Call Summary Page.

Nortel Reporting for Contact Center - Microsoft Internet Explorer

NORTEL v 2.4.303

Call Summary You are currently viewing Skillsets: **UNIVERSAL STUDIO, SKILL2, SKILL3**

Incoming Contact Center Calls

Skillset	Waiting	Delayed	Primary Alert	Secondary Alert	Overflow	Answered Hour	Answered Day	Abandoned Hour	Abandoned Day	Disconnected Hour	Disconnected Day	Longest Waiting Time	Unread Skillset Mailbox Msgs	GOS	Skillset Mode
Grouping	0	0	0	0	0	0	0	0	0	0	0	00:00:00	0	100%	
1 UNIVERSAL STUDIO	0	0	0	0	0	0	0	0	0	0	0	00:00:00	0	100%	Day
2 SKILL2	0	0	0	0	0	0	0	0	0	0	0	00:00:00	0	100%	Day
3 SKILL3	0	0	0	0	0	0	0	0	0	0	0	00:00:00	0	100%	Day

● Connection Status

Figure 24: Real Time Call Summary Page

Note: The list of Skillset names on your Real Time screens reflects **your** Contact Center configuration. The names displayed on your system will be different, and you may see more or fewer names than in the example. The numerical figures will be different, and some of the green cells may appear as yellow or red because these figures reflect the real state of your actual Contact Center.

4. Observe the green indicator beside the **Connection Status** text at the bottom left of the page.

If this indicator is red, then the Nortel Reporting for Contact Center and the Contact Center are not communicating.

If you do not see a green indicator, follow these steps:

- a) Ensure you correctly entered the IP Address or Network Name of the Contact Center Business Communications Manager in the IP Address/Network Name field on the Contact Center Connection page, as described on Page 33.
 - b) Ensure you correctly entered the CCRS password in the CCRS Password and Confirm CCRS Password fields of the Contact Center Connection page, as described from Page 33.
 - c) Ensure you configured the Contact Center through CallPilot Manager to have the same CCRS password as the password you are entering in the Contact Center Connection page.
 - d) Ensure you selected the correct Connection Security on the Contact Center Connection page, as detailed from Page 33.
5. When you verified these items, log out of Nortel Reporting for Contact Center, log in again, and then repeat the steps in this chapter.

Note: Remember to log in with the new password you entered in the Change Password page shown in Figure 17: Change Password Page, not the default of 0000.

References

6

- 1 Khan, Aisha *Reporting For Contact Center Setup and Operations Guide*, Document Version 02.

Index

7

A

Administration Menu, 31, 32, 37
 Administration Menu Page, 32
 Administrator, 15, 17, 20, 30, 32, 33
 Administrator Clients page, 17
 Agent, 9
 Architecture, 9

B

Browser, 9, 17
 Business Communications Manager, 17, 33, 40

C

Call Center, 9
 Call Center Configuration, 9
 CallPilot, 9, 34, 40
 CCRS, 12, 13, 34, 40
 Change History, 5
 Change Password Page, 31
 Contact Center, 7, 9, 12, 13, 15, 16, 17, 29, 32, 33, 34, 35, 37, 40
Contact Center Connection, 32, 33, 40
 Contact Center Connection page, 32, 40
 Control Panel, 16

E

Element Manager, 17

H

How this guide is organized, 7
 How to use this guide, 7
 HTTP, 34
HTTPS, 34

I

IBM, 11, 12
 Installation, 7, 15, 16, 25, 26, 27, 28, 29
 InstallShield, 18, 19, 20, 21
 Intel, 11, 12
 Internet Explorer, 9, 11, 12, 15, 17, 29

Internet Information Services, 11, 12, 15
 Introduction, 7, 9, 15
 IP Address, 17, 29, 32, 33, 34, 40

L

License Agreement, 21, 22
 Log In, 29, 30, 37, 38, 40
 Log In Page, 29, 30
 Login, 17, 20, 29, 30

M

Master PC, 9, 10
 Microprocessor, 11, 12
 Microsoft, 11, 12, 15
 Mouse, 11, 12
 Multiple Client, 9, 10
 MySQL database, 25, 26, 27

N

Network interface card, 34
 Network Name, 32, 33, 40
 Nortel Call Center Reporting, 9, 10
 Nortel Contact Center Reporting Server, 12
 Nortel Networks Call Center Reporting, 7, 9, 10
 Nortel Networks Call Center Reporting 2.5/3.0/3.5, 7, 9, 10
 Nortel Networks Reporting for Call Center, 9
 Nortel Reporting for Contact Center, 7, 9, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 23, 25, 26, 27, 28, 29, 33, 34, 35, 37, 38, 40, 41

O

ODBC, 25
 Operating System, 10, 11, 12, 13

P

Password, 30, 31, 34, 40
 Pentium, 11
 Port Number, 25, 26, 33

R

Real Time screens, 9, 15, 34, 35, 37, 38, 39, 40

Real Time Summary, 39, 40

References, 7, 41

S

Statistical Data, 11, 13

SVGA, 11, 12

T

TCP/IP, 11, 12, 16, 17

U

Upload, 9, 10

URL, 29

User, 19, 22, 33, 34, 38

User Main Menu Page, 38

W

Wallboard, 34

Web Host, 9, 10, 12, 13, 15, 16, 19, 20, 25, 26, 28, 29, 34

Web Host PC, 9, 10, 12, 13, 15, 16, 19, 20, 25, 26, 28, 29, 34

Windows, 11, 12, 13, 15, 16, 17, 20

Windows 2000, 11, 12, 13, 16, 17

Windows 2003, 11, 12, 13

Windows Networking Component, 16

Windows XP, 11, 12, 13, 16, 17