



Hewlett Packard
Enterprise

HPE 3PAR OS 3.3.1 MU2 Patch 34

Release Notes

Abstract

This release notes document is for 3.3.1 MU2 Patch 34.

Part Number: QL226-99920
Published: July 2018
Edition: 1

Notices

© 2014-2018, Hewlett Packard Enterprise Development LP

The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Confidential computer software. Valid license from Hewlett Packard Enterprise required for possession, use, or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Export of the information contained in this publication may require authorization from the U.S. Department of Commerce.

Links to third-party websites take you outside the Hewlett Packard Enterprise website. Hewlett Packard Enterprise has no control over and is not responsible for information outside the Hewlett Packard Enterprise website.

Acknowledgements

Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation.

Adobe® and Acrobat® are trademarks of Adobe Systems Incorporated.

Java and Oracle are registered trademarks of Oracle and/or its affiliates.

UNIX® is a registered trademark of The Open Group.

Intel®, Itanium®, Pentium®, Intel Inside®, and the Intel Inside logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Purpose

The HPE 3PAR OS 3.3.1 MU2 Patch 34 delivers quality improvements for StoreServ 9000 & 20000 cage firmware.

❗ **IMPORTANT:** See the [HPE 3PAR OS and Service Processor Software Update Guide \(HPE 3PAR OS 3.3.1 HPE 3PAR Service Processor 5.x\)](#) for instructions on updating your specific software.

Guidance

This is a critical patch.

Prerequisites

- Minimum Service Processor required: SP-5.0.3 + latest SP patch.
- Base OS: OS-3.3.1.410-MU2. See the Requires field in the Patch details.

Patch details

Patch ID: P34

Synopsis: Delivers quality improvements for StoreServ 9000 & 20000 cage firmware

Date: June 07, 2018, 15:02:12 PDT

Description: See the Release Notes for details about this patch

Affected Packages: tpd-gbodfw, tpd-prerevert

Obsoletes: None

Requires: OS-3.3.1.410-MU2

Patches Included: None.

Patches Partially Superseded: None.

Patches Obsolete by Combination: None.

Supports Revert: Yes.

Build Version: 3.3.1.428

Notes:

NOTE:

Hewlett Packard Enterprise recommends installing patches in the same sequence as they are released, unless instructed otherwise.

Modifications

HPE 3PAR patch 34 addresses the following issues:

Issue ID: 217485, 223582, 230376

Issue summary: HPE Power Supplies report incorrect temperature values for sensors.

Affected platforms: StoreServ 9000, StoreServ 20000, StoreServ 20000 R2

Affected software versions: 3.2.2 GA - MU6, 3.3.1 GA - MU2

Issue description: Enclosure power supplies report incorrect temperature values for their sensors. If the erroneous temperature values are above the critical threshold defined by the drive enclosure firmware, the drive enclosure will shut down.

Symptoms: Enclosure shutdown after reporting critical temperature values for one or more power supplies.

Conditions of occurrence: All DCS5 and DCS6 are susceptible to this issue.

Impact: High

Customer circumvention: None.

Customer recovery steps: Restore power to the enclosure.

Affected components

Component	Version
Cage Firmware (DCS5)	2.88
Cage Firmware (DCS6)	2.88

NOTE: Applying an HPE 3PAR OS patch can cause a restart of the affected OS components. This restart is an expected behavior, which will generate events and alerts. The system continues to serve data, but existing CLI or SSMC sessions could be interrupted.

Installing Drive/Cage Firmware

After a firmware patch is installed successfully, the firmware (drive or cage) must be updated manually. To update the firmware, run the CLI command `starttask admithw -ni`. This command runs the update process as a task. Record the task ID for monitoring purposes. Monitor the task for successful completion using the CLI command `showtask -d <task_ID>`. See the appropriate upgrade documentation for details on patch installation. If the task fails, resolve the issue due to which the task failed. After the issue is resolved, issue the CLI command `starttask admithw -ni`. Note the new task ID number and monitor the `admithw` task completion.

❗ **IMPORTANT:** Cage firmware patches that are installed and then reverted **prior** to activation of the firmware upgrade require that the CLI command `showfirmwaredb -1` is executed after the patch revert is completed. This final, manual step in the revert process ensures that the physical disk state is changed from degraded `old_firmware` back to normal. While revert is possible, it is not recommended to revert a patch that delivers firmware after the `admithw` has been run.

Verification

The installation of Patch 34 can be verified from an interactive CLI session. Issue the CLI command `showversion -a -b` to verify that Patch 34 is listed:

Release version 3.3.1.410 (MU2)

Patches: P30,P32,P34

Component Name	Version
CLI Server	3.3.1.410 (MU2)
CLI Client	3.3.1.410
System Manager	3.3.1.439 (P32)
Kernel	3.3.1.410 (MU2)
TPD Kernel Code	3.3.1.410 (MU2)
TPD Kernel Patch	3.3.1.439 (P32)
CIM Server	3.3.1.410 (MU2)
WSAPI Server	3.3.1.410 (MU2)
Console Menu	3.3.1.410 (MU2)
Event Manager	3.3.1.410 (MU2)
Internal Test Tools	3.3.1.410 (MU2)
LD Check Tools	3.3.1.410 (MU2)
Network Controller	3.3.1.410 (MU2)
Node Disk Scrubber	3.3.1.410 (MU2)
PD Scrubber	3.3.1.410 (MU2)
Per-Node Server	3.3.1.410 (MU2)
Persistent Repository	3.3.1.410 (MU2)
Powerfail Tools	3.3.1.410 (MU2)
Preserved Data Tools	3.3.1.410 (MU2)
Process Monitor	3.3.1.410 (MU2)
Software Updater	3.3.1.410 (MU2)
TOC Server	3.3.1.410 (MU2)
VV Check Tools	3.3.1.410 (MU2)
Upgrade Check Scripts	180607.U640
File Persona	1.4.2.40-20171006 (MU2)
SNMP Agent	1.10.0
SSH	6.0p1-4+deb7u5
VASA Provider	3.0.17 (MU2)
Firmware Database	3.3.1.410 (MU2)
Drive Firmware	3.3.1.410 (MU2)
UEFI BIOS	05.02.54 (MU2)
MCU Firmware (OKI)	4.8.60 (MU2)
MCU Firmware (STM)	5.3.17 (MU2)
Cage Firmware (DC1)	4.44 (MU2)
Cage Firmware (DC2)	2.64 (MU2)
Cage Firmware (DC3)	08 (MU2)
Cage Firmware (DC4)	2.64 (MU2)
Cage Firmware (DCN1)	4082 (MU2)
Cage Firmware (DCN2)	4082 (MU2)
Cage Firmware (DCS1)	4082 (MU2)
Cage Firmware (DCS2)	4082 (MU2)
Cage Firmware (DCS5)	2.88
Cage Firmware (DCS6)	2.88
Cage Firmware (DCS7)	4082 (MU2)
Cage Firmware (DCS8)	4082 (MU2)
QLogic QLA4052C HBA Firmware	03.00.01.77 (MU2)
QLogic QLE8242 CNA Firmware	04.15.27
QLogic 260x HBA FC Firmware	174.03.70
QLogic 27xx/268x HBA FC Firmware	174.03.70

QLogic 83xx HBA FCoE Firmware	08.01.05
QLogic 8300 HBA iSCSI Firmware	05.07.35
Emulex LP11002 HBA Firmware	02.82.x10
Emulex LPe12002 HBA Firmware	02.10.x03
Emulex LPe12004 HBA Firmware	02.10.x03
Emulex LPe16002 HBA Firmware	11.1.220.10
Emulex LPe16004 HBA Firmware	11.1.220.10
3PAR FC044X HBA Firmware	200A8
LSI 9201-16e HBA Firmware	17.11.03
LSI 9205-8e HBA Firmware	17.11.03
LSI 9300-8e HBA Firmware	10.10.01

NOTE: When displaying the `showversion` command output from the SP, the CLI Client version is fixed in the SP code and may differ from the output from any other system.

Websites

General websites

Hewlett Packard Enterprise Information Library

www.hpe.com/info/EIL

Single Point of Connectivity Knowledge (SPOCK) Storage compatibility matrix

www.hpe.com/storage/spock

Storage white papers and analyst reports

www.hpe.com/storage/whitepapers

For additional websites, see **[Support and other resources](#)**.

Support and other resources

Accessing Hewlett Packard Enterprise Support

- For live assistance, go to the Contact Hewlett Packard Enterprise Worldwide website:
<http://www.hpe.com/assistance>
- To access documentation and support services, go to the Hewlett Packard Enterprise Support Center website:
<http://www.hpe.com/support/hpesc>

Information to collect

- Technical support registration number (if applicable)
- Product name, model or version, and serial number
- Operating system name and version
- Firmware version
- Error messages
- Product-specific reports and logs
- Add-on products or components
- Third-party products or components

Accessing updates

- Some software products provide a mechanism for accessing software updates through the product interface. Review your product documentation to identify the recommended software update method.
- To download product updates:

Hewlett Packard Enterprise Support Center

www.hpe.com/support/hpesc

Hewlett Packard Enterprise Support Center: Software downloads

www.hpe.com/support/downloads

Software Depot

www.hpe.com/support/softwaredepot

- To subscribe to eNewsletters and alerts:
www.hpe.com/support/e-updates
- To view and update your entitlements, and to link your contracts and warranties with your profile, go to the Hewlett Packard Enterprise Support Center **More Information on Access to Support Materials** page:

-
- ❗ **IMPORTANT:** Access to some updates might require product entitlement when accessed through the Hewlett Packard Enterprise Support Center. You must have an HPE Passport set up with relevant entitlements.
-

Customer self repair

Hewlett Packard Enterprise customer self repair (CSR) programs allow you to repair your product. If a CSR part needs to be replaced, it will be shipped directly to you so that you can install it at your convenience. Some parts do not qualify for CSR. Your Hewlett Packard Enterprise authorized service provider will determine whether a repair can be accomplished by CSR.

For more information about CSR, contact your local service provider or go to the CSR website:

<http://www.hpe.com/support/selfrepair>

Remote support

Remote support is available with supported devices as part of your warranty or contractual support agreement. It provides intelligent event diagnosis, and automatic, secure submission of hardware event notifications to Hewlett Packard Enterprise, which will initiate a fast and accurate resolution based on your product's service level. Hewlett Packard Enterprise strongly recommends that you register your device for remote support.

If your product includes additional remote support details, use search to locate that information.

Remote support and Proactive Care information

HPE Get Connected

www.hpe.com/services/getconnected

HPE Proactive Care services

www.hpe.com/services/proactivecare

HPE Proactive Care service: Supported products list

www.hpe.com/services/proactivecaresupportedproducts

HPE Proactive Care advanced service: Supported products list

www.hpe.com/services/proactivecareadvancedsupportedproducts

Proactive Care customer information

Proactive Care central

www.hpe.com/services/proactivecarecentral

Proactive Care service activation

www.hpe.com/services/proactivecarecentralgetstarted

Warranty information

To view the warranty information for your product, see the links provided below:

HPE ProLiant and IA-32 Servers and Options

www.hpe.com/support/ProLiantServers-Warranties

HPE Enterprise and Cloudline Servers

www.hpe.com/support/EnterpriseServers-Warranties

HPE Storage Products

www.hpe.com/support/Storage-Warranties

HPE Networking Products

www.hpe.com/support/Networking-Warranties

Regulatory information

To view the regulatory information for your product, view the *Safety and Compliance Information for Server, Storage, Power, Networking, and Rack Products*, available at the Hewlett Packard Enterprise Support Center:

www.hpe.com/support/Safety-Compliance-EnterpriseProducts

Additional regulatory information

Hewlett Packard Enterprise is committed to providing our customers with information about the chemical substances in our products as needed to comply with legal requirements such as REACH (Regulation EC No 1907/2006 of the European Parliament and the Council). A chemical information report for this product can be found at:

www.hpe.com/info/reach

For Hewlett Packard Enterprise product environmental and safety information and compliance data, including RoHS and REACH, see:

www.hpe.com/info/ecodata

For Hewlett Packard Enterprise environmental information, including company programs, product recycling, and energy efficiency, see:

www.hpe.com/info/environment

Documentation feedback

Hewlett Packard Enterprise is committed to providing documentation that meets your needs. To help us improve the documentation, send any errors, suggestions, or comments to Documentation Feedback (docsfeedback@hpe.com). When submitting your feedback, include the document title, part number, edition, and publication date located on the front cover of the document. For online help content, include the product name, product version, help edition, and publication date located on the legal notices page.