



Hewlett Packard
Enterprise

HPE 3PAR OS 3.2.2 MU4 Patch 101

Release Notes

Abstract

This release notes document is for Patch 101 and intended for HPE 3PAR Operating System Software 3.2.2.612 (MU4).

Part Number: QL226-99821a
Published: February 2018
Edition: 1

Notices

The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Confidential computer software. Valid license from Hewlett Packard Enterprise required for possession, use, or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Export of the information contained in this publication may require authorization from the U.S. Department of Commerce.

Links to third-party websites take you outside the Hewlett Packard Enterprise website. Hewlett Packard Enterprise has no control over and is not responsible for information outside the Hewlett Packard Enterprise website.

Acknowledgements

Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation. Adobe® and Acrobat® are trademarks of Adobe Systems Incorporated.

Java and Oracle are registered trademarks of Oracle and/or its affiliates.

UNIX® is a registered trademark of The Open Group.

Intel®, Itanium®, Pentium®, Intel Inside®, and the Intel Inside logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Purpose

The HPE 3PAR OS 3.2.2 MU4 Patch 101 provides support for specific drive models while leaving the DOPE and DOPM drives at their current firmware level. The patch adds support for new 480G, 1920G, and 3840G drives to systems with 3.2.2 MU4, without upgrading the following older drives:

DOPE0480S5xnNMRI

DOPE1920S5xnNMRI

DOPM3840S5xnNMRI

Guidance

- This patch is intended for 3PAR OS 3.2.2.612-MU4.
- This is an as needed patch.

Prerequisites

- SP prerequisite: SP-4.4.0.GA-58 plus the latest SP patch
- Base OS: OS-3.2.2.612-MU4. See Requires in Patch details.

Patch details

Patch ID: P101

Synopsis: Provides support for drive FW updates

Date: January 16, 2018, 19:36:50 PST

Description: See the Release Notes for details about this patch

Affected Packages: tpd-drivefw, tpd-fwdb, tpd-prerevert

Obsoletes: OS-3.2.2.612-P57, OS-3.2.2.612-P74, OS-3.2.2.612-P95

Requires: OS-3.2.2.612-MU4, OS-3.2.2.612-P59, OS-3.2.2.612-P84, OS-3.2.2.612-P92, OS-3.2.2.612-P94

Build Version: **3.2.2.718**

Patches Included: None

Patches Partially Superseded: None

Patches Obsolete by Combination: None

Supports Revert: Yes

Notes: Description of the obsoleted patches:

Patch ID: P57

Synopsis: Provides support for drive FW updates and new drives

Date: February 21, 2017, 15:51:53 PST

Description: See the Release Notes for details about this patch

Affected Packages: tpd-drivefw, tpd-fwdb, tpd-sysmgr, tpd-prerevert

Obsoletes: OS-3.2.2.612-P50

Requires: OS-3.2.2.612-MU4, OS-3.2.2.612-P56

Build Version: 3.2.2.628

Notes: Description of the incorporated patches:

Patch ID: P50

Synopsis: Provides support for drive FW updates and new drives

Date: December 08, 2016, 14:35:12 PST

Description: See the Release Notes for details about this patch

Affected Packages: tpd-fwdb, tpd-drivefw, tpd-prerevert

Obsoletes: None

Requires: OS-3.2.2.612-MU4

Build Version: 3.2.2.617

Notes:

Patch ID: P74

Synopsis: Provides support for drive FW updates and new drives

Date: April 25, 2017, 12:44:06 PDT

Description: See the Release Notes for details about this patch

Affected Packages: tpd-drivefw, tpd-fwdb, tpd-utils, tpd-prerevert

Obsoletes: OS-3.2.2.612-P58, OS-3.2.2.612-P73

Requires: OS-3.2.2.612-MU4, OS-3.2.2.612-P59

Build Version: 3.2.2.647

Notes: Description of the incorporated patches:

Patch ID: P58

Synopsis: Provides support for drive FW updates and new drives

Date: March 16, 2017, 21:06:22 PDT

Description: See the Release Notes for details about this patch

Affected Packages: tpd-drivefw, tpd-fwdb, tpd-prerevert

Obsoletes: None

Requires: OS-3.2.2.612-MU4, OS-3.2.2.612-P56, OS-3.2.2.612-P57

Build Version: 3.2.2.636

Notes:

Patch ID: P73

Synopsis: Provides additional support for SSD drives

Date: April 14, 2017, 14:45:58 PDT

Description: See the Release Notes for details about this patch

Affected Packages: tpd-fwdb, tpd-prerevert

Obsoletes: OS-3.2.2.612-P72

Requires: OS-3.2.2.612-MU4, OS-3.2.2.612-P56, OS-3.2.2.612-P57, OS-3.2.2.612-P58

Build Version: 3.2.2.645

Notes: Description of the incorporated patches:

Patch ID: P72

Synopsis: Provides additional support for SSD drives

Date: March 31, 2017, 19:44:14 PDT

Description: See the Release Notes for details about this patch

Affected Packages: tpd-fwdb, tpd-prerevert

Obsoletes: None

Requires: OS-3.2.2.612-MU4,OS-3.2.2.612-P56,OS-3.2.2.612-P57,OS-3.2.2.612-P58

Build Version: 3.2.2.641

Notes:

Patch ID: P95

Synopsis: Provides support for new drive and drive FW updates

Date: October 30, 2017, 17:48:31 PDT

Description: See the Release Notes for details about this patch

Affected Packages: tpd-drivefw, tpd-fwdb, tpd-prerevert

Obsoletes: OS-3.2.2.612-P91

Requires: OS-3.2.2.612-MU4, OS-3.2.2.612-P59,OS-3.2.2.612-P74,OS-3.2.2.612-P84

Build Version: 3.2.2.710

Notes: Description of the obsoleted patches:

Patch ID: P91

Synopsis: Provides support for new second source drives and drive FW updates

Date: August 14, 2017, 15:29:35 PDT

Description: See the Release Notes for details about this patch

Affected Packages: tpd-drivefw, tpd-fwdb, tpd-prerevert

Obsoletes: OS-3.2.2.612-P90

Requires: OS-3.2.2.612-MU4, OS-3.2.2.612-P59, OS-3.2.2.612-P74,OS-3.2.2.612-P84

Build Version: 3.2.2.682

Notes: Description of the incorporated patches:

Patch ID: P90

Synopsis: Provides support for drive FW updates and enhanced logging.

Date: July 31, 2017, 11:43:58 PDT

Description: See the Release Notes for details about this patch

Affected Packages: tpd-drivefw, tpd-fwdb, tpd-prerevert

Obsoletes: None

Requires: OS-3.2.2.612-MU4, OS-3.2.2.612-P59,OS-3.2.2.612-P74,OS-3.2.2.612-P84

Build Version: 3.2.2.680

Notes:

NOTE:

- Applying an HPE 3PAR OS patch can cause a restart of the affected OS components. When components are restarted, events and alerts are generated and this is an expected behavior. The system continues to serve data, but existing CLI or SSMC sessions could be interrupted.
 - Hewlett Packard Enterprise recommends installing patches in the same sequence as they are released, unless instructed otherwise.
 - When displaying the `showversion` command output from the SP, the CLI Client version is fixed in the SP code and may differ from the output from any other system.
-

Modifications

Patch 101 provides firmware updates for the following 3PAR StoreServ Storage drive models:

CAUTION:

Arrays running on prior to 3.2.2 MU4 P57 should NOT upgrade to P57, P58, P74, P90, P91 and P95 and should instead use P101.

NOTE:

HPE drive models DOPE and DOPM will not be upgraded (remain at the current FW level).

Drive	Category	Capacity	Speed	StoreServ 10000	StoreServ 7000	StoreServ 8000	StoreServ 20000	FW
STHB1200S5xeF010	FC	1.2TB	10K	Yes	Yes	Yes	Yes	3P00
STHB0600S5xeN010	FC	600GB	10K	Yes	No	No	No	3P02
STHB1200S5xeN010	FC	1.2TB	10K	Yes	No	No	No	3P02
STHB1800S5xeN010	FC	1.8TB	10K	Yes	No	No	No	3P02
HAKP2000S5xeN7.2	NL	2TB	7.2K	Yes	Yes	Yes	Yes	3P03
HAKP4000S5xeN7.2	NL	4TB	7.2K	Yes	Yes	Yes	Yes	3P03
HAKP6000S5xeN7.2	NL	6TB	7.2K	Yes	Yes	Yes	Yes	3P03
HVIPC0300GBFC15K	FC	300GB	15K	Yes	No	No	No	3P05
HVIPC0600GBFC15K	FC	600GB	15K	Yes	No	No	No	3P05
HCBF0600S5xeN010	FC	600GB	10K	Yes	Yes	Yes	Yes	3P05
HCBF1200S5xeN010	FC	1.2TB	10K	Yes	Yes	Yes	Yes	3P05
HCBF1800S5xeN010	FC	1.8TB	10K	Yes	Yes	Yes	Yes	3P05
HCBF1200S5xeF010	FC	1.2TB	10K	No	Yes	Yes	Yes	3P05
SMBP4000S5xeN7.2	NL	4TB	7.2K	Yes	Yes	Yes	Yes	3P01
SMBP6000S5xeN7.2	NL	6TB	7.2K	Yes	Yes	Yes	No	3P01
SMBP4000S5xeF7.2	NL	4TB	7.2K	Yes	Yes	Yes	Yes	3P01
SMBP6000S5xeF7.2	NL	6TB	7.2K	Yes	Yes	Yes	Yes	3P01
AREA1920S5xnFTRI	SSD	1.92TB	100K	Yes	Yes	Yes	Yes	3P00
AREA3840S5xnFTRI	SSD	3.84TB	100K	No	Yes	Yes	Yes	3P00
AREA0920S5xnFTRI	SSD	920GB	100K	No	Yes	Yes	Yes	3P00
SLTN0450S5xnN010	10K	450GB	10K	Yes	Yes	No	No	3P02
SLTN0600S5xnN010	10K	600GB	10K	No	Yes	No	No	3P02
SLTN0900S5xnN010	10K	900GB	10K	Yes	Yes	No	No	3P02
SLTN0450S5xnE010	10K	450GB	10K	Yes	Yes	No	No	3P01
SLTN0900S5xnE010	10K	900GB	10K	Yes	Yes	No	No	3P01
SLTN0450S5xnF010	10K	450GB	10K	Yes	Yes	No	No	3P01

SLTN0900S5xnF010	10K	900GB	10K	Yes	Yes	No	No	3P01
AREA0480S5xnNTRI	SSD	480GB	100K	No	Yes	Yes	Yes	3P01
AREA0400S5xnNTRI	SSD	400GB	150K	No	Yes	Yes	Yes	3P01
AREA0920S5xnNTRI	SSD	920GB	150K	No	Yes	No	No	3P01
AREA1920S5xnNTRI	SSD	1.92TB	100K	Yes	Yes	Yes	Yes	3P01
AREA3840S5xnNTRI	SSD	3.84TB	100K	No	Yes	Yes	Yes	3P01
DDYE0400S5xnNMRI	SSD	400GB	150K	No	Yes	Yes	Yes	3P03
DDYE1920S5xnNMRI	SSD	1.92TB	100K	No	Yes	Yes	Yes	3P03
DDYE3840S5xnNMRI	SSD	3.84TB	100K	No	Yes	Yes	Yes	3P03
DDYM7680S5xnNMRI	SSD	7.68TB	100K	No	No	Yes	Yes	3P03
AREA15T4S5xnNTRI	SSD	15.3TB	100K	No	No	Yes	Yes	3P03
AREA15T4S5xnFTRI	SSD	15.3TB	100K	No	No	Yes	Yes	3P00

Affected components

Component	Version
Firmware Database	3.2.2.718 (P101)
Drive Firmware	3.2.2.718 (P101)

Installing Drive Firmware

After a firmware patch is installed successfully, the firmware (drive or cage) must be updated manually. To update the firmware, run the CLI command `starttask admithw -ni`. This command runs the update process as a task. Record the task ID for monitoring purposes. Monitor the task for successful completion using the CLI command `showtask -d <task_ID>`. See the appropriate upgrade documentation for details on patch installation. If the task fails, resolve the issue due to which the task failed. After the issue is resolved, issue the CLI command `starttask admithw -ni`. Note the new task ID number and monitor the `admithw` task completion.

Verification

The installation of P101 can be verified from an interactive CLI session. Issue the CLI command `showversion -a -b` to verify that P101 is listed.

```
showversion -a -b
Release version 3.2.2.612 (MU4)
Patches: P56,P59,P84,P92,P94,P101
```

Component Name	Version
CLI Server	3.2.2.712 (P94)
CLI Client	3.2.2.476
System Manager	3.2.2.712 (P94)
Kernel	3.2.2.612 (MU4)
TPD Kernel Code	3.2.2.612 (MU4)
TPD Kernel Patch	3.2.2.712 (P94)
CIM Server	3.2.2.612 (MU4)
WSAPI Server	3.2.2.612 (MU4)
Console Menu	3.2.2.612 (MU4)
Event Manager	3.2.2.612 (MU4)
Internal Test Tools	3.2.2.612 (MU4)
LD Check Tools	3.2.2.612 (MU4)
Network Controller	3.2.2.612 (MU4)
Node Disk Scrubber	3.2.2.612 (MU4)
PD Scrubber	3.2.2.612 (MU4)
Per-Node Server	3.2.2.687 (P92)
Persistent Repository	3.2.2.612 (MU4)
Powerfail Tools	3.2.2.612 (MU4)
Preserved Data Tools	3.2.2.612 (MU4)
Process Monitor	3.2.2.626 (P56)
Rolling Upgrade Tools	3.2.2.612 (MU4)
Software Updater	3.2.2.712 (P94)
TOC Server	3.2.2.687 (P92)
VV Check Tools	3.2.2.612 (MU4)
File Persona	1.2.2.6-20161017
SNMP Agent	1.8.0
SSH	6.6p1-4~bpo70+1
VASA Provider	2.2.10
Firmware Database	3.2.2.718 (P101)
Drive Firmware	3.2.2.718 (P101)
UEFI BIOS	04.08.38
MCU Firmware (OKI)	4.8.29
MCU Firmware (STM)	5.2.53
Cage Firmware (DC1)	4.44
Cage Firmware (DC2)	2.64
Cage Firmware (DC3)	08
Cage Firmware (DC4)	2.64
Cage Firmware (DCN1)	4078
Cage Firmware (DCN2)	4078
Cage Firmware (DCS1)	4078
Cage Firmware (DCS2)	4078
Cage Firmware (DCS5)	1.93
Cage Firmware (DCS6)	1.93
Cage Firmware (DCS7)	4078
Cage Firmware (DCS8)	4078
QLogic QLA4052C HBA Firmware	03.00.01.77
QLogic QLE8242 CNA Firmware	04.15.08
QLogic 8300 HBA FC Firmware	08.01.05

QLogic 8300 HBA FCoE Firmware	08.01.05
QLogic 8300 HBA iSCSI Firmware	05.07.06
Emulex LP11002 HBA Firmware	02.82.x10
Emulex LPe12002 HBA Firmware	02.03.x11
Emulex LPe12004 HBA Firmware	02.03.x11
Emulex LPe16002 HBA Firmware	10.6.248.4
Emulex LPe16004 HBA Firmware	10.6.248.4
3PAR FC044X HBA Firmware	200A8
LSI 9201-16e HBA Firmware	17.11.00
LSI 9205-8e HBA Firmware	17.11.00
LSI 9300-8e HBA Firmware	07.00.00

Websites

General websites

Hewlett Packard Enterprise Information Library

www.hpe.com/info/EIL

Single Point of Connectivity Knowledge (SPOCK) Storage compatibility matrix

www.hpe.com/storage/spock

Storage white papers and analyst reports

www.hpe.com/storage/whitepapers

For additional websites, see [Support and other resources](#).

Support and other resources

Accessing Hewlett Packard Enterprise Support

- For live assistance, go to the Contact Hewlett Packard Enterprise Worldwide website:
<http://www.hpe.com/assistance>
- To access documentation and support services, go to the Hewlett Packard Enterprise Support Center website:
<http://www.hpe.com/support/hpesc>

Information to collect

- Technical support registration number (if applicable)
- Product name, model or version, and serial number
- Operating system name and version
- Firmware version
- Error messages
- Product-specific reports and logs
- Add-on products or components
- Third-party products or components

Accessing updates

- Some software products provide a mechanism for accessing software updates through the product interface. Review your product documentation to identify the recommended software update method.
- To download product updates:

Hewlett Packard Enterprise Support Center

www.hpe.com/support/hpesc

Hewlett Packard Enterprise Support Center: Software downloads

www.hpe.com/support/downloads

Software Depot

www.hpe.com/support/softwaredepot

- To subscribe to eNewsletters and alerts:
www.hpe.com/support/e-updates
- To view and update your entitlements, and to link your contracts and warranties with your profile, go to the Hewlett Packard Enterprise Support Center **More Information on Access to Support**

Materials page:

www.hpe.com/support/AccessToSupportMaterials

IMPORTANT:

Access to some updates might require product entitlement when accessed through the Hewlett Packard Enterprise Support Center. You must have an HPE Passport set up with relevant entitlements.

Customer self-repair

Hewlett Packard Enterprise customer self-repair (CSR) programs allow you to repair your product. If a CSR part needs to be replaced, it will be shipped directly to you so that you can install it at your convenience.

Some parts do not qualify for CSR. Your Hewlett Packard Enterprise authorized service provider will determine whether a repair can be accomplished by CSR.

For more information about CSR, contact your local service provider or go to the CSR website:

<http://www.hpe.com/support/selfrepair>

Remote support

Remote support is available with supported devices as part of your warranty or contractual support agreement. It provides intelligent event diagnosis, and automatic, secure submission of hardware event notifications to Hewlett Packard Enterprise, which will initiate a fast and accurate resolution based on your product's service level. Hewlett Packard Enterprise strongly recommends that you register your device for remote support.

If your product includes additional remote support details, use search to locate that information.

Remote support and Proactive Care information

HPE Get Connected

www.hpe.com/services/getconnected

HPE Proactive Care services

www.hpe.com/services/proactivecare

HPE Proactive Care service: Supported products list

www.hpe.com/services/proactivecaresupportedproducts

HPE Proactive Care advanced service: Supported products list

www.hpe.com/services/proactivecareadvancedsupportedproducts

Proactive Care customer information

Proactive Care central

www.hpe.com/services/proactivecarecentral

Proactive Care service activation

www.hpe.com/services/proactivecarecentralgetstarted

Warranty information

To view the warranty for your product or to view the *Safety and Compliance Information for Server, Storage, Power, Networking, and Rack Products* reference document, go to the Enterprise Safety and Compliance website:

www.hpe.com/support/Safety-Compliance-EnterpriseProducts

Additional warranty information

HPE ProLiant and x86 Servers and Options

www.hpe.com/support/ProLiantServers-Warranties

HPE Enterprise Servers

www.hpe.com/support/EnterpriseServers-Warranties

HPE Storage Products

www.hpe.com/support/Storage-Warranties

HPE Networking Products

www.hpe.com/support/Networking-Warranties

Regulatory information

To view the regulatory information for your product, view the *Safety and Compliance Information for Server, Storage, Power, Networking, and Rack Products*, available at the Hewlett Packard Enterprise Support Center:

www.hpe.com/support/Safety-Compliance-EnterpriseProducts

Additional regulatory information

Hewlett Packard Enterprise is committed to providing our customers with information about the chemical substances in our products as needed to comply with legal requirements such as REACH (Regulation EC No 1907/2006 of the European Parliament and the Council). A chemical information report for this product can be found at:

www.hpe.com/info/reach

For Hewlett Packard Enterprise product environmental and safety information and compliance data, including RoHS and REACH, see:

www.hpe.com/info/ecodata

For Hewlett Packard Enterprise environmental information, including company programs, product recycling, and energy efficiency, see:

www.hpe.com/info/environment

Documentation feedback

Hewlett Packard Enterprise is committed to providing documentation that meets your needs. To help us improve the documentation, send any errors, suggestions, or comments to Documentation Feedback (docsfeedback@hpe.com). When submitting your feedback, include the document title, part number, edition, and publication date located on the front cover of the document. For online help content, include the product name, product version, help edition, and publication date located on the legal notices page.