

Hitachi Storage Navigator Modular 2 for AMS V9.33 Release Notes (Rev.1)

Table of Contents

Table of Contents	. 1
About This Document	
Intended Audience	
Getting Help	. 2
About This Release	. 2
Key Product Features	. 2
New Product Features	
Improvement Features	
New System and Hardware Requirements	. 3
Fixed Problems	
Known Problems	. 4
Notes on Installation	. 4
Notes on Advanced Settings	. 4
Documentation	. 4

Copyright © 2010 Hitachi Data Systems Corporation, ALL RIGHTS RESERVED

Notice: No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or stored in a database or retrieval system for any purpose without the express written permission of Hitachi Data Systems Corporation (hereinafter referred to as "Hitachi Data Systems").

Hitachi Data Systems reserves the right to make changes to this document at any time without notice and assumes no responsibility for its use. Hitachi Data Systems products and services can only be ordered under the terms and conditions of Hitachi Data Systems' applicable agreements. All of the features described in this document may not be currently available. Refer to the most recent product announcement or contact your local Hitachi Data Systems sales office for information on feature and product availability.

This document contains the most current information available at the time of publication. When new and/or revised information becomes available, this entire document will be updated and distributed to all registered users.

Hitachi Data Systems is a registered trademark and service mark of Hitachi, Ltd., and the Hitachi Data Systems design mark is a trademark and service mark of Hitachi, Ltd. All other brand or product names are or may be trademarks or service marks of and are used to identify products or services of their respective owners.

About This Document

This release note document provides late-breaking information about the Hitachi Storage Navigator Modular 2 Storage Management Software (abbreviated Navigator 2). It includes information that was not available at the time the technical documentation for this product was published, as well as a list of known problems and solutions.

Intended Audience

This document is intended for Hitachi Data Systems customers and authorized service partners who license and use Navigator 2 to implement a tiered storage solution and manage the data lifecycle on a Hitachi Adaptable Modular Storage (AMS) 2000 Family systems.

Getting Help

If you purchased this product from an authorized HDS reseller, contact that reseller for support. For the name of your nearest HDS authorized reseller, refer to the HDS support Web site for locations and contact information. To contact the Hitachi Data Systems Support Center, please visit the HDS Web site for current telephone numbers and other contact information: http://support.hds.com.

About This Release

This release covers version 9.33 of Hitachi Storage Navigator Modular 2 storage management software that manages the AMS systems.

Key Product Features

Navigator 2 consists of a graphical user interface (GUI), and underlying software that is used to configure and manage the storage functions on the Hitachi AMS and SMS arrays. The general features and capabilities of Navigator 2 are described in the following table.

Navigator 2 Key Features for AMS and SMS

Function	Description	AMS Firmware support	SMS Firmware support
Add Array	This feature uses a wizard to guide Storage Administrators through the discovery of the arrays.	✓ 0800/A and later	1800/A and later
Initial Setup	This feature uses a wizard to guide Storage Administrators through the configuration of the array for operation in their environment.	✓ 0800/A and later	1800/A and later
License Installation	This feature provides installation and management of array-based storage features software.	✓ 0832/A and later	1810/A and later

New Product Features

Function	Description	AMS	SMS
		Firmware support	Firmware support
Create Logical Units	This feature is used to create and allocate volumes to hosts.	✓	✓
		0832/A and later	1810/A and later
Performance	This feature provides output text file of performance and tuning parameter.	✓	✓
		0800/A and later	1800/A and later
Update Firmware	This online feature is used to upgrade the array firmware.	✓	✓
		0832/A and later	1810/A and later
Backup	This feature provides backup of the array volumes.	✓	✓
		0832/A and later	1810/A and later
Monitor Alerts	This feature is used to monitor the health of the arrays.	✓	✓
		0832/A and later	1810/A and later

New Product Features

Navigator 2 adds the following new features to the storage management operations.

Navigator 2 New Features for AMS and SMS

Function	Description	AMS Firmware support	SMS Firmware support
Support Array	DF800E-XS iSCSI I/F is supported.	0893/B and later	N/A

Improvement Features

None

New System and Hardware Requirements

None

Fixed Problems

None

Known Problems

None

Notes on Installation

None

Documentation

Related Documents

None

Documentation Update

- MK-97DF8153-07 Hitachi Storage Navigator 2 Command Line Interface (CLI) Replication Reference Guide for AMS
- MK-97DF8039-08 Hitachi Storage Navigator 2 Advanced Settings User's Guide
- MK-97DF8019-02 Hitachi AMS 2000 Data Retention Utility User's Guide
- MK-99DF8208-02 Hitachi Storage Navigator Modular 2 User's Guide
- MK-97DF8147-06 Hitachi Storage Navigator Modular 2 Storage Features Reference Guide for SMS
- MK-97DF8039-15 Hitachi Storage Navigator Modular 2 Command Line Interface (CLI) Unified Reference Guide

Documentation Errata

None