

OPTION & MICROVERSION SECTION

Contents

[OPTVER01-10](#) 1. Relationship between option and micro-program version

1. Relationship between option and micro-program version

Before installing one of hardware options described in the below, confirm whether the stored micro-program supports the hardware option or not.

Table 1-1 Comparison Table of Options & Micro-Versions

No.	Model number	Support item	Micro-program version (*1)
1	DW-F700-16GB/BM256	Cache Memory (16GB), Cache Flash Memory (256GB)	DKCMAIN: 73-01-3X and higher
2	DF-F850-8HGDM	Drive (800GB SAS SSD SFF)	DKCMAIN: 73-01-3X and higher
3	DF-F850-DBF, DKC-F710I-1R6FM	Flash Module Drive Box, Flash Module Drive	DKCMAIN: 73-02-0X and higher
4	DF-F850-4TNL/4TNX	Drive (4TB SAS LFF)	DKCMAIN: 73-02-0X and higher
5	DF-F850-12HGSS	Drive (1.2TB SAS SFF)	DKCMAIN: 73-03-0X and higher
6	DW-F700-BS6GE	Encryption Backend I/O Module	DKCMAIN: 73-03-0X and higher
7	DKC-F710I-3R2FM	3.2TB Flash Module Drive	DKCMAIN: 73-03-0X and higher

*1: Refer to the page [SVP03-10](#) to confirm micro-program version.

If the present micro-program versions are lower than the ones in the table above, please exchange or update them first. (Refer to [MICRO04-10](#).)

Non-Disruptive : Go to [INST02-40](#) No.3.

Disruptive : Go to [INST02-80](#) No.3.