

OPTION & MICROVERSION SECTION

Contents

[OPTVER01-10](#) 1. Relationship between option and micro-program version

1. Relationship between option and micro-program version

Before installing one of hardware options and using the functions described in the below, confirm whether the stored micro-program supports the hardware option or not.

Also the corresponding control system is mandatory.

Table 1-1 Comparison Table of Options & Micro-Versions

No.	Model number	Support item	Micro-program version (*1)
1	DKC-F810I-8FC16	Fibre 8-port 16G Host Adapter	DKCMAIN: 80-01-2X and higher.
2	DKC-F810I-ESCA	Encryption Disk Adapter	DKCMAIN: 80-01-2X and higher.
3	DKC-F810I-BKML	Cache Backup Module Kit for Large Memory	DKCMAIN: 80-01-2X and higher.
4	DKC-F810I-BMM256	Cache Flash Memory (256GB)	DKCMAIN: 80-01-2X and higher.
5	DKC-F810I-1R2JCM/4R0H3M	Disk Drive	DKCMAIN: 80-01-2X and higher.
6	DKC-F810I-600J5M/400M5M	LFF Disk Drive/SSD Drive	DKCMAIN: 80-01-4X and higher.

*1: Refer to the page [SVP03-07-10](#) to confirm micro-program version.

Table 1-2 Comparison Table of Functions & Micro-Versions

No.	Function name	Micro-program version (*1)
1	Compatible XRC	DKCMAIN: 80-01-2X and higher.
2	Mainframe Fibre Data Migration	DKCMAIN: 80-01-2X and higher.
3	The following functions of FlashCopy <ul style="list-style-type: none"> • Compatible FlashCopy SE • FlashCopy to PPRC Primary Volume • FlashCopy to UR-MF Primary Volume • Remote FlashCopy • Preserve Mirror FlashCopy 	DKCMAIN: 80-01-2X and higher.

*1: Refer to the page [SVP03-07-10](#) to confirm micro-program version.

If the present micro-program versions are lower than the ones in the table above, please exchange or update them first. (Refer to [MICRO04-10](#).)

Non-Disruptive : Go to [INST02-40](#) No.3.

Disruptive : Go to [INST02-90](#) No.3.