

OPENPLATFORM SECTION

REV.0	Jun.2001					
-------	----------	--	--	--	--	--

Contents

OPENPLATFORM

1 GENERAL	OPEN01-10
1.1 Product Outline and Features	OPEN01-10
1.1.1 FIBRE attachment option	OPEN01-10
1.1.2 iSCSI channel option	OPEN01-35
1.2 Basic Specifications	OPEN01-40
1.3 Terminology	OPEN01-50
1.4 Notice about maintenance operations	OPEN01-70
2 Interface Specification	OPEN02-10
2.1 Physical Interface Specification	OPEN02-10
2.1.1 FIBRE Physical Interface Specification	OPEN02-10
2.1.2 iSCSI Physical Interface Specification	OPEN02-15
2.2 Specifications of Fibre Channel High Performance Mode.....	OPEN02-20
2.2.1 Standard Performance mode (SP mode).....	OPEN02-20
2.2.2 High Performance mode.....	OPEN02-20
2.2.3 2 Port High Performance mode (2 Port HP Mode).....	OPEN02-20
2.2.4 Restrictions of High Performance mode	OPEN02-20
2.2.5 Restrictions of 2 Port High Performance mode.....	OPEN02-30
2.2.6 Restrictions of the change of Standard Performance mode, High Performance mode and 2 Port High Performance mode	OPEN02-30
2.2.7 Indication format of port	OPEN02-40
2.3 iSCSI specifications	OPEN02-60
3 CONFIGURATION	OPEN03-10
3.1 System Configurations	OPEN03-10
3.1.1 Multiplatform Configuration	OPEN03-10
3.1.2 All FIBRE Configuration	OPEN03-20
3.1.3 All iSCSI Configuration	OPEN03-25
3.2 Channel Configuration	OPEN03-30
3.2.1 Fibre Channel Configuration	OPEN03-30
3.2.2 iSCSI Channel Configuration	OPEN03-30
3.3 FIBRE Addressing	OPEN03-40
3.3.1 Number of Hosts	OPEN03-40
3.3.2 Number of Host Groups	OPEN03-40
3.3.3 LUN (Logical Unit Number)	OPEN03-45
3.3.4 PORT INFORMATION	OPEN03-45
3.4 Logical Unit	OPEN03-50
3.4.1 Logical Unit Specification	OPEN03-50
3.4.2 Logical Unit Mapping of FIBRE	OPEN03-70
3.4.3 LU size expansion	OPEN03-80
3.4.4 LUN Security	OPEN03-110
3.5 Volume Specification	OPEN03-120
3.5.1 Volume Specification	OPEN03-120
3.5.2 Intermix Specification	OPEN03-200
3.5.3 HMDE volume intermix within ECC group	OPEN03-210

3.6 Volume Configuration	OPEN03-220
3.6.1 Volume Configuration	OPEN03-220
3.6.2 Intermix Volume Configuration	OPEN03-230
3.6.3 HMDE Volume Configuration	OPEN03-250
3.6.4 HMBR Volume Configuration	OPEN03-260
3.7 Open Volume Setting	OPEN03-270
3.7.1 Setting of Open volume space	OPEN03-270
3.7.2 LUN setting	OPEN03-270
3.7.3 OPEN-V Setting	OPEN03-280
3.8 Host mode setting	OPEN03-300
3.8.1 Fibre	OPEN03-300
3.8.2 iSCSI	OPEN03-310
4 CONTROL FUNCTION	OPEN04-10
4.1 Cache Usage	OPEN04-10
4.2 SCSI Command Multi-processing	OPEN04-20
4.2.1 Command Tag Queuing	OPEN04-20
4.2.2 Concurrent data transfer	OPEN04-20
5 SCSI Commands	OPEN05-10
5.1 Fibre	OPEN05-10
5.2 iSCSI	OPEN05-30
6 HMDE (Hitachi Multiplatform Data Exchange)	OPEN06-10
6.1 Overview	OPEN06-10
6.2 Installation	OPEN06-20
6.3 Notes on Use	OPEN06-30
7 HMBR (Hitachi Multiplatform Backup/Restore)	OPEN07-10
7.1 Overview	OPEN07-10
7.2 System Configuration	OPEN07-20
7.3 Basic Specification	OPEN07-30
7.4 Backup Volume Specification	OPEN07-40
7.5 Precautions	OPEN07-40
8 HA Software Linkage Configuration in a Cluster Server Environment	OPEN08-10
8.1 Example of System Configurations	OPEN08-10
8.2 Configuration Using Host Path Switching Function	OPEN08-40
9 HORC (Hitachi Open Remote Copy)	OPEN09-10
9.1 Overview	OPEN09-10
9.2 Basic Specifications	OPEN09-20
10 LUN installation	OPEN10-10
10.1 Overview	OPEN10-10
10.2 Specifications	OPEN10-10
10.3 Operations	OPEN10-20

11 LUN de-installation	OPEN11-10
11.1 Overview	OPEN11-10
11.2 Specifications	OPEN11-10
11.3 Operations	OPEN11-20
12 Prioritized Port Control (PPC)	OPEN12-10
12.1 Overview	OPEN12-10
12.2 Overview of Monitoring	OPEN12-20
12.3 Procedure (Flow) of Prioritized Port Control	OPEN12-30
13 Hi-speed microcode upgrade	OPEN13-10
13.1 Overview	OPEN13-10
13.2 Conditions for hi-speed microcode upgrade	OPEN13-10
14 16HSE/F PCB	OPEN14-10
14.1 Outline	OPEN14-10
14.2 Setting to be made at the time of installation	OPEN14-10
14.3 Port name	OPEN14-20

1 GENERAL

1.1 Product Outline and Features

The openplatform optional feature can assign a partial or full of disk volume area of the DKC disk subsystem for the Mainframe and Open system hosts by installing FIBRE channel adapter (CHF) packages to the disk controller (hereinafter called DKC). This function enables a use of high reliable and high performance disk subsystem realized by the DKC for a openplatform or FIBRE system environment. This also provides the customers with a flexible and optimized system construction capability for their system expansion and migration.

1.1.1 FIBRE attachment option

Some of the major features of this FIBRE attachment option are listed below.

(1) HMRS (Hitachi Multiplatform Resource Sharing) function and FIBRE interface connectivity

In addition to the conventional Channel interface (asynchronous (ESCON) channels), the SCSI-2, standard interface in the open systems, can be mounted as one controller. At the same time fibre channel interface can be mounted as one controller. This enables multiplatform system users to share the high reliable and high performance resource realized by the DKC disk subsystem.

The SCSI interface is complied with ANSI SCSI-3, a standard interface for various peripheral devices for open systems. Thus, the DKC can be easily connected to various open-market FIBRE host systems (e.g. Workstation servers and PC servers).

DKC460 can be connected to open system via FIBRE interface by installing Fibre Adapter (DKC-F460I-8GSE/4HSE/8HSE/8HLE).

FIBRE connectivity are provided as channel option of DKC460.

FIBRE Adapter can be installed any CHA location of DKC460 and can be co-exist with any other channel adapters.

(2) Fast and concurrent data transmission

Data can be read and written at a maximum speed of 200 M byte/s with use of FIBRE interface. (8GSE:100 M byte/s)

All of the FIBRE ports can transfer data concurrently too.

(3) All FIBRE configuration

All FIBRE configuration is also allowed either with one CHF pair or two, three or full of four CHF pairs configuration.

These will provide more flexible use of the subsystem for open system environment.

- (4) **HMDE (Hitachi Multiplatform Data Exchange) support**
 By installing HMDE mto optional feature, data in the mainframe volumes can be read from open systems and written into the open system volumes. Another way, by installing HMDE otm optional feature, data can be transferred from open system to mainframe. This enables faster data transmission of data base files between mainframe and open systems than currently used means such as network transfer.
 The HMDE mto/otm feature is available through FIBRE adapters.
- (5) **HMBR (Hitachi Multiplatform Backup/Restore) support**
 By using HMBR optional feature, data in the open system can be managed by the backup systems and utilities provided in the mainframe systems. This enables a use of rich and high reliable and high performance backup systems of mainframe world to the open system environment.
 The HMBR feature is available through FIBRE adapters.
- (6) **Customer assets guarantee (Upgrading paths)**
 The FIBRE attachment options allow on-site upgrading of already installed channel-type DKC systems owned by customers.
- (7) **High performance**
 The DKC has two independent areas of nonvolatile cache memory and this mechanism also applies to the FIBRE attachment option. Thus, compared with a conventional disk array controller used for open systems and not having a cache, this disk subsystem has the following outstanding characteristics:
- ① Cache data management by LRU control
 - ② Adoption of DFW (DASD Fast Write)
 - ③ Write data duplexing
 - ④ Nonvolatile cache
- (8) **High availability**
 The DKC is fault-tolerant against even single point of failure in its components and can successively read and write data without stopping the system. This concept is also taken over to the FIBRE attachment option, which ensures fault-tolerance against even single point of failure in its components, except the CHF. Fault-tolerance against CHF and FIBRE cable failures depends on the multi-path configuration support of the host system too.
- (9) **High data reliability**
 The FIBRE attachment option automatically creates a guarantee code of a unique eight byte data, adds it to host data, and writes it onto the disk as data. The data guarantee code is checked automatically on the internal data bus of the DKC to prevent data errors due to array-specific data distribution or integration control. Thus, the reliability of the data improves.

(10) HORC (Hitachi Open Remote Copy) Support

HORC is a function to realize the duplication of open system data by connecting the two DKC460 subsystems or inside parts of a single DKC460 using the ESCON and Fibre.

This function enables the construction of a backup system against disasters by means of the duplication of data including those of the host system or the two volumes containing identical data to be used for different purposes.

1.1.2 iSCSI channel option

Support version of iSCSI attachment option is 21-09-xx or later.

Some of major features of this iSCSI attachment option are listed below.

- (1) In addition to the FIBRE interface, the iSCSI interface can be mounted as the controller.
DKC460 can be connected to open system via iSCSI interface by installing iSCSI Adapter (DKC-F460I-8IS). iSCSI connectivity are provided as channel option of DKC460.
iSCSI Adapter can be installed any CHA location of DKC460 and can be co-exist with any other channel adapters.
- (2) Data transmission
Data can be read and written at a maximum speed of 100 M byte/s with use of iSCSI interface.
- (3) All iSCSI configuration
All iSCSI configuration is also allowed either with one CHI pair or two, three or full of four CHI pairs configuration.
These will provide more flexible use of the subsystem for open system environment.
- (4) HMDE (Hitachi Multiplatform Data Exchange) not supported
The HMDE optional feature is not supported in iSCSI attachment option.
- (5) HORC (Hitachi Open Remote Copy) not supported
The HORC optional feature is not supported in iSCSI attachment option.
- (6) HOMRCF (Hitachi Open Multiple RAID Coupling Feature) is not supported
The HOMRCF optional feature is not supported in iSCSI attachment option.

1.2 Basic Specifications

The basic specifications of the FIBRE attachment are shown in Table 1-1.

Table 1-1 FIBRE attachment Basic specifications

Item		Specification
Host Channel	Max. # of Channels	48*
	Max. # of concurrent paths	48*
Data transfer		100/200 M byte/sec (Fibre)
RAID level		RAID5/RAID1
RAID configuration		RAID5 (3D+1P / 7D+1P: 72 G byte, 36 G byte)
		RAID1 (2D+2D: 72 G byte, 36 G byte)
HDD		DKS2B-K36FC (36 G byte)
		DKR2D-J72FC (72 G byte)
Cache capacity	minimum	2 G bytes
	maximum	32 G bytes*
	additional unit	2 G bytes

*1: All PCB are the 16HSF.

*2: 64 M bytes DRAM

The basic specifications of the iSCSI attachment are shown in Table 1-2.

Table 1-2 iSCSI attachment Basic specifications

Item		Specification
Host Channel	Max. # of Channels	24
	Max. # of concurrent paths	24
Data transfer		100 M byte/sec
RAID level		RAID5/RAID1
RAID configuration		RAID5 (3D+1P / 7D+1P: 72 G byte, 36 G byte)
		RAID1 (2D+2D: 72 G byte, 36 G byte)
HDD		DKS2B-K36FC (36 G byte)
		DKR2D-J72FC (72 G byte)
Cache capacity	minimum	2 G bytes
	maximum	32 G bytes*
	additional unit	2 G bytes

1.3 Terminology

- (1) Arbitrated Loop
A configuration that allows multiple ports to be connected serially.
- (2) CHA
CHannel Adapter. A hardware package to connect with a channel interface.
- (3) CHF
CHannel adapter for FIBRE. A hardware package to connect with FIBRE interface.
- (4) CHI
CHannel adapter for ISCSI. A hardware package to connect with iSCSI interface.
- (5) Command descriptor block (CDB)
A command block in SCSI interface used to send requests from the initiator to a target.
- (6) DKA
DisK Adapter. A hardware package which controls disk drives within a DKC.
- (7) DKC
DisK Controller. A disk controller unit consisting of CHA, CHF, DKA, Cache and other components except DKU.
- (8) DKU
DisK Unit. Disk drives units.
- (9) Fabric
The entity which interconnects various N-Ports attached to it and is capable of routing frames.
- (10) FAL
File Access Library: A program package and provided as a program product for HMDE.
- (11) FCU
File Conversion Utility: A program package and provided together with FAL for HMDE.
- (12) HMBR
Hitachi Multiplatform Backup/Restore.
- (13) HMDE
Hitachi Multiplatform Data Exchange.
- (14) HMRS
Hitachi Multiplatform Resource Sharing.

- (15) HA configuration
High Availability configuration
- (16) Initiator
The OPEN device (usually, a host computer) that requests another OPEN device to operate.
- (17) Logical unit (LU)
The logical unit of division of the subsystem data area accessible from SCSI interface.
- (18) Logical unit number (LUN)
A three-bit code identifier for a logical unit. LUN0-7 can be assigned.
- (19) Logical volume or logical device (LDEV)
The disk pack image, formed on an array disk, that is compatible with that of a 3390-3 in terms of cylinder and track quantities and the track capacity.
- (20) Point-to-Point
A configuration that allows two ports to be connected serially.
- (21) Open device
Collectively refers to the host computer, peripheral control units, and intelligent peripherals that are connected to fibre channel.
- (22) Target
A Open device (usually, the DKC) that operates at the request of the initiator.
- (23) VENDOR UNIQUE or VU
A manufacturer- or device-unique definable bit, byte, field, or code value.
- (24) Initiator Port
A port-type used for MCU port of Fibre Remote Copy function.
- (25) RCU Target Port
A port-type used for RCU port of Fibre Remote Copy function.
This port allows LOGIN of host computers and MCUs.
- (26) Target port
A port-type which is different from “Initiator Port” and “RCU Target Port”.
This port is a normal target port which is used without configuration of Fibre Remote Copy.
This “Target port” allows LOGIN of host computers. It does not allow LOGIN of MCUs.

1.4 Notice about maintenance operations

There are some notices about FIBRE maintenance operations.

- (1) Before LUN path configuration is changed, FIBRE I/O on the related FIBRE port must be stopped.
- (2) Before FIBRE channel adapter or LDEV is de-installed, the related LUN path must be de-installed.
- (3) Before FIBRE channel adapter is replaced, the related FIBRE I/O must be stopped.
- (4) Before micro-program is changed, all FIBRE I/O on the DKC must be stopped, excepting another operation is instructed with HA configuration or CHF skip mode microprogram exchanging.
- (5) When Fibre-Topology information is changed, pull out a Fibre cable between the port and SWITCH and put it back again. Before a change of Fibre-Topology information, pull out Fibre cable and put it back after completing the change.

There are some notices about iSCSI maintenance operations.

- (1) Before LUN path configuration is changed, iSCSI I/O on the related iSCSI port must be stopped.
- (2) Before iSCSI channel adapter or LDEV is de-installed, the related LUN path must be de-installed.
- (3) Before iSCSI channel adapter is replaced, the related iSCSI I/O must be stopped.
- (4) Before micro-program is changed, all iSCSI I/O on the DKC must be stopped.
- (5) When you change the Port Parameters and the User Authentication of iSCSI Port, please operate from the Web Console. (Refer to [WEB02-40](#), and '3.9 Configuring iSCSI Ports' of LUN Management User's Guide)

2 Interface Specification

2.1 Physical Interface Specification

2.1.1 FIBRE Physical Interface Specification

The physical interface specification supported for FIBRE is shown in Table 2-1-1 and Table 2-1-2.

Table 2-1-1 FIBRE Physical specification

No.	Item		Specification	Remark
1	Host interface	Physical interface	Fibre Channel	FC-PH,FC-AL
		Logical interface	SCSI-3	FCP,FC-PLDA
			Fibre(Arbitrated Loop)	FC-AL
2	Data Transfer Rate	Optic fibre cable	100 M byte/s 200 M byte/s	8GSE/F 8HSE/F, 4HSE/F, 8HLE/F, 16HSF
3	Cable Length	Optic single mode fibre	10km	Longwave laser
		Optic multi mode fibre	500m	Shortwave laser
4	Connector Type		SC : 8GSE/F LC { 8HSE/F 4HSE/F 8HLE/F 16HSE/F	—
5	Topology		FC-AL	—
6	Service class		3	—
7	Protocol		FCP	—
8	Transfer code		8B/10B translate	—
9	# of hosts		256/Path	—
10	# of host Group		128/Path	—
11	# of maximum LU		512 (256)/Path	—
12	PORT/PCB	4 Port CHF	4 Port (SP Mode*) 2 Port (2 Port HP Mode*) 1 Port (HP Mode*)	—
		2 Port CHF	2 Port (SP Mode*) 1 Port (HP Mode*)	—

SP Mode : Standard Performance Mode

HP Mode : High Performance Mode

2 Port HP Mode : 2 Port High Performance Mode (8HSE/F/8HLE/F only)

Table 2-1-2 FC I/F support level

No.	Item	I/F type	DKC460 support level
1	Optic cable type	Optical Type (Longwave)	supported
2		Optical Type(Shortwave)	supported
3		Copper Type	not supported
4	Optic I/F	OFC (Open Fibre Control)	not supported
5		Non-OFC	supported

2.1.2 iSCSI Physical Interface Specification

The physical interface specification supported for iSCSI is shown in Table 2-2-1 and Table 2-2-2.

Table 2-2-1 iSCSI Physical specification

No.	Item		Specification	Remark
1	Host interface	Physical interface	Ethernet	
		Logical interface	TCP/IP	
2	Data Transfer Rate	Optic fibre cable	100 M byte/s	8IS
3	Cable Length	Optic multi mode fibre	500m	Shortwave laser
4	Connector Type		LC	—
5	# of hosts		64/Path	—
6	# of maximum LU		512 (256)/Path	—
7	PORT/PCB	4 Port CHI	4 Port	—

Table 2-2-2 iSCSI I/F support level

No.	Item	I/F type	DKC460 support level
1	Optic cable type	Optical Type (Longwave)	not supported
2		Optical Type(Shortwave)	supported
3		Copper Type	not supported
4	Optic I/F	OFC (Open Fibre Control)	not supported
5		Non-OFC	supported

2.2 Specifications of Fibre Channel High Performance Mode

2.2.1 Standard Performance mode (SP mode)

In the 2, 4-port CHF, one CHPs required for one or two ports.

* In the 4-port CHF, one CHPs required for two ports.

2.2.2 High Performance mode

To assign four CHPs or two CHPs to one port, a HUB is provided on the PCB and four fibre channel port are connected to one port. The 2, 4-port CHP, uses 4/2 CHPs for one port.

* In the 8-port CHF, no support.

2.2.3 2 Port High Performance mode (2 Port HP Mode)

To assign two CHPs to one port, a HUB is provided on the PCB and two fibre channel port are connected to one port. The 8HSE/F/8HLE/F PCB, uses 2 CHPs for one port.

2.2.4 Restrictions of High Performance mode

The following restrictions are placed when using the High Performance mode:

- It looks as if four targets are connected to one port.
 - The number of ports which can be used on the PCB drops.
 - To make the most performance, accesses must be divided equally for the four targets.
 - In the following cases, switching from the SP mode to the HP mode cannot be done.
 - When the settings of the Loop ID (FC-AL) for the 1st*, 2nd*, 3rd* and 4th* are duplicated.
 - When the settings of the topology for the 1st*, 2nd*, 3rd* and 4th* are different.
 - When the settings of the topology for the 1st*, 2nd*, 3rd* and 4th* are Point To Point.
 - When the settings of the port-type for the 1st*, 2nd*, 3rd* and 4th* are different.
 - When the settings of the channel speed are different.
- (Ex.) At first you have to set both port's types same when 1st* is "Initiator Port", 2nd*, 3rd* and 4th* port is "RCU Target Port".
- And then you can change the SP/HP mode.
- *: For the "1st", "2nd", "3rd" and "4th" refer to Table 2-3 on page [OPEN02-40](#).
- In case of 4HSE, only 1st and 3rd.

2.2.5 Restrictions of 2 Port High Performance mode

The following restrictions are placed when using the 2 Port High Performance mode:

- It looks as if two targets are connected to one port.
- The number of ports which can be used on the PCB drops.
- To make the most performance, accesses must be divided equally for the two targets.
- In the following cases, switching from the SP mode to the 2 Port HP mode cannot be done.
 - When the settings of the Loop ID (FC-AL) for the 1st* and 2nd* are duplicated.
 - When the settings of the topology for the 1st* and 2nd* are different.
 - When the settings of the topology for the 1st* and 2nd* are Point To Point.
 - When the settings of the port-type for the 1st* and 2nd* are different.
 - When the settings of the channel speed are different.
- (Ex.) At first you have to set both port's types same when 1st* is "Initiator Port", 2nd* port is "RCU Target Port".
 - And then you can change the SP/HP mode.
- The port's types at the same time execution 1st and 2nd for 2 Port HP Mode.
- The number of ports which can be used on the PCB drops.
 - *: For the "1st" and "2nd" refer to Table 2-4 on page [OPEN02-50](#).
- 8HSE/F/8HLE/F PCB only support.

2.2.6 Restrictions of the change of Standard Performance mode, High Performance mode and 2 Port High Performance mode

- The change of Performance Mode is prohibited when the system is online.
 - You must shut down the hosts before the change of Performance Mode,
 - or, reboot the hosts after the change of Performance Mode.
- The host recognizes devices already used as new ones because the two mode have different device number for the host to recognize.
 - You can't continue to use the device after the change of the Performance Mode.
- If a port is configured as "Initiator Port", you have to remove a logical path of Fibre Remote Copy at first.
 - If a port is configured as "RCU Target Port", you have to remove R-Vols at first.
 - After either operation above, you can change SP/HP mode.

2.2.7 Indication format of port

Table 2-3 Indication Format of Port

	4HSE/4HSF/8GSE/8GSF/ 8HSE/8HSF/8HLE/8HLF Fibre (Standard)	High Performance Mode
CL1-A	1A	1A
CL1-B	1B (-)	1B (1A-2nd) (-)
CL1-C	1C	1C (1A-3rd)
CL1-D	1D (-)	1D (1A-4th) (-)
CL1-E	1E	1E
CL1-F	1F (-)	1F (1E-2nd) (-)
CL1-G	1G	1G (1E-3rd)
CL1-H	1H (-)	1H (1E-4th) (-)
CL1-J	1J	1J
CL1-K	1K (-)	1K (1J-2nd) (-)
CL1-L	1L	1L (1J-3rd)
CL1-M	1M (-)	1M (1J-4th) (-)
CL1-N	1N	1N
CL1-P	1P (-)	1P (1N-2nd) (-)
CL1-Q	1Q	1Q (1N-3rd)
CL1-R	1R (-)	1R (1N-4th) (-)
CL2-A	2A	2A
CL2-B	2B (-)	2B (2A-2nd) (-)
CL2-C	2C	2C (2A-3rd)
CL2-D	2D (-)	2D (2A-4th) (-)
CL2-E	2E	2E
CL2-F	2F (-)	2F (2E-2nd) (-)
CL2-G	2G	2G (2E-3rd)
CL2-H	2H (-)	2H (2E-4th) (-)
CL2-J	2J	2J
CL2-K	2K (-)	2K (2J-2nd) (-)
CL2-L	2L	2L (2J-3rd)
CL2-M	2M (-)	2M (2J-4th) (-)
CL2-N	2N	2N
CL2-P	2P (-)	2P (2N-2nd) (-)
CL2-Q	2Q	2Q (2N-3rd)
CL2-R	2R (-)	2R (2N-4th) (-)

- : Unsupported port

(-): Uninstalled port in the case of the 4HSE PCB

Table 2-4 Indication Format of Port

	8HSE/8HSF/8HLE/8HLF Fibre(Standard)	2Port High Speed
CL1-A	1A	1A
CL1-B	1B	1B(1A-2nd)
CL1-C	1C	1C
CL1-D	1D	1D(1C-2nd)
CL1-E	1E	1E
CL1-F	1F	1F(1E-2nd)
CL1-G	1G	1G
CL1-H	1H	1H(1G-2nd)
CL1-J	1J	1J
CL1-K	1K	1K(1J-2nd)
CL1-L	1L	1L
CL1-M	1M	1M(1L-2nd)
CL1-N	1N	1N
CL1-P	1P	1P(1N-2nd)
CL1-Q	1Q	1Q
CL1-R	1R	1R(1Q-2nd)
CL2-A	2A	2A
CL2-B	2B	2B(2A-2nd)
CL2-C	2C	2C
CL2-D	2D	2D(2C-2nd)
CL2-E	2E	2E
CL2-F	2F	2F(2E-2nd)
CL2-G	2G	2G
CL2-H	2H	2H(2G-2nd)
CL2-J	2J	2J
CL2-K	2K	2K(2J-2nd)
CL2-L	2L	2L
CL2-M	2M	2M(2L-2nd)
CL2-N	2N	2N
CL2-P	2P	2P(2N-2nd)
CL2-Q	2Q	2Q
CL2-R	2R	2R(2Q-2nd)

2.3 iSCSI specifications

Table 2-5 Indication Format of Port

	8IS iSCSI
CL1-A	1A
CL1-B	1B
CL1-C	1C
CL1-D	1D
CL1-E	1E
CL1-F	1F
CL1-G	1G
CL1-H	1H
CL1-J	1J
CL1-K	1K
CL1-L	1L
CL1-M	1M
CL2-A	2A
CL2-B	2B
CL2-C	2C
CL2-D	2D
CL2-E	2E
CL2-F	2F
CL2-G	2G
CL2-H	2H
CL2-J	2J
CL2-K	2K
CL2-L	2L
CL2-M	2M

3 CONFIGURATION

3.1 System Configurations

3.1.1 Multiplatform Configuration

The DKC can be connected to a FIBRE cable or iSCSI cable as one of the devices and can exchange data with host via the FIBRE cable or iSCSI cable. The conventional Channel open host systems can also be connected simultaneously with the FIBRE cable and iSCSI cable. The possible system configurations with the FIBRE attachment and iSCSI attachment are shown below.




Figure 3-1 multiplatform configuration example




Figure 3-2 multiplatform configuration example

3.1.2 All FIBRE Configuration

The DKC can also have the ALL FIBRE interface configuration installed only by CHF adapters. The possible system configurations for the ALL FIBRE configuration are shown below.




Figure 3-3-1 Minimum system configuration for All FIBRE




Figure 3-3-1 Maximum system configuration example for All FIBRE

3.1.3 All iSCSI Configuration

The DKC can also have the ALL iSCSI interface configuration installed only by CHI adapters. The possible system configurations for the ALL iSCSI configuration are shown below.




Figure 3-4-1 Minimum system configuration for All iSCSI




Figure 3-4-2 Maximum system configuration example for All iSCSI

3.2 Channel Configuration

3.2.1 Fibre Channel Configuration

The FIBRE attachment adapter (CHF) package must be mounted in a two-package unit.
A maximum eight packages including CHA,CMF, CHF, CHN and CHI can be installed in the DKC.

All CHF (I.e. ALL FIBRE) configuration is also allowed.

Four FIBRE ports or two FIBRE ports are mounted on a single CHF package.

Example of available channel configuration is shown in Table 3-1-1.

Table 3-1-1 Example of available FIBRE configuration

No.	Basic	Additional 1	Additional 2	Additional 3	Remark
1	CHA	CHF	-	-	Minimum multiplatform (FIBRE)
2	CHF	-	-	-	Minimum All FIBRE
3	CHF	CHF	CHF	CHF	Maximum All FIBRE

CHF:FIBRE adapter, CHA:ESCON, -:empty

3.2.2 iSCSI Channel Configuration

The iSCSI attachment adapter (CHI) package must be mounted in a two-package unit.

A maximum eight packages including CHA,CMF, CHF, CHN and CHI can be installed in the DKC.

All CHI (I.e. ALL iSCSI) configuration is also allowed.

Four iSCSI ports are mounted on a single CHI package.

Example of available channel configuration is shown in Table 3-1-2.

Table 3-1-2 Example of available iSCSI configuration

No.	Basic	Additional 1	Additional 2	Additional 3	Remark
1	CHA	CHI	-	-	Minimum multiplatform (iSCSI)
2	CHI	-	-	-	Minimum All iSCSI
3	CHI	CHI	CHI	CHI	Maximum All iSCSI

CHI:iSCSI adapter, CHA:ESCON, -:empty

3.3 FIBRE Addressing

Each FIBRE device can set a unique Port-ID number within the range from 1 to EF.

An addressing from the FIBRE host to the FIBRE volume in the DKC can be uniquely defined with a nexus between them. The nexus through the Initiator (host) ID, the Target (CHF port) ID, and LUN (Logical Unit Number) defines the addressing and access path. The maximum number of LUNs assigned to a Target is limited to 512 LU (256 LUs without LUN Security).


The addressing configuration is shown in the Figure 3-5.

3.3.1 Number of Hosts

The number of connectable FIBRE channel hosts is limited to 256 per FIBRE port. For RCU Target port of Fibre Remote Copy function, this limitation is as follows: The number of FIBRE channel host connections is limited to 128 and the number of MCU connections is limited to 16 per RCU Target port.

3.3.2 Number of Host Groups

You can define a host group admitted access for the some LU by LUN Security as a Host Group. For example, the two hosts in the *hg-lnx* group can only access the three LUs (00:00, 00:01, and 00:02). The two hosts in the *hg-hpux* group can only access the two LUs (02:01 and 02:02). The two hosts in the *hg-solar* group can only access the two LUs (01:05 and 01:06).



3.3.3 LUN (Logical Unit Number)

LUNs can be assigned from 0 to 255 to each FIBRE Port. When using LUN security, 512 LUNs are available.




Figure 3-5 FIBRE addressing configuration from Host

3.3.4 PORT INFORMATION

A PORT address and the Topology can be set as PORT INFORMATION. The value of PORT address is EF and can be changed by user. Topology information is selected from “Fabric”, “FC-AL” or “Point to point”.

3.4 Logical Unit

3.4.1 Logical Unit Specification

The specifications of Logical Units supported and accessible from Open system hosts are defined in the Table 3-2.

Table 3-2 LU specification (1/4)

No	Item		Specification			
1	Volume name		OPEN-3	OPEN-8	OPEN-9	OPEN-E
2	Volume attribute		- OPEN volume - HMBR volume	- OPEN volume - HMBR volume	- OPEN volume - HMBR volume	- SCSI volume
3	Access right	FIBRE host	Read/Write	Read/Write	Read/Write	Read/Write
		iSCSI host	Read/Write	Read/Write	Read/Write	Read/Write
		M/F host	Read/Write (need HMBR option)	Read/Write (need HMBR option)	Read/Write (need HMBR option)	—
4	Logical Unit (LU) size	G byte (10^9)	2.4 GB	7.3 GB	7.3 GB	14.5 GB
		G byte ($1,024^3$)	2.29 GB	6.84 GB	6.88 GB	13.56 GB
5	Block size		512 Bytes	512 Bytes	512 Bytes	512 Bytes
6	# of blocks		4,806,720	14,351,040	14,423,040	28,452,960
7	LDEV emulation name		OPEN-3	OPEN-8	OPEN-9	OPEN-E
8	LDEV size : LU size		1 : 1	1 : 1	1 : 1	1 : 1

Table 3-2 LU specification (2/4)

No	Item		Specification			
1	Volume name		OPEN-L	OPEN-V (*1)	3390-3A	3390-3B
2	Volume attribute		- SCSI volume	- SCSI volume	- M/F volume - HMDE volume	- M/F volume - HMDE volume
3	Access right	FIBRE host	Read/Write	Read/Write	Read/Write (need HMDE otm/mto option)	Read only (need HMDE mto option)
		iSCSI host	Read/Write	Read/Write	—	—
		M/F host	—	—	Read/Write	Read only
4	Logical Unit (LU) size	G byte (10^9)	36.4 GB	Max. 64.4 GB	—	—
		G byte ($1,024^3$)	33.94 GB	Max. 60.0 GB	—	—
5	Block size		512 Bytes	512 Bytes	512 Bytes	512 Bytes
6	# of blocks		71,192,160	Max. 125,827,200	5,825,520	5,822,040
7	LDEV emulation name		OPEN-L	OPEN-V	3390-3A	3390-3B
8	LDEV size : LU size		1 : 1	1 : 1	1 : 1	1 : 1

(*1) OPEN-V is specified the maximum capacity of 1 LDEV in this table.

OPEN-V is the volume of CVS basis, so default capacity is not fixed size but various depending on RAID level and DKU (HDD) type in the installation of parity group.

Table 3-2 LU specification (3/4)

No	Item		Specification			
1	Volume name		OPEN-3×n (n=2 to 36)	OPEN-8×n (n=2 to 36)	OPEN-9×n (n=2 to 36)	OPEN-E×n (n=2 to 36)
2	Volume attribute		- LU size expansion	- LU size expansion	- LU size expansion	- LU size expansion
3	Access right	FIBRE host	Read/Write	Read/Write	Read/Write	Read/Write
		iSCSI host	Read/Write	Read/Write	Read/Write	Read/Write
		M/F host	Read/Write (need HMBR option)	Read/Write (need HMBR option)	Read/Write (need HMBR option)	—
4	Logical Unit (LU) size	G byte (10^9)	OPEN-3×n	OPEN-8×n	OPEN-9×n	OPEN-E×n
		G byte ($1,024^3$)				
5	Block size		512 Bytes	512 Bytes	512 Bytes	512 Bytes
6	# of blocks		4,806,720×n	14,351,040×n	14,423,040×n	28,452,960×n
7	LDEV emulation name		—	—	—	—
8	LDEV size : LU size		1 : n	1 : n	1 : n	1 : n

Table 3-2 LU specification (4/4)

No	Item		Specification	
1	Volume name		OPEN-L×n (n=2 to 36)	OPEN-V×n (*2) (n=2 to 36)
2	Volume attribute		- LU size expansion	- LU size expansion
3	Access right	FIBRE host	Read/Write	Read/Write
		iSCSI host	Read/Write	Read/Write
		M/F host	—	—
4	Logical Unit (LU) size	G byte (10^9)	OPEN-L×n	OPEN-V×n
		G byte ($1,024^3$)		
5	Block size		512 Bytes	512 Bytes
6	# of blocks		71,192,160×n	Max. 125,827,200×n
7	LDEV emulation name		—	—
8	LDEV size : LU size		1 : n	1 : n

(*2) The maximum size of OPEN-V×n is up to 2199GB.

3.4.2 Logical Unit Mapping of FIBRE

Each volume name, such as OPEN-3, OPEN-8, OPEN-9, 3390-3A, 3390-3B, 3390-3C is also used as an emulation type name to be specified for each ECC group. When the emulation type is defined on an ECC group, Logical volumes (LDEVs) are automatically allocated to the ECC group from the specified LDEV#. After creating LDEVs, each LUN of FIBRE port will be mapped on any location of LDEV within DKC. This setting is performed by SVP operation or Remote Console operation (option).

This flexible LU and LDEV mapping scheme enables the same logical volume to be set to multiple paths so that the host system can configure a shared volume configuration such as a High Availability (HA) configuration. In the shared volume environment, however, some lock mechanism need to be provided by the host systems.




Figure 3-6 LDEV and LU mapping for FIBRE volume

3.4.3 LU size expansion

(1) Outline

This is a function to show the host the continuous LDEV of a volume exclusive for open system as a virtually large LU.

In the former configuration, one LU is one LDEV, but this expanding function can enlarge the LU size up to 265.8 G byte (using OPEN-9×36 for example) by showing the host two or more continuous LDEVs as a single LU.

Many LUs have been needed to cover the entire capacity of a disk subsystem before, but this function enables a small number of LUs to cover it from the viewpoint of host interface.

The MCU port (Initiator port) of Fibre Remote Copy function does not support LU size expansion.




Figure 3-7 Example of LU Size Expansion

(2) Specifications

Table 3-3 shows specifications for the LU Size expansion. (1 KB = 1024 Byte)

Table 3-3 LU Size Expansion Specification(1/3)

Base volume	OPEN-3	OPEN-8	OPEN-9	OPEN-E	OPEN-L	OPEN-V (*1)
LDEV Capacity	2.3 G byte	6.8 G byte	6.9 G byte	13.5 G byte	33.9 G byte	46.0 M byte ~ 60.0 G byte
Number of connectable LDEVs/LU	2 to 36					
LU Capacity	4.6 G byte ~ 82.5 G byte	13.7 G byte ~ 246.4 G byte	13.8 G byte ~ 247.6 G byte	27.1 G byte ~ 488.4 G byte	67.9 G byte ~ 1222.1 G byte	92.0 M byte ~ 2160.0 G byte
Product name for responding to INQUIRY	OPEN-3×n	OPEN-8×n	OPEN-9×n	OPEN-E×n	OPEN-L×n	OPEN-V×n
Restrictions of connecting LDEV	<ul style="list-style-type: none"> Cannot connect LDEVs with different CU numbers. Cannot connect CV with different capacity. 					

n: Number of connected LDEVs

Table 3-3 LU Size Expansion Specification(2/3)

Base volume	OPEN-3-CVS	OPEN-8-CVS	OPEN-9-CVS	OPEN-E-CVS	OPEN-V (*1)
LDEV Capacity	35 M byte ~ 2.3 G byte	35 M byte ~ 6.8 G byte	35 M byte ~ 6.9 G byte	35 M byte ~ 13.5 G byte	49.1 M byte ~ 64.4 G byte
Number of connectable LDEVs/LU	2 to 36				
LU Capacity	70 M byte ~ 82.5 G byte	70 M byte ~ 246.4 G byte	70 M byte ~ 247.6 G byte	70 M byte ~ 488.4 G byte	92 M byte ~ 2160.0 G byte
Product name for responding to INQUIRY	OPEN-3×n-CVS	OPEN-8×n-CVS	OPEN-9×n-CVS	OPEN-E×n-CVS	OPEN-V×n
Restrictions of connecting LDEV	<ul style="list-style-type: none"> • Cannot connect LDEVs with different CU numbers are impossible. • Cannot connect CV with different capacity are impossible. 				

n: Number of connected LDEVs

(*1) OPEN-V is the volume of CVS basis.

(3) Effects and restrictions of LU expanding function

1) Effects

- Restrictions of usable capacity owing to the number of the usable hosts is released.
 - Restriction of the host capacity (for example, up to 8 LUs for HP-UX)
 - Restriction of capacity owing to restriction of the number of LUs of the HA software
- The disk connection function on the host side such as VxVM becomes unnecessary.
- Effect of LU size extending with CV.
 - LU of optional size can be configured.
 - The load of PDEV can be dispersed by the LUSE configuration of CV dispersed in ECC.
 - Performance can be improved by increasing the multiplex frequency of LDEV.

2) Restrictions

- Some OSs are slow in disk accesses handling large data and may not be usable depending on environment. (Example: AIX is slow in accesses handling data larger than 2GB.)
- The capacity should be determined as necessary in a system designed to achieve a high-speed operation by making the LUs perform multiple operation.

(4) Notes on use

When the LU is expanded, the following restrictions are added to a case where no expansion is made, such as a change in capacity seen from the open host owing to the specification of the expansion.

- 1) The LU size cannot be changed while the LU is being used by the host. If you want to change the LU size, the host must be rebooted once. If the LU size once set is to be changed, shut down the host, change the LU size, then start up the host again.
- 2) If an LU to be used or expanded is reconfigured in a new configuration or as an expanded LU, data which had been used will be lost.
Perform physical replacement work of the disk including data backup, separation of the former LU, LU connection after the configuration change, and restoration of backup data.
- 3) When an LDEV in the LU is blocked, an LU blocking error does not occur unless an access is made to the blocked LDEV. When the access to the blocked LDEV is made, a blocking error occurs in the expanded LU.
- 4) The HMRS can use the LU whose size has been expanded. A volume with an expanded LU can be used by the HMBR, however, all the volumes need to be backed up and restored.
- 5) The maintenance procedure when an error such as an LDEV blocking occurs is the same as before. Check the LDEV status from the SVP and perform the maintenance considering the relation between the LDEV and the LU.

3.4.4 LUN Security

(1) Outline

This function can protect to access by the host server which are prohibited to access a LUN/LUNs which is assigned to in Fibre port and iSCSI port. Each port of host servers are distinguished by World Wide Name that belongs to each port. In case of iSCSI, each port of host servers are distinguished by iSCSI name that belongs to each port. In the following example, the LU group A are accessible from the host server A and the LU group B are accessible from the host server B MCU port (Initiator port) of Fibre Remote Copy function can not support LUN security.




Figure 3-9 LUN Security

3.5 Volume Specification

3.5.1 Volume Specification

The Open volume specification is summarized in Table 3-4.

Table 3-4-1 List Of RAID450 Model number

Model Number	Disk drive model	RAID Level
DKU-F455I-36K4	DKS2B-K36FC×4 DKS2C-K36FC×4	RAID5(3D+1P) /RAID1(2D+2D)
DKU-F455I-72J4	DKR2D-J72FC×4 DKR2E-J72FC×4 DKR2F-J72FC×4	
DKU-F455I-72K4	DKS2C-K72FC×4	
DKU-F455I-146J4	DKR2E-J146FC×4 DKR2F-J146FC×4	
DKU-F455I-146JF	DKR2E-J146FC×4 DKR2F-J146FC×4 DKS2C-J146FC×4	
DKU-F455I-146JQ	DKS2C-J146FC×4	
DKU-F455I-36K4×2	DKS2B-K36FC×8 DKS2C-K36FC×8	RAID5(7D+1P)
DKU-F455I-72J4×2	DKR2D-J72FC×8 DKR2E-J72FC×8 DKR2F-J72FC×8	
DKU-F455I-72K4×2	DKS2C-K72FC×8	
DKU-F455I-146J4×2	DKR2E-J146FC×8 DKR2F-J146FC×8	
DKU-F455I-146JF×2	DKR2E-J146FC×8 DKR2F-J146FC×8 DKS2C-J146FC×8	
DKU-F455I-146JQ×2	DKS2C-J146FC×8	

Note : As for RAID1, the two connection of a parity groups is possible (8HDDs).
In this case the number of volume become two times.

Table 3-4-2 List of RAID450 Single Cabinet Model Emulation Types for RAID5 (1/2)

Item		Emulation contents						
Emulation Type	DKC	—						
	DKU	OPEN-3	OPEN-8	OPEN-9	OPEN-E	OPEN-L	OPEN-V (*1)	3390-3A/3B/3C
Storage capacity (GB/volume)		2.46	7.34	7.38	14.56	36.45	(*2)	2.98 (2.83)(*3)
Number of volumes/ parity groups	DKU-F455I-36K4	43	14	14	7	—	2	35
	DKU-F455I-72J4	88	29	29	15	6	4	73
	DKU-F455I-72K4	86	29	28	14	5	4	71
	DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ	174	58	58	29	11	7	144
	DKU-F455I-36K4×2	101	33	33	17	—	4	83
	DKU-F455I-72J4×2	206	69	68	35	14	8	171
	DKU-F455I-72K4×2	202	67	67	34	13	8	167
	DKU-F455I-146J4×2 DKU-F455I-146JF×2 DKU-F455I-146JQ×2	407	136	135	69	27	16	337
	DKU-F455I-36K4	31	31	31	31	—	31	31
	DKU-F455I-72J4	31	31	31	31	31	31	31
Maximum number of parity groups	DKU-F455I-72K4	31	31	31	31	31	31	31
	DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ	31	31	31	31	31	31	31
	DKU-F455I-36K4×2	15	15	15	15	—	15	15
	DKU-F455I-72J4×2	15	15	15	15	15	15	15
	DKU-F455I-72K4×2	15	15	15	15	15	15	15
	DKU-F455I-146J4×2 DKU-F455I-146JF×2 DKU-F455I-146JQ×2	15	15	15	15	15	15	15
	DKU-F455I-36K4	1333	434	434	217	—	62	1085
	DKU-F455I-72J4	2728	899	899	465	186	124	2263
	DKU-F455I-72K4	2666	899	868	434	155	124	2201
	DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ	5394	1798	1798	899	341	217	4464
Maximum number of volumes	DKU-F455I-36K4×2	1515	495	495	255	—	60	1245
	DKU-F455I-72J4×2	3090	1035	1020	525	210	120	2565
	DKU-F455I-72K4×2	3030	1005	1005	510	195	120	2505
	DKU-F455I-146J4×2 DKU-F455I-146JF×2 DKU-F455I-146JQ×2	6105	2040	2025	1035	405	240	5055

Table 3-4-2 List of RAID450 Single Cabinet Model Emulation Types for RAID5 (2/2)

Item			Emulation contents						
Emulation	DKC		—						
Type	DKU		OPEN-3	OPEN-8	OPEN-9	OPEN-E	OPEN-L	OPEN-V (*1)	3390-3A/3B/3C
Storage capacity (GB/volume)			2.46	7.34	7.38	14.56	36.45	(*2)	2.98 (2.83)(*3)
Subsystem capacity (user area) (GB)	DKU-F455I-36K4	Min	106	103	103	102	—	107	104
		Max	3279	3186	3203	3160	—	3323	3233
	DKU-F455I-72J4	Min	216	213	214	218	219	218	218
		Max	6711	6599	6635	6770	6780	6770	6744
	DKU-F455I-72K4	Min	212	213	207	204	182	214	211
		Max	6558	6599	6406	6319	5650	6646	6558
	DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ	Min	428	426	428	422	401	431	429
		Max	13269	13197	13269	13089	12429	13367	13302
	DKU-F455I-36K4×2	Min	248	242	244	248	—	250	247
		Max	3727	3633	3653	3713	—	3750	3710
	DKU-F455I-72J4×2	Min	507	506	502	510	510	510	510
		Max	7601	7597	7528	7644	7655	7644	7644
	DKU-F455I-72K4×2	Min	497	492	494	495	474	500	497
		Max	7454	7377	7417	7426	7108	7500	7464
	DKU-F455I-146J4×2 DKU-F455I-146JF×2 DKU-F455I-146JQ×2	Min	1001	998	996	1005	984	1006	1004
		Max	15018	14974	14945	15070	14762	15090	15063

(*1) The value of OPEN-V is the default one in the installation of parity group.

(*2) In case of OPEN-V, storage capacity is various depending on RAID level and DKU(HDD) type because OPEN-V is CVS basis. Table 3-4-4 following is the relation between volume capacity, RAID level and DKU(HDD) type.

(*3) The value in parenthesis is the capacity for Main Frame Host.

Table 3-4-3 List of RAID450 Single Cabinet Model Emulation Types for RAID1(2D+2D)

Item			Emulation contents						
Emulation Type	DKC		—						
	DKU		OPEN-3	OPEN-8	OPEN-9	OPEN-E	OPEN-L	OPEN-V (*1)	3390-3A/3B/3C
Storage capacity (GB/volume)			2.46	7.34	7.38	14.56	36.45	(*2)	2.98 (2.83)(*3)
Number of volumes/ parity groups	DKU-F455I-36K4		28	9	9	4	—	2	23
	DKU-F455I-72J4		59	19	19	10	4	3	48
	DKU-F455I-72K4		57	19	19	9	3	3	47
	DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ		116	39	38	19	7	5	96
Maximum number of parity groups	DKU-F455I-36K4		31	31	31	31	—	31	31
	DKU-F455I-72J4		31	31	31	31	31	31	31
	DKU-F455I-72K4		31	31	31	31	31	31	31
	DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ		31	31	31	31	31	31	31
Maximum number of volumes	DKU-F455I-36K4		868	279	279	124	—	62	713
	DKU-F455I-72J4		1829	589	589	310	124	93	1488
	DKU-F455I-72K4		1767	589	589	279	93	93	1457
	DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ		3596	1209	1178	589	217	155	2976
Subsystem capacity (user area) (GB)	DKU-F455I-36K4	Min	69	66	66	58	—	71	69
		Max	2135	2048	2059	1805	—	2213	2125
	DKU-F455I-72J4	Min	145	139	140	146	146	146	143
		Max	4499	4323	4347	4514	4520	4520	4434
	DKU-F455I-72K4	Min	140	139	140	131	109	143	140
		Max	4347	4323	4347	4062	3390	4427	4341
	DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ	Min	285	286	280	277	255	288	273
		Max	8846	8874	8694	8576	7910	8913	8452

(*1) The value of OPEN-V is the default one in the installation of parity group.

(*2) In case of OPEN-V, storage capacity is various depending on RAID level and DKU(HDD) type because OPEN-V is CVS basis. Table 3-4-4 is the relation between volume capacity, RAID level and DKU(HDD) type.

(*3) The value in parenthesis is the capacity for Main Frame Host.

Table 3-4-4 The relation between OPEN-V capacity, RAID level and DKU type

DKU type	RAID5		RAID1	
	Capacity in MB (CYL(*4))	Number of LDEV	Capacity in MB (CYL(*4))	Number of LDEV
DKU-F455I-36K4	53618(54544)	2	35744(36361)	2
DKU-F455I-72J4	54684(55628)	4	48607(49446)	3
DKU-F455I-72K4	53618(54544)	4	47660(48483)	3
DKU-F455I-146J4 DKU-F455I-146JF DKU-F455I-146JQ	61612(62675)	7	57503(58496)	5
DKU-F455I-36K4×2	62554(63634)	4	—	—
DKU-F455I-72J4×2	63799(64900)	8	—	—
DKU-F455I-72K4×2	62554(63634)	8	—	—
DKU-F455I-146J4×2 DKU-F455I-146JF×2 DKU-F455I-146JQ×2 (*5)	①64422(65534) ②58311(59318)	①12 ②4	—	—

(*4) Storage capacity is controlled by cylinder number. In case of OPEN-V, the relationship between Capacity[MB] and Cylinder number is as follows.

$$A[\text{MB}] = B[\text{Cyl}] * 15 * 128 * 512 / 1000 / 1000 \text{ (calculated 1MB as } 1000^2 \text{ byte)}$$

or

$$A[\text{MB}] = B[\text{Cyl}] * 15 * 128 * 512 / 1024 / 1024 \text{ (calculated 1MB as } 1024^2 \text{ byte)}$$

where A is the capacity by MB, B is that by Cylinder number.

(*5) The capacity is different between striping groups in the parity group.

Blank Sheet

Blank Sheet

REV.1	Jun.2001	Feb.2002				
-------	----------	----------	--	--	--	--

Blank Sheet

REV.1	Jun.2001	Feb.2002				
-------	----------	----------	--	--	--	--

Blank Sheet

3.5.2 Intermix Specification

Refer to 3.7.2 Emulation Device Type (3) of [THEORY03-260](#) about Intermix Specification.

3.5.3 HMDE volume intermix within ECC group

3.5.3.1 HMDE volume intermix within ECC group

- (1) Four types, 3390-3A/-3B/-3C/-3 (or 3390-3A/-3B/-3C/-3R), of emulated disk drives can coexist within one ECC group.
- (2) The type can be changed for each one volume within an ECC group.
- (3) The type can be changed by the emulation type change function of the SVP.
- (4) The emulation type change function allows any change of types among 3A, 3B, 3C, 3, and 3R.
- (5) At “define configuration and install” or installation of disk drives, device definition and LDEV-FMT are performed in units of ECC group with any type of 3A, 3B, 3C, 3, and 3R. Afterwards the type is changed for each one volume if necessary.
When the type change is completed, all volumes are initialized (a VTOC is created for volumes) from the mainframe system.
- (6) After the type change, the previous data is not assured.
After the type change, all volumes must be initialized (a VTOC must be created) from the mainframe system.
However, data is assured as before for the type change between 3390-3 and 3390-3R, and if you want to assure the data, all volumes must not be initialized (a VTOC must not be created).
Any data is not assured for a type change other than that between 3390-3 and 3390-3R.

3.5.3.2 Intermix with 3390-3R

- (1) The 3390-3/-3A/-3B/-3C types can coexist within a subsystem.
Intermixing is allowed both within and beyond a 32-LDEV address boundary.
- (2) The 3390-3R/-3A/-3B/-3C types can coexist within a subsystem.
 - An intermixture of the 3390-3R and any of 3390-3A/-3B/-3C is allowed in units of 32-LDEV address boundary (with the same type within each boundary). It is not allowed within a 32-LDEV address boundary because of the restriction on the mainframe system.
 - An intermixture of the 3390-3A/-3B/-3C is allowed within and out of units of 32-LDEV address boundary.
- (3) The 3390-3 and 3390-3R cannot coexist within a subsystem.
 - When changing the type from 3390-3 to 3390-3R and vice versa by the emulation type change function, the type must be changed not partially but totally, since the 3390-3 and 3390-3R cannot coexist within a subsystem.
The SVP rejects partial change.
 - The intermixture can be changed from that of the 3390-3/-3A/-3B/-3C to that of the 3390-3R/-3A/-3B/-3C (with an intermixture part of the 3390-3A/-3B/-3C remaining unchanged) and vice versa by the emulation type change function between 3390-3 and 3390-3R.

3.6 Volume Configuration

3.6.1 Volume Configuration

(1) Minimum Volume Configuration




Figure 3-10 Minimum volume configuration

(2) Maximum Volume Configuration




Figure 3-11 Maximum volume configuration

3.6.2 Intermix Volume Configuration

PDEV intermix : is available per ECC group

RAID intermix : is available per ECC group

MF/OPEN volume intermix : is available per ECC group

(1) Typical LDEV intermix configuration




Figure 3-12 Typical LDEV intermix configuration example

(2) Typical RAID intermix configuration




Figure 3-13 Typical RAID intermix configuration example

(3) Typical PDEV intermix configuration




Figure 3-14 Typical PDEV intermix configuration example

3.6.3 HMDE Volume Configuration

(1) Typical volume configuration for HMDE




Figure 3-15 Typical volume configuration for HMDE

(2) Valid volume configuration

The configuration shown in Fig. 3-20 is valid.




Figure 3-16 Valid volume configuration for HMDE

3.6.4 HMBR Volume Configuration

(1) Typical volume configuration example for HMBR




Figure 3-17 Typical volume configuration for HMBR

(2) Valid volume configuration example for HMBR




Figure 3-18 Valid volume configuration for HMBR

3.7 Open Volume Setting

3.7.1 Setting of Open volume space

The procedure of Open volume setting is performed either by using the SVP or Remote Console function (optional feature).

3.7.2 LUN setting

- LUN setting:

- Select the CHF, FIBRE port and the LUN, and select the CU# and LDEV# to be assigned to the LUN.
- Repeat the above procedure as needed.

The MCU port (Initiator port) of Fibre Remote Copy function does not support this setting.

Note 1: It is possible to refer to the contents which is already set on the SVP display.

Note 2: The above setting can be done during on-line.

Note 3: Duplicated access paths' setting from the different hosts to the same LDEV is allowed.


This will provide a means to share the same volume among host computers. It is, however, the host responsibility to manage an exclusive control on the shared volume.

Refer to the INSTALLATION SECTION for more detailed procedures.

3.7.3 OPEN-V Setting

OPEN-V is CVS volume basis and the default size is different depending on DKU(HDD) type and RAID level. If the capacity is set over 64.4GB, it can be defined as LUSE volumes automatically in the installation of parity group. The setting of capacity as LUSE volumes is possible up to the size of parity group (or striping group in case of plural parity groups in one RAID group).

The following is the OPEN-V definition guidelines for the customizing capacity.



Note that each volume size in LUSE is needed to be all the same.

Note:

In case of using default volume size, the LUSE definition is possible only between volumes of the same DKU type and RAID level because the default volume size is the different between them. In case of “DKU-F455I-146J4×2 or DKU-F455I-146JF×2 or DKU-F455I-146JQ×2” & RAID5, there are 2 striping groups in one parity group and the each default volume size is the different, so the LUSE definition is possible only between volumes of the same striping group number in case of default volume.

LUSE definition with default volume

- Except for “DKU-F455I-146J4×2 or DKU-F455I-146JF×2 or DKU-F455I-146JQ×2” & RAID5
Only between volumes of the same DKU type and RAID level
- “DKU-F455I-146J4×2 or DKU-F455I-146JF×2 or DKU-F455I-146JQ×2” & RAID5
Only between volumes of the same striping group number in addition to the condition mentioned above

If you want to define LUSE between different DKU type, it is necessary to redefine volumes into same capacity. In this case, if you want to up the capacity efficiency of the RAID group, it is recommended to define small capacity. If you define large capacity volume, the capacity efficiency may go down.

It is also necessary to redefine volumes in same capacity in case defining LUSE between striping groups of “DKU-F455I-146J4×2 or DKU-F455I-146JF×2 or DKU-F455I-146JQ×2” & RAID5. The following is the example of volume capacity definition to define LUSE between striping groups in the RAID Group.

Volume Capacity [MB] example of “DKU-F455I-146J4×2 or DKU-F455I-146JF×2 or DKU-F455I-146JQ×2” & RAID5

Volume Capacity	Striping Group 1		Striping Group 2		Capacity Efficiency/ RAID Group [%]	Remarks
	Number of Volume	Unused Capacity	Number of Volume	Unused Capacity		
61438	12	0.00	3	38136	96.1	Default volume size of striping group 1
55610	13	14329	4	0.00	98.5	Default volume size of striping group 1
51200	14	20458	4	17647	96.0	
40000	18	17252	5	22446	95.8	
20000	36	17189	11	2426	97.9	
10000	73	7060	22	2387	99.0	
5000	147	2058	44	2387	99.5	

3.8 Host mode setting

3.8.1 Fibre

It is necessary to set Host Mode by using SVP if you want to change a host system.

The meanings of each mode are follows.

MODE 00 : Standard mode

MODE 03 : HP host mode

MODE 05 : OpenVMS host mode

MODE 07 : Tru64 host mode

MODE 09 : Solaris host mode

MODE 0A : NetWare host mode

MODE 0C : WindowsNT/2000 mode

MODE 0F : AIX host mode

MODE 2C : WindowsNT/2000 host expansion mode *

others : Reserved

- * It is the function which controls the command data for device certification with modification of the quantity of the LUSE. When ONLINE LUSE function is used, the command data for device certification changes.

By this, there is a case where the OS recognizes the fact that another device is connected to the server. For this erroneous operation, the device stops being recognized.

Please see “LUN Management” ([INST05-610 to INST05-950](#)). Also see the operational manual for more detailed information about the alternate link and HA software.

3.8.2 iSCSI

It is necessary to set Host Mode by using SVP if you want to change a host system.

The meanings of each mode are follows.

MODE 00 : Standard mode

MODE 03 : HP host mode

MODE 0C : Windows2000/2003 mode

MODE 2C : Windows2000/2003 host expansion mod *

others : Reserved

- * It is the function which controls the command data for device certification with modification of the quantity of the LUSE. When ONLINE LUSE function is used, the command data for device certification changes.

By this, there is a case where the OS recognizes the fact that another device is connected to the server. For this erroneous operation, the device stops being recognized.

Please see “LUN Management” ([INST05-610](#) to [INST05-950](#)). Also see the operational manual for more detailed information about the alternate link and HA software.

4 CONTROL FUNCTION

4.1 Cache Usage

The DKC has two independent areas of non-volatile cache memory for the mainframe volumes. This mechanism also commonly applies to the OPEN volumes without any distinction. Thus, the high reliability and high performance realized by the following features can be commonly applied to the OPEN volumes.

① Cache data management by LRU control

Data that has been read out is stored into the cache and managed under LRU control. For upright transaction processing, therefore, a high cache hit ratio can be expected and a data-writing time is reduced for improved system throughput.

② Adoption of DFW (DASD Fast Write)

At the same time that the normal write command writes data into the cache, it reports the end of the write operations to a host. Data writing to disk is asynchronous with host access. The host, therefore, can execute the next process without waiting for the end of data writing to disk.

③ Write data duplexing

The same write data is stored into the two areas of a cache provided in the DKC. Thus, loss of DFW data can be avoided even one failure occurs in the cache.

④ Nonvolatile cache

The cache in the DKC is non-volatile by battery backup. Once data has been written into the cache, its non-volatility will maintain the data, even if a power interruption occurs. Under a standard system configuration having a fully charged battery pack, data is guaranteed for at least 48 hours.

4.2 SCSI Command Multi-processing

4.2.1 Command Tag Queuing

The Command Tag Queuing function defined in the SCSI specification is supported. This function allows each FIBRE port on CHF to accept multiple SCSI commands even for the same LUN. The DKC can process those queued commands in parallel because a LUN is composed of multiple physical disk drives.

The MCU port (Initiator port) of Fibre Remote Copy function can not support this function because it does not support a connection with a host computer.

4.2.2 Concurrent data transfer

Four FIBRE ports on a CHF can perform the host I/Os and data transfer with maximum 200 M byte/s transfer concurrently. (8GSE :100M byte/s)

This is also applied among different CHFs.

The MCU port (Initiator port) of Fibre Remote Copy function can not support this function because it does not support a connection with a host computer.

5 SCSI Commands

5.1 Fibre

The DASD commands defined under the SCSI-2 standards and those supported by the DKC are listed in Table 5-1.

Table 5-1 SCSI-2 DASD commands and DKC-supported commands

Group	Op Code	Name of Command	Type	×:Supported	Remarks
0 (00 _H -1F _H)	00 _H	Test Unit Ready	CTL/SNS	×	
	01 _H	Rezero Unit	CTL/SNS	Nop	
	03 _H	Request Sense	CTL/SNS	×	
	04 _H	Format Unit	DIAG	Nop	
	07 _H	Reassign Blocks	DIAG	×	For RAID5, Nop
	08 _H	Read	RD/WR	×	
	0A _H	Write	RD/WR	×	
	0B _H	Seek	CTL/SNS	Nop	
	12 _H	Inquiry	CTL/SNS	×	
	15 _H	Mode Select	CTL/SNS	×	
	16 _H	Reserve	CTL/SNS	×	
	17 _H	Release	CTL/SNS	×	
	18 _H	Copy	—	—	
	1A _H	Mode Sense	CTL/SNS	×	
	1B _H	Start/Stop Unit	CTL/SNS	Nop	
	1C _H	Receive Diagnostic Results	DIAG	—	
	1D _H	Send Diagnostic	DIAG	Nop	Supported only for self-test.
	1E _H	Prevent Allow Medium Removal	—	—	
	1F _H	Reserved code	—	—	
	Other	Vendor-unique	—	—	
1 (20 _H -3F _H)	25 _H	Read Capacity	CTL/SNS	×	
	28 _H	Read (10)	RD/WR	×	
	2A _H	Write (10)	RD/WR	×	
	2B _H	Seek (10)	CTL/SNS	Nop	
	2E _H	Write And Verify	RD/WR	×	Supported only Write for DKC460I.
	2F _H	Verify	RD/WR	×	
	30 _H	Search Data High	—	—	
	31 _H	Search Data Equal	—	—	
	32 _H	Search Data Low	—	—	
	33 _H	Set Limits	—	—	
	34 _H	Pre-Fetch	—	—	
	35 _H	Synchronize Cache	CTL/SNS	×	
	36 _H	Lock-Unlock Cache	—	—	
	37 _H	Read Defect Data	DIAG	×	No defect always reported.
	38 _H	Reserved code	—	—	
	39 _H	Compare	—	—	
	3A _H	Copy And Verify	—	—	
	3B _H	Write Buffer	DIAG	×	
	3C _H	Read Buffer	DIAG	×	
	3D _H	Reserved code	—	—	
	3E _H	Read Long	—	—	

Table 5-1 SCSI-2 DASD commands and DKC-supported commands (Continued)

Group	Op Code	Name of Command	Type	×: Supported	Remarks
1 (20 _H -3F _H)	3F _H	Write Long	—	—	
	Other	Vendor-unique	—	—	
2	40 _H	Change Definition	—	—	
	41 _H	Write Same	—	—	
	4C _H	Log Select	—	—	
	4D _H	Log Sense	—	—	
	55 _H	Mode Select (10)	CTL/SNS	×	
	56 _H	Reserve (10)	CTL/SNS	×	
	57 _H	Release (10)	CTL/SNS	×	
	5A _H	Mode Sense (10)	CTL/SNS	×	
	5E _H	Persistent Reserve IN	CTL/SNS	×	
	5F _H	Persistent Reserve OUT	CTL/SNS	×	
	Other	Reserved code	—	—	
3	60 _H ~7F _H	Reserved code	—	—	
4	83 _H	Receive Copy Result	CTL/SNS	×	
	84 _H	Extended Copy	CTL/SNS	×	
	Other	Vendor-unique	—	—	
5	A0 _H	Report LUN	CTL/SNS	×	
	A1 _H ~BF _H	Reserve code	—	—	
6	C0 _H ~D0 _H	Vendor-unique	—	—	
7 (E0 _H -FF _H)	E8 _H	Read With Skip Mask ((IBM-unique))	CTL/SNS	—	
	EA _H	Write With Skip Mask (IBM-unique)	CTL/SNS	—	
	Other	Vendor-unique	—	—	

5.2 iSCSI

The DASD commands defined under the SCSI-2 standards and those supported by the DKC are listed in Table 5-2.

Table 5-2 SCSI-2 DASD commands and DKC-supported commands

Group	Op Code	Name of Command	Type	×:Supported	Remarks
0 (00 _H -1F _H)	00 _H	Test Unit Ready	CTL/SNS	×	
	01 _H	Rezero Unit	CTL/SNS	Nop	
	03 _H	Request Sense	CTL/SNS	×	
	04 _H	Format Unit	DIAG	Nop	
	07 _H	Reassign Blocks	DIAG	×	For RAID5, Nop
	08 _H	Read	RD/WR	×	
	0A _H	Write	RD/WR	×	
	0B _H	Seek	CTL/SNS	Nop	
	12 _H	Inquiry	CTL/SNS	×	
	15 _H	Mode Select	CTL/SNS	×	
	16 _H	Reserve	CTL/SNS	×	
	17 _H	Release	CTL/SNS	×	
	18 _H	Copy	—	—	
	1A _H	Mode Sense	CTL/SNS	×	
	1B _H	Start/Stop Unit	CTL/SNS	Nop	
	1C _H	Receive Diagnostic Results	DIAG	—	
	1D _H	Send Diagnostic	DIAG	Nop	Supported only for self-test.
	1E _H	Prevent Allow Medium Removal	—	—	
	1F _H	Reserved code	—	—	
	Other	Vendor-unique	—	—	
1 (20 _H -3F _H)	25 _H	Read Capacity	CTL/SNS	×	
	28 _H	Read (10)	RD/WR	×	
	2A _H	Write (10)	RD/WR	×	
	2B _H	Seek (10)	CTL/SNS	Nop	
	2E _H	Write And Verify	RD/WR	×	Supported only Write for DKC460I.
	2F _H	Verify	RD/WR	×	
	30 _H	Search Data High	—	—	
	31 _H	Search Data Equal	—	—	
	32 _H	Search Data Low	—	—	
	33 _H	Set Limits	—	—	
	34 _H	Pre-Fetch	—	—	
	35 _H	Synchronize Cache	CTL/SNS	×	
	36 _H	Lock-Unlock Cache	—	—	
	37 _H	Read Defect Data	DIAG	×	No defect always reported.
	38 _H	Reserved code	—	—	
	39 _H	Compare	—	—	
	3A _H	Copy And Verify	—	—	
	3B _H	Write Buffer	DIAG	×	
	3C _H	Read Buffer	DIAG	×	
	3D _H	Reserved code	—	—	
	3E _H	Read Long	—	—	

Table 5-2 SCSI-2 DASD commands and DKC-supported commands (Continued)

Group	Op Code	Name of Command	Type	×: Supported	Remarks
1 (20 _H -3F _H)	3F _H	Write Long	—	—	
	Other	Vendor-unique	—	—	
2	40 _H	Change Definition	—	—	
	41 _H	Write Same	—	—	
	4C _H	Log Select	—	—	
	4D _H	Log Sense	—	—	
	55 _H	Mode Select (10)	CTL/SNS	×	
	56 _H	Reserve (10)	CTL/SNS	×	
	57 _H	Release (10)	CTL/SNS	×	
	5A _H	Mode Sense (10)	CTL/SNS	×	
	5E _H	Persistent Reserve IN	CTL/SNS	—	
	5F _H	Persistent Reserve OUT	CTL/SNS	—	
	Other	Reserved code	—	—	
3	60 _H ~7F _H	Reserved code	—	—	
4	83 _H	Receive Copy Result	CTL/SNS	×	
	84 _H	Extended Copy	CTL/SNS	×	
	Other	Vendor-unique	—	—	
5	A0 _H	Report LUN	CTL/SNS	×	
	A1 _H ~BF _H	Reserve code	—	—	
6	C0 _H ~D0 _H	Vendor-unique	—	—	
7 (E0 _H -FF _H)	E8 _H	Read With Skip Mask ((IBM-unique)	CTL/SNS	—	
	EA _H	Write With Skip Mask (IBM-unique)	CTL/SNS	—	
	Other	Vendor-unique	—	—	

6 HMDE (Hitachi Multiplatform Data Exchange)

6.1 Overview

The Hitachi Multiplatform Data Exchange (HMDE) optional feature provides a function to enable the SAM files of the mainframe to be accessed by the open system host by executing the File Access Library (FAL) program or File Conversion Utility (FCU) program installed in the open system host. Accessible frame files are limited to the SAM files only.

The FCU program has code conversion function between EBCDIC and ASCII.

The FAL has disclosed API and users can incorporate the FAL program directly into a user program.

This optional feature is supplied as a program product (P.P.) that consists of the following programs:

- (1) File Access Library program
 - C language functions and a Header file for incorporation into a user program
- (2) File Conversion Utility program
 - An execution-format utility program that contains the access library

The program product is supplied separately for each platform of the open system. Table 6-1 lists platforms supported for using the HMDE.

Table 6-1 Platforms supported

#	Platform supported	OS	Window System
1	SUN	Solaris	Motif 1.2
2	HP	HP-UX	Motif 1.2
3	IBM	AIX	Motif 1.2
4	(Not specified)	WindowsNT4.0/Windows2000	MFC

6.2 Installation

(1) Installation of P.P.

For the method of installing the P.P. (containing FAL and FCU) and its detailed specifications, refer to the manual attached to the P.P.

(2) HMDE volume setting

Volumes whose emulation type is 3390-3A, 3390-3B, 3390-3C, 3390-9A, 3390-9B, 3390-9C, 3390-LA, 3390-LB or 3390-LC can be used for the HMDE operations. In addition to being accessible as 3390-3/9/L type volumes from the mainframe host in the same manner as before, the 3390-3B/9B/LB type volumes permit read-only access from the open system host.

The 3390-3A/9A/LA type volumes can be accessible as 3390-3/9/L from the mainframe host and permit a read/write access from the open system host. The 3390-3C/9C/LC can be read only accessible as 3390-3/9/L from mainframe host and permit a read/write access from the open system host. The 3390-3C/9C/LC permit creating and updating of VTOC.

Table 6-2 HMDE volume specifications

#	Volume attribute	Emulation Type	Access right		Remarks
			Mainframe	Open system	
1	Mainframe volume	3390-3A/9A/LA	R/W	R/W	HMDE volume
2		3390-3B/9B/LB	R/W	R	HMDE volume
3		3390-3C/9C/LC	R	R/W	HMDE volume
4	Open volume	OPEN-3	(Backup/Restore)	R/W	HMDE volume
5		OPEN-E		R/W	HMDE volume
6		OPEN-9	(Backup/Restore)	R/W	HMDE volume
7		OPEN-L		R/W	HMDE volume
8		OPEN-8	(Backup/Restore)	R/W	HMDE volume
9		OPEN-V		R/W	HMDE volume

The 3390-3A, 3390-3B, 3390-3C, 3390-9A, 3390-9B, 3390-9C, 3390-LA, 3390-LB and 3390-LC type HMDE volumes can be set during initial installation or LDEV addition. To use volumes used by the mainframe and/or OPEN as the HMDE volumes, they must be set as the HMDE volumes by removing the corresponding ECC group once and then adding them again. This procedure is the same as the ordinary one for setting emulation type of another drive.

The drive emulation type can be changed between “3390-3 and 3390-3A and 3390-3B and 3390-3C” or “3390-9 and 3390-9A and 3390-9B and 3390-9C” or “3390-L and 3390-LA and 3390-LB and 3390-LC” by change emulation operation.

(3) Setting from the open system host

- To access the HMDE volumes from the open system host, it is necessary to define the connection to the open system host and to set an OPEN path. The method of defining the OPEN path for the open system host is the same as that of the ordinary OPEN path definition with the SVP.
- Refer to the manual attached to the P.P. for the method of setting the open system host to enable it to access the HMDE volumes. This setting operation requires labeling of the HMDE volumes, for example.

6.3 Notes on Use

Alike the ordinary mainframe volumes, the 3390-3B/9B/LB and 3390-3A/9A/LA type HMDE volumes can be accessed from the mainframe. The 3390-3C/9C/LC type HMDE volumes can be read only accessed any area except VTOC area from the mainframe.

If the OPEN path are not defined for 3390-3A/B, 3390-9A/B, 3390-LA/B, the volume can not be accessed from the open system host.

7 HMBR (Hitachi Multiplatform Backup/Restore)

7.1 Overview

The Hitachi Multiplatform Backup/Restore (HMBR) optional feature allows an open system volume on the DKC disk subsystem to be read from the mainframe host by a volume unit as backup data. It also allows the backup data to be restored from the mainframe host to the open system volume.

Any special additional software packages are not required to perform these functions on both mainframe host and open system host. The DKC disk subsystem can convert the different data block format between open system (fixed block length data) and mainframe system (CKD format data).

The HMBR has the following features:

- (1) Enabling the existing backup/restore programs such as “DFHSM and DFDSS” or “DFSMSHsm and DFSMSdss” in the mainframe to collect and restore the backup of open system data under the DKC Multiplatform disk subsystem in a unit of Logical Unit volume.
- (2) Performing the backup and restore operation with high data transfer rate of ESCON 17 MB/s between mainframe host and the DKC disk subsystem.
- (3) Providing the open systems with powerful backup functions being used on mainframe systems, such as backup file generation management, primary/secondary duplication management, and automatic backup control.
- (4) Offering various backup media to the system, such as disk drives, magnetic tapes, or magnetic tape libraries.

7.2 System Configuration

A system configuration example and functional overview are shown in the Figure 7-1.




Figure 7-1 System configuration example

7.3 Basic Specification

The basic specification of HMBR is shown in the Table 7-1.

Table 7-1 Basic specification of HMBR

No	Item		Specification		Remarks
1	Attached system	Mainframe	MVS/ESA		
2		Open system	SUN (Solaris 2.6) or later HP (HP-UX 10.x) or later IBM (AIX 4.2) or later WindowsNT4.0/Windows2000		
3	Backup software	Mainframe	DFHSM, DFDSS DFSMSHsm, DFSMSdss		
4	Device type	Mainframe	3390-3	3390-9	
5		Open system	OPEN-3 (LUN=2.4GB)	OPEN-8/9 (LUN=7.3GB)	
6	Maximum number of volumes for backup/restore		- As many Logical Units as specified for OPEN-3/9 for Open system.		
7	Setup for backup volume		- By installing HMBR option (on SVP), all Logical Units defined as OPEN-3/8/9 can be accessed from MVS		
8	Preparation before taking backup	VSN, VTOC creation	- DSF (INIT)		
9		Dataset allocation	- IEFBR14		
10	Backup method		- Volume full tracks dump by using DFDSS and DFSMSdss.		
11	VTOC format		- Standard VTOC. Note: Do not use SMS for backup volumes since Index VTOC is used in SMS.		
12	VTOC allocation		- Cylinder 0, Head 1 to 14 (fixed location)		
13	Data set allocated	# of data sets	- One/VOL	- Three/VOL	
14		Extent	- Cylinder 1, Head 0 to User cylinder MAX.		
15	Restrictions for mainframe side utility programs		- Other utility programs than listed above are not allowed. - For Write type commands, other than those used by the above listed utility programs are rejected. (Only FORMAT WR with 16KB data length is allowed for write type command.) Read or Control type commands can be used. - Verify option is not allowed.		

7.4 Backup Volume Specification

1) Setup for Backup Volume

Step-1 : Install the HMBR option to the DKC by using SVP. Refer to the option install procedure described in SVP section. ([SVP04-10](#))

Step-2 : By installing the option above, all the Logical Units (OPEN-3, OPEN-8, and OPEN-9 type), already installed or newly installed, will be ready to be used for backup/restore from the mainframe host.

Note-1 Immediately after the HMBR option is de-installed, an access from the mainframe to OPEN-3, OPEN-8 or OPEN-9 will be rejected.

Note-2 The Logical Unit data already stored, which has been used before the installation of HMBR option, can be used continuously for its original use and/or for backup/restore purpose.

2) Access to Backup Volume

The specification applied to accessing the backup volume is shown in the Table 7-2.

Table 7-2 Specification of accessing the backup volume

No	Items	Specification
1	Volume type	- OPEN-3 (2.4GB), OPEN-8 (7.3GB), OPEN-9 (7.3GB)
2	Access from Open system	- No restriction.
3	Access from mainframe host	- Possible to Read/Write as 3390-3 for OPEN-3 and as 3390-9 for OPEN-8/9. - For Write type commands, only the following command is allowed: - Format Write with data length of 16 KB. - Other write type commands are rejected.

7.5 Precautions

(1) Preparations

<System generation>

The volume for HMBR is recognized as the 3390-3 or 3390-9 from the MVS system. Specify UNIT = 3390 using the IODEVICE macro when incorporating the volume into the MVS system.

This volume can be backed up or restored using only DFDSS from the MVS system. Access from other programs is rejected.

<Volume initialization>

Use the system utility to initialize the volume from the mainframe system.

You must create VTOC in Cylinder 0. This initialization works VSN be written in an area other than the area in the volume where the open system data is written, which does not damage the open system data.

<Dataset allocation>

After volume initialization, allocate a single dataset (for OPEN-3; three datasets for OPEN-9) to the volume from the mainframe system. The extent of the dataset is from cylinder 1, head 0 to the user cylinder end.

When executing backup or restoration of the open system data by using HMBR, the backup/restoration utility in the mainframe specifies VSN/DSN of the above volume and dataset for execution. Thus you can facilitate backup or restoration by assigning to VSN and DSN names related to the device file names in the open system of the volume (LU).

(2) Unmounting the volume

When obtaining backup by using HMBR, terminate the open system processing in advance and unmount the volume in order to assure consistency of the backup data. Moreover, for backup of the volume connected to the AIX system, the varyoffvg command must be executed. If the backup utility in the mainframe is activated without doing this, the backup job may be halted awaiting operator intervention or the job may contain inconsistent, incomplete backup data.

(3) Volume exclusion

Though the volume as target for HMBR is an open volume and stores data in the open system, it also has VSN and can be accessed from the mainframe. Normally it is recommended to keep the volume off-line from the mainframe to prevent a data write from the mainframe that will damage the open system data. During backup or restoration, establish locks to prevent access to the HMBR-target volume (LU) from the open system.

(4) Backup unit

Unit of backup by HMBR is LU. Note that restoring backup data for recovery from damaged files will recover the state when backup was obtained, including other files (files which have not been damaged) within the same LU.

(5) Specification of backup-from volume and restore-to volume

When the backup-from volume (Logical Unit) and the restore-to volume (LU) differs from each other, the open system host cannot recognize the restore-to volume. Thus, specify the same volume name (LU) to the backup-from volume and the restore-to volume.

(6) Backup of the volume managed by LVM

Unit of data which can be backed up/restored by HMBR is the physical volume (LU) only. However, because the logical volume may be mapped over more than one physical volume, the consistency of the logical volume data is not assured by LU-based backup. When using HMBR in a system managed by such LVM, you must back up all physical volumes (LUs) comprising volume groups in the same occasion. This requires operational expertise as the following describes:

① Study of physical/logical mapping (OPEN system)

Use the commands of the OPEN system to check correspondence between the logical volume group and physical volume group (LU) for the backup target volume.

② Creating the job control statement (JCL) (mainframe)

From all physical volumes (LUs) comprising the backup-target volume group obtained in step ①, list the mainframe VSNs and DSNs corresponding to the device file names. When executing backup using the batch job format, create the JCL for executing the backup utility specifying VSNs and DSNs listed above.

③ Unmounting the target logical volume

Unmount all logical volumes in the backup-target volume group.

④ Executing the mainframe backup utility

Execute the mainframe backup utility to obtain backup of VSNs/DSNs corresponding to all physical volumes (LUs) comprising the backup-target volume group.

⑤ Precautions

In the above volume-group-based backup, all logical volumes in the volume group are backed up in the same occasion. Note that restoration is made on a per volume group basis and the entire volume group returns to the state when backup was obtained. When logical-volume-based backup or restoration is required, a volume group must contain only one logical volume.

When modification to the configuration of the logical volume or volume group is made (such as addition, deletion or splitting of logical volumes in a volume group, or addition of a new physical volume in a volume group), volume-group-based backup must be executed using the new configuration. If this is skipped and backup data obtained via HMBR is restored, only data entity is restored to the old LV/LG configuration. This may disrupt the consistency with the LVM management information stored separately from the data entity, causing damage to data.




Figure 7-2 Backup of Volumes managed by LVM

(7) Backup of database

To backup a database, first terminate its operation to place it off-line before making a backup. You must backup of all LUs where data files are stored at the same occasion. Follow the required backup method for each database management system to determine whether or not backup is required and the backup method for other files comprising the database (such as control file and log file). Follow the restoration procedure or approach for each database management system to determine when a log file must be used to restore the database to the state just before fault, or the synchronicity of the control file and data file must be restored.

(8) Backup of open volume

When obtaining backup by using HMBR, do not use verify option of mainframe utility.

(9) A method of the backup and restore operations for WindowsNT system data is shown in the following.

<Backup>

- (a) Delete a drive letter in the Logical Units by Disk Administrator.
- (b) Re-allocate a drive letter to the Logical Units by Disk Administrator.
- (c) Backup WindowsNT system data by mainframe host.

<Restore>

- (a) Delete a drive letter to the Logical Units by Disk Administrator.
- (b) Restore it from mainframe host to the Logical Units.
- (c) Re-allocate drive letter to the Logical Units by Disk Administrator.

8 HA Software Linkage Configuration in a Cluster Server Environment

When this subsystem is linked to High-Availability software (HA software) which implements dual-system operation for improved total system fault-tolerance and availability, the open system side can also achieve higher reliability on the system scale.

8.1 Example of System Configurations

(1) Hot-standby system configuration

The HA software minimizes system down time in the event of hardware or software failures and allows processing to be restarted or continued. The basic system takes a hot-standby (asymmetric) configuration, in which, as shown in the figure below, two hosts (an active host and a standby host) are connected via a monitoring communication line. In the hot-standby configuration, a complete dual system can be built by connecting the FIBRE cables of the active and standby hosts to different CHF FIBRE ports.





Figure 8-1 Hot-standby configuration

- The HA software under the hot-standby configuration operates in the following sequence:
 - a. The HA software within the active host monitors the operational status of own system by using a monitoring agent and sends the results to the standby host through the monitoring communication line (this process is referred to as "heart beat transmission"). The HA software within the standby host monitors the operational status of the active host based on the received information.
 - b. If an error message is received from the active host or no message is received, the HA software of the standby host judges that a failure has occurred in the active host. As a result, it transfers management of the IP addresses, disks, and other common resources, to the standby host (this process is referred to as "fail-over").
 - c. The HA software starts the application program concerned within the standby host to take over the processing on behalf of the active host.

- Use of the HA software allows a processing request from a client to be taken over. In the case of some specific application programs, however, it appears to the client as if the host that was processing the task has been rebooted due to the host switching. To ensure continued processing, therefore, a login to the application program within the host or sending of the processing request may need to be executed once again.

(2) Mutual standby system configuration

In addition to the hot-standby configuration described above, a mutual standby (symmetric) configuration can be used to allow two or more hosts to monitor each other. Since this subsystem has eight FIBRE ports, it can, in particular, be applied to a large-scale cluster environment in which more than two hosts exist.




- In the mutual standby configuration, since both hosts operate as the active hosts, no resources exist that become unnecessary during normal processing. On the other hand, however, during a backup operation the disadvantages are caused that performance deteriorated and that the software configuration becomes complex.
- This subsystem is scheduled to support VERITAS Software FirstWatch, Hewlett-Packard MC/ServiceGuard, and IBM HACMP and so on.

Blank Sheet

8.2 Configuration Using Host Path Switching Function

When the host is interlocked with the HA software and has a path switching capability, if a failure occurs in the FIBRE adapter, FIBRE cable, or DKC (FIBRE ports and the CHF) that is being used, automatic path switching will take place as shown below.



The path switching function enables processing to be continued without host switching in the event of a failure in the FIBRE adapter, FIBRE cable, array controller, or other components.

9 HORC (Hitachi Open Remote Copy)

9.1 Overview

The Hitachi Open Remote Copy function can remotely duplicate data (volumes) under the control of the subsystem by directly connecting the two DKC460s. A backup system against disasters can be constructed by installing one of the two DKC460s at the main site and the other at the recovery site and configuring the HA cluster on the server side by means of the HA (High Availability) software.

This function also enables the two volumes containing identical data to be used for different purposes by duplicating data (volumes) within the same DKC460 or between the two DKC460s and separating the volumes in a primary-and-secondary relation at any time.


An online database can be backed up or batch programs can be executed while the database is being accessed.

The HORC makes various settings and it controls operations by means of the RAID manager/HORC, which runs on the open system. The RAID manager/HORC provides various commands for user applications to control the HORC functions. Creation of a user shell script using these commands enables the HORC control being interlocked with server's fail-over executed by the HA software.

There are two kinds of Serial interface (ESCON/ACONARC) and Fibre channel interface of connection form between CUs.

But, Serial interface connections is not supported.

Outline of HORC Function and Example of Application to HA Configuration
(Hot Standby Configuration)



9.2 Basic Specifications

Basic HORC specifications are shown below.

Basic Specifications of HORC

No.	Item	Description	Remarks
1	Host interface on open system side	Fibre Channel	Supporting for HP-UX, Solaris, Win/NT and AIX4.2
2	Supporting platform	HP-UX, AIX, Solaris, Windows/NT 4.0, Windows2000	They are HP-UX, AIX, Solaris, Windows/NT, Windows2000 in the case of Fibre Remote Copy.
3	Connection between the CUs	ESCON, ACONARC/Fibre Channel	An ESCON/ACONARC connection can't be mixed with the Fibre Channel connection.
4	Means for setting the paired LU	Command instruction from the RAID Manager/HORC	
		Remote console	
		SVP	
5	Number of LUs capable of the duplicated writing	Maximum 8191 pairs	
6	LU size capable of the duplicated writing (The paired VOL must be the same DEV type.)	OPEN-3 (2.4G byte)	
		OPEN-8 (7.3G byte)	
		OPEN-9 (7.3G byte)	
		LUSE	
		CVS Volume	
		OPEN-E (14G byte)	
		OPEN-L (36G byte)	
		OPEN-V (*)	Not supporting as ESCON HORC pairs.
7	Duplicated writing mode	Synchronized, Asynchronized	
8	Combination of the CUs	One-to-one correspondence N-to-one correspondence one-to-N correspondence	
9	Fence level	Data, Status, Never	Supports a function equivalent to the MF HRC.
10	Number of logical paths between the CUs	Maximum 8 paths per CU	
11	Multiple CUs support	Yes	For CU#0 through CU#31, HORC pairs can be created.
12	Control of the MF HRC and the open HRC in DKC mixture	Can be mixed	

* Since OPEN-V is based on CVS, the capacity changes with RAID-level or DKU (HDD) type. Please refer to "3.4.1 Logical Unit Specification" for details.

(1) Means for setting the paired LU:

The following three means are provided:

- Command instruction from the RAID Manager/HORC
- Instruction from the remote console
- Instruction from the SVP

Not only the pairing but also a series of pair state changes are possible by using these three means. However, the user can use two means only: the command instruction from the RAID Manager/HORC and the instruction from the remote console.

(2) LU size capable of the duplicated writing:

OPEN-3, OPEN-8, OPEN-9, OPEN-E, OPEN-L, OPEN-V, CVS volume and LUSE are supported as the LU sizes capable of the duplicated writing. Provided that the paired VOL must be the same DEV type.

(3) Fence level:

The HORC, alike the HRC, supports three types of fence level: Data, Status, and Never.

(4) Control of the HRC pairs and the HORC pairs mixture:

Control of the mixture of the HRC pairs and the HORC pairs is possible within the one DKC.

(5) S-VOL (secondary VOL) access:

① An RD access to the secondary VOL is permitted to accept the RD command issued to the disk label when the secondary server is started.

② In order to support the DataPlex function, write access to the secondary VOL is permitted on condition that the pair is being suspended.

Using the RAID Manager/HORC or SVP, you can indicate the permission of write operation to S-VOL. After this indication, if the server performs any write operation to S-VOL, in Pair Resync (Resume) operation all tracks on P-VOL will be copied to S-VOL.

If using SVP, the permission of write operation to S-VOL is executed by setting “S-VOL write Enable” on Suspend Pair display in the indication of S-VOL Suspend on MCU.

Also, you can confirm using RAID manager/HORC or SVP whether “S-VOL write Enable” on S-VOL is permitted or not.

(6) HMBR function for the HORC paired VOL

① Overview

Open Remote Copy function makes possible to make a backup and restoration of HORC pair volumes using a mainframe machine. (HMBR function for the HORC paired VOL)

After splitting HORC pairs by a HORC command of RAID Manager/TT, you can make a backup from a mainframe machine. In this case the backup data is got from S-Vols.

Therefore to make a backup, you don't have to stop processes from open systems to P-Vols.

Before restoring backup data, you must delete HORC pairs and make them simplex volumes by a HORC command of RAID Manager/TT. After restoring data, create HORC pairs using the same volumes as P-Vols or S-Vols before deleting pairs. Thus you can create the same duplicated status as before.

② Preparation for Backup

Before making a backup of HORC pair volumes using HMBR function, you need to set VSN, and to create VTOC from a mainframe machine as written in “4.7.3 HMBR”. These operations must be done before HORC pairs are created.

③ VSN, VTOC in HORC pairs

By the initial copy of a HORC pair, VSN and VTOC in the P-Vol are copied to S-Vol. As a result, both P-Vol and S-Vol have the same VSN and VTOC. If you need to set the different VNS to S-Vol, after splitting the pair, you can change VNS in S-Vol.

④ Write operation from a mainframe machine to HORC pair volumes.

Once a HORC pair is created, all write operations from a mainframe machine to the HORC pair volume are rejected, except rewriting of VNS to S-Vol. Therefore a mainframe machine cannot erase original data written by an open system.

⑤ Others

While an initial copy for HORC pairs is executed, the link between S-Vol and a mainframe machine should be off-line. If the link is on-line, the initial copy is aborted.

While there exists any I/O from a mainframe machine to an open volume, don't start initial copy from the volume to another. When you start the copy operation, a mainframe I/O is aborted.

When you start initial copy, you need to stop a mainframe I/O to a open volume which is to be a P-Vol of a HORC pair.

(7) Serial Interface Connections between DKC460 and DKC410 or DKC310 Subsystems

HORC supports serial interface connections for combining DKC460 and non-DKC460 subsystems as the MCU and RCU. Table 9-1 shows combinations of serial interface connection between DKC460 and DKC410/DKC310 subsystems.

Table 9-1 Combinations of Serial Interface Connection

		RCU		
		DKC460 Subsystem	DKC410 Subsystem	DKC310 Subsystem
MCU	DKC460 Subsystem	Supported in microcode version 21-04-XX or later.	Supported in microcode version 21-04-XX or later.	Supported in microcode version 21-04-XX or later.
	DKC410 Subsystem	Supported from the microcode version 21-03-XX.	Supported.	Supported.
	DKC310 Subsystem	Supported from the microcode version 21-03-XX.	Supported.	Supported.

Note: The combinations that are supported from the microcode version 21-03-XX have the following Notes:

- When connecting a DKC410 subsystem as the MCU and a DKC460 subsystem as the RCU:

CU (CU#):

You can use 0x00 - 0x0F for the MCU. You can use 0x00 - 0x0F for the RCU.

Note: You cannot use 0x10 - 0x1F of DKC460.

Consistency group (CTG#):

You can use 0x00 - 0x3F.

Note: You cannot use 0x40 - 0x7F of DKC460.

Takeover by Command Control Interface:

When the version of DKC460 is 21-04-XX or later, the CCI's takeover function that exchanges the MCU and RCU can be used. However, takeover function cannot be used when the version of DKC460 is before 21-04-XX.

Supported microcode version:

A DKC410 subsystem (MCU) that has the microcode version 01-17-94-00/10 or later can be connected to a DKC460 subsystem (RCU).

- When connecting a DKC310 subsystem as the MCU and a DKC460 subsystem as the RCU:

Port:

You can use 1A – 2R.

Note: You cannot use 3a – 4r of DKCcc460.

TID (GID):

You can use 0x0F.

Set TID (GID) as follows.

● Procedure for setting TID (GID) (SVP/Web Console)

- (1) For the ports performing remote copy, GID 0x00 to 0x0E need to be defined as dummies. Therefore, set LUN Security to the target port (Execute LUN Security: OFF → ON. No need to set the group name. For the procedure for setting LUN Security, refer to 3.3.1 “Creating Host Groups” in LUN Management User’s Guide), and define from GID 0x00 to 0x0E sequentially.
- (2) Do not define LUNs for GID 0x00 to 0x0E.
- (3) After setting LUN Security to GID 0x0F as in (1), define the LUNs in ascending order/sequential number.

● Procedure for setting TID (GID) (RAID Manager)

- (1) Check the LUN information defined in the port which connects the volume for executing remote copy with the raidscan command.
- (2) When LUNs whose numbers are 256 and larger are defined, the target port cannot be used for remote copy. Use the other port where 256 and larger are not defined as LUN numbers.
- (3) Delete all the LUN definitions of the port which connects A/H-6593 and the volume for executing remote copy. No need to the operate ports which are not used for remote copy.
- (4) For the ports performing remote copy, GID 0x00 to 0x0E need to be defined as dummies. Therefore, set LUN security to the target port (Execute LUN Security: OFF → ON. No need to set the group name. For the procedure for setting LUN Security, refer to 3.3.1 “Creating Host Groups” in LUN Management User’s Guide), and define from GID 0x00 to 0x0E sequentially.
- (5) Do not define LUNs for GID 0x00 to 0x0E.
- (6) After setting LUN Security to GID 0x0F as in (1), define the LUNs in ascending order/sequential number.

Note: Note that the pair operations and displays of SVP/Web Console and RAID Manager cannot be mixed in remote copy from A/H-6593 to SANRISE9900V. If you use it in SVP only, the procedures (1)-(3) for RAID Manager are not required.

LUN:

You can use 0x00 – 0x77.

Note: You must register LUNs in an ascending order.

CU (CU#):

You can use 0x00 - 0x03 for the MCU. You can use four CU numbers from 0x00 - 0x0F for the RCU.

Note: You cannot use 0x10 - 0x1F of DKC460.

Consistency group (CTG#):

You can use 0x00 - 0x0F.

Note: You cannot use 0x10 - 0x7F of DKC460.

Paircreate operation:

Caution: Even if you specify an incorrect CU number for the target port (LCP) and specify an incorrect SSID for S-VOL for the Paircreate operation, no error message may be reported, and data may be copied from a wrong device. You should take an extreme caution when performing Paircreate operations.

Takeover by Command Control Interface:

When the version of DKC460 is 21-04-XX or later, the CCI's takeover function that exchanges the MCU and RCU can be used. However, takeover function cannot be used when the version of DKC460 is before 21-04-XX.

Supported microcode version:

A DKC310 subsystem (MCU) that has the microcode version 52-48-60-01/00 or later can be connected to a DKC460 subsystem (RCU).

Note: The combinations supported in the microcode version 21-04-XX and higher have the following notes.

- When connecting a DKC460 subsystem as the MCU and a DKC410 subsystem as the RCU:

CU(CU#):

You can use 0x00 ~ 0x1F for the MCU.

You can use 0x00 ~ 0x0F for the RCU.

Consistency group(CTG#):

You can use 0x00 ~ 0x3F.

Note: You cannot use 0x40 ~ 0x7F of DKC460.

DKC410 microcode version:

A DKC410 subsystem(RCU) that connected to a DKC460 subsystem(MCU) must have microcode version 01-18-38 or later.

- When connecting a DKC460 subsystem as the MCU and a DKC310 subsystem as the RCU:

Port:

The ports which can be used by MCU are 1A ~ 4r.

The ports which can be used by RCU are 1A ~ 2R.

TID(GID):

You can use 0x0F. Refer to “When connecting a DKC310 subsystem as the MCU and a DKC460 subsystem as the RCU” for the setting procedure of TID(GID).

CU(CU#):

You can use 0x00 ~ 0x0F for the MCU.

You can use 0x00 ~ 0x03 for the RCU.

Note: You cannot use 0x10 ~ 0x1F of DKC460.

Consistency group(CTG#):

You can use 0x00 ~ 0x0F.

Note: You cannot use 0x10 ~ 0x7F of DKC460.

DKC310 microcode version:

A DKC310 subsystem(RCU) that connected to a DKC460 subsystem(MCU) must have microcode version 52-49-16/00 or later.

◆ Restrictions:

(1) Command device:

- ① The HORC provides users with a command to enable a state change and status display of the HORC pair from the server.
- ② Assign a special LUN called a command device so that the DKC460 can receive this pair state change and pair status display commands.
- ③ Users cannot use the command device. A command device with a capacity of 2.4GB within the subsystem cannot be used (when the OPEN3 is assigned as a command device). If you install the micro version supporting CVS function for Open volume, you can specify CVS volume as command device. In this case, the minimum capacity of command device is 36MB.
- ④ Use the SVP to specify the command device.

(2) Flashing updated data in the server:

When the HORC is used as a DataPlex function, split the primary/secondary paired VOL. A Sync command or the like must be issued before splitting it and a file system buffer must be flashed when acquiring a backup from the secondary VOL. Thus, the latest backup can be acquired.

(3) P-VOL (primary VOL) access:

Pair suspend operation (pairsplit-P option) from RAID Manager/HORC can be executed to HORC pair volumes but can't be executed to HORCA pair volumes.

10 LUN installation

10.1 Overview

LUN installation feature makes it enable to add LUNs to DKC460 FIBRE ports while I/Os are still running.

Some host operations are required before the added volumes are recognized and become usable from FIBRE host operating systems.

MCU port (Initiator port) of Fibre Remote Copy function does not support LUN installation.

10.2 Specifications

(1) General

- 1) LUN installation feature supports FIBRE interface.
- 2) LUN installation is supported.
- 3) LUN installation can be executed by SVP or by Web Console.
- 4) Some operating systems require reboot operation to recognize the newly added volumes.
- 5) When new LDEVs should be installed for LUN installation, install the LDEVs by SVP first.
Then add LUNs by LUN installation from SVP or Web Console.
- 6) MCU port (Initiator port) of Fibre Remote Copy function does not support LUN installation.

(4) Platform support

Host Platforms supported for LUN installation are shown in Table 10-1.

Table 10-1 Platform support level.

Support level	FIBRE
(A) LUN installation and LUN recognition.	Solaris, HP-UX, AIX
(B) LUN installation only. Reboot is required before new LUNs are recognized.	WindowsNT Windows2000
(C) LUN installation is not supported. Host must be shutdown before installing LUNs and then must be rebooted.	—

10.3 Operations

(1) Operations

Step 1: Execute LUN installation from SVP or from JAVA = “Web Console”.

Step 2: Check whether or not the initiator platform of the FIBRE port supports LUN recognition with Table 10-2.

Support (A) -> Execute LUN recognition procedures in Table 10-2.

Not support (B) -> Reboot host and execute normal install procedure.

(2) Host operations

Host operations for LUN recognition are shown in Table 10-2.

Table 10-2 LUN recognition procedures outline for each platform

Platform	LUN recognition procedures
HP-UX	(1) ioscan (check device added after IPL) (2) insf -e (create device files)
Solaris	(1) /usr/sbin/drvconfig (2) /usr/sbin/devlinks (3) /usr/sbin/disks (4) /usr/ucb/ucblinks
AIX	(1) Devices-Install/Configure Devices Added After IPL By SMIT
Windows 2000	Automatically detected

11 LUN de-installation

11.1 Overview

LUN de-installation feature makes it enable to delete LUNs to DKC460 FIBRE ports while I/Os are still running.

MCU port (Initiator port) of Fibre Remote Copy function does not support LUN de-installation.

11.2 Specifications

(1) General

- 1) LUN de-installation feature supports FIBRE interface.
- 2) LUN de-installation can be used only for FIBRE ports on which LUNs are already existing.
- 3) LUN de-installation can be executed by SVP or by “Web Console”.
- 4) When LUNs should be de-installed for LUN de-installation, stop Host I/O of concerned LUNs.
- 5) If necessary , execute backup of concerned LUNs.
- 6) De-install concerned LUNs from HOST.
- 7) In case of AIX, release the reserve of concerned LUNs.
- 8) In case of HP-UX do not delete LUN=0 under existing target ID.
- 9) MCU port (Initiator port) of Fibre Remote Copy function does not support LUN de-installation.

(Note)

If LUN de-installation is done without stopping Host I/O, or releasing the reserve, it would fail. Then stop HOST I/O or release the reserve of concerned LUNs and try again. If LUN de-installation would fail after stopping Host I/O or releasing the reserve, there is a possibility that the health check command from HOST is issued. At that time, wait about three minutes and try again.

(2) Platform support

Host platforms supported for LUN de-installation are shown in Table 11-1.

Table 11-1 Support platform

Platform	OS	Fibre
HP	HP-UX	○
SUN	Solaris	○
RS/6000	AIX	○
PC	WindowsNT	×
PC	Windows 2000	○

(example) ○: support, ×: not support

11.3 Operations

(1) Operations

Step 1: Confirm whether or not the initiator platform of the FIBRE port supports LUN de-installation with Table 11-1.

Support :Go to Step 2.

Not support : Go to Step 3.

Step 2: If HOST MODE of FIBRE port is not 00 or 04 or 07 use, go to Step 4.

Step 3: Stop Host I/O of concerned LUNs.

Step 4: If necessary, execute backup of concerned LUNs.

Step 5: De-install concerned LUNs form HOST.

Step 6: In case AIX, release the reserve of concerned LUNs.

If not, go to Step 7.

Step:7 Execute LUN de-installation from SVP or from “Web Console”.

(2) Host operations

Host operations for LUN de-installation procedures are shown in Table 11-2.

Table 11-2 LUN de-installation procedures outline for each platform

Platform	LUN de-installation procedures
HP-UX	mount point:/01, volume group name:vg01 (1) umount /01 (umount) (2) vgchange -a n vg01 (deactive volume groups) (3) vgexport /dev/vg01 (export volume groups)
Solaris	mount point:/01 (1) umount /01 (unmout)
AIX	mount point:/01, volume group name:vg01, device file name:hdisk1 (1) umount /01 (umount) (2) rmfs -r" /01 (delete file systems) (3) varyoffvg vg01 (vary off) (4) exportvg vg01 (export volume groups) (5) rmdev -I 'hdisk1' '-d' (delete devime files)

12 Prioritized Port Control (PPC)

12.1 Overview

The Prioritized Port Control (PPC) feature allows you to use the DKC for both production and development. The assumed system configuration for using the Prioritized Port Control option consists of a single DKC that is connected to multiple production servers and development servers. Using the Prioritized Port Control function under this system configuration allows you to optimize the performance of the development servers without adversely affecting the performance of the production servers.

MCU port (Initiator port) of Fibre Remote Copy function does not support Prioritized Port Control (PPC).

The Prioritized Port Control option has two different control targets: fibre port and open-systems host's World Wide Name (WWN). The fibre ports used on production servers are called prioritized ports, and the fibre ports used on development servers are called non-prioritized ports. Similarly, the WWNs used on production servers are called prioritized WWNs, and the WWNs used on development servers are called non-prioritized WWNs.

Note: The Prioritized Port Control option cannot be used simultaneously for both the ports and WWNs for the same DKC. Up to 32 ports or 1024 WWNs (32 WWNs × 32 ports) can be controlled for each DKC.

The Prioritized Port Control option monitors I/O rate and transfer rate of the fibre ports or WWNs. The monitored data (I/O rate and transfer rate) is called the performance data, and it can be displayed in graphs. You can use the performance data to estimate the threshold and upper limit for the ports or WWNs, and optimize the total performance of the DKC.

■ Prioritized Ports and WWNs

The fibre ports or WWNs used on production servers are called prioritized ports or prioritized WWNs, respectively. Prioritized ports or WWNs can have threshold control set, but are not subject to upper limit control. Threshold control allows the maximum workload of the development server to be set according to the workload of the production server, rather than at an absolute level. To do this, the user specifies whether the current workload of the production server is high or low, so that the value of the threshold control is indexed accordingly.

■ Non-Prioritized Ports and WWNs

The fibre ports or WWNs used on development servers are called non-prioritized ports or prioritized WWNs, respectively. Non-prioritized ports or WWNs are subject to upper limit control, but not threshold control. Upper limit control makes it possible to set the I/O of the non-prioritized port or WWN within a range that does not affect the performance of the prioritized port or WWN.

12.2 Overview of Monitoring

■ Monitoring Function

Monitoring allows you to collect performance data, so that you can set optimum upper limit and threshold controls. When monitoring the ports, you can collect data on the maximum, minimum and average performance, and select either per port, all prioritized ports, or all non-prioritized ports. When monitoring the WWNs, you can collect data on the average performance only, and select either per WWN, all prioritized WWNs, or all non-prioritized WWNs.

The performance data can be displayed in graph format either in the real time mode or offline mode. The real time mode displays the performance data of the currently active ports or WWNs. The data is refreshed in every minute, and you can view the varying data in real time. The offline mode displays the stored performance data. The data can be stored for up to one week, and can be displayed in increments ranging from five minutes, one hour, one day, or one week. A graph is plotted per unit of one minute regardless of the displayed scale (unit of grid).

■ Monitoring and Graph Display Mode

When you activate the Prioritized Port Control option, the Select Mode panel where you can select either **Port Real Time Mode**, **Port Offline Mode**, **WWN Real Time Mode**, or **WWN Offline Mode** opens. When you select one of the modes, monitoring starts automatically and continues unless you stop monitoring. However, data can be stored for up to one week. To stop the monitoring function, exit the Prioritized Port Control option, and when a message asking if you want to stop monitoring is displayed, select the **Yes** button.

- The **Port/WWN Real Time Mode** is recommended if you want to monitor the port or WWN performance for a specific period of time (within 24 hours) of a day to check the performance in real time.
- The **Port/WWN Offline Mode** is recommended if you want to collect certain amount of the port or WWN performance data (maximum of one week), and check the performance in non-real time.

To determine a preliminary upper limit and threshold, run the development server by using the performance data collected from the production server that was run beforehand and check the changes of performance of a prioritized port. If the performance of the prioritized port does not change, set a value by increasing an upper limit of the non-prioritized port. After that, recollect and analyze the performance data. Repeat these steps to determine the optimized upper limit and threshold. (See Figure 12-1.)

12.3 Procedure (Flow) of Prioritized Port Control

To perform the prioritized port control, determine the upper limit to the non-prioritized port by checking that the performance monitoring function does not affect production. Figure 12-1 shows the procedures for prioritized port control.




Figure 12-1 Flow of Prioritized Ports Control

13 Hi-speed microcode upgrade

13.1 Overview

By reducing offline time at online microprogram exchange, it is possible to perform microprogram exchange during executing an I/O operation of the host connected to the CHF. So, under system configuration without the alternate path function, it is possible to operate a microprogram exchange without stopping an I/O operation of the host connected to the CHF.

13.2 Conditions for hi-speed microcode upgrade

The following platform condition enables a microprogram exchange during executing an I/O operation of the host connected to the CHF without installing the alternate path function. See "Supported platform on Hi-speed microcode upgrade" shown in Table 13-1.

Table 13-1 Supported platform on Hi-speed microcode upgrade

Platform	Host Adapter	Setup value of Host Adapter Queue-Depth	Microprogram Exchange Mode
HP-UX	HP A3740A/A3404A/A3591B	≤ 1024 per port AND = 8 per LU (default)	Stop SCSI host
Solaris	Jaycor FC64-1063/FCI-1063	≤ 512 per port AND ≤ 32 (default) per LU	Stop SCSI host
AIX	IBM 6227	≤ 512 per port AND ≤ 32 per LU	Stop SCSI host
Windows NT	Emulex LP7000E/LP8000	≤ 512 per port AND ≤ 32 per LU	Stop SCSI host
Windows 2000	Emulex LP8000	≤ 512 per port AND ≤ 32 per LU	Stop SCSI host

High-speed microcode upgrade is invalid on the AIX system via Switch.

On the system in which an alternate path software is installed, Hi-speed microcode upgrade causes a path fail over. Because the system detects the short offline period and alternates the I/O path from primary to secondary.

High-speed microcode upgrade is invalid on the system

When the subsystem is used as Boot Disk, it is necessary to stop host I/O even though performing High-speed microcode upgrade. Number of retry for Boot Disk is less than that for other LUNs.

Except for the above platform, an alternate path function must be correctly established or a microprogram exchange must be performed by stopping an I/O operation of the host connected to the CHF.

It is recommended that a microprogram exchange is performed to choose a period when host load is low.

14 16HSE/F PCB

14.1 Outline

Formerly, the number of ports / PCB was up to four, but that of the 16HSE/F can be extended to up to eight.

Basic specifications for the PCB are shown in Table 14-1.

Table 14-1 Basic Specifications

Item	Specification		Remarks
Model name	8HSE/F	16HSE/F	—
Topology	L-Port F-Port	L-Port F-Port	
Service class	3	3	—
Protocol	FCP	FCP	—
Maximum number of channels/PCB	4	8	—
Data transfer rate	200MB/sec	200MB/sec	—
Number of ports/PCB	4Port (SP Mode*) 1Port (HP Mode*)	8Port (SP Mode*)	—
Support for Fibre HORC	Supports	Supports	—
Connector	LC connector	LC connector	—

SP Mode: Standard Performance Mode

HP Mode: High Performance Mode

Table 14-1 FC I/F Support Level

No.	Item	I/F type	Support level
1	Optical fiber type	LC-SC (Short wave) for HBA 100MB/sec	Supports
2		LC-LC (Short wave) for HBA 200MB/sec	Supports

14.2 Setting to be made at the time of installation

- When the PCB is replaced
Select “16HSE/F” for the PCB type using an SVP.

14.3 Port name

Table 14-3 Port name of CL1 side

Cluster	Operation Panel on Front Door			SVP/Java GUI	Java RMI/SNMP	RAID Manager (CCI)	Standard Inquiry
1	CL1	U	A	CL1-A	CL1-A	CL1-A	1A
			B	CL1-B	CL1-B	CL1-B	1B
			C	CL1-C	CL1-C	CL1-C	1C
			D	CL1-D	CL1-D	CL1-D	1D
		L	A	CL3-a	CL3-a	CL3-a	3a
			B	CL3-b	CL3-b	CL3-b	3b
			C	CL3-c	CL3-c	CL3-c	3c
			D	CL3-d	CL3-d	CL3-d	3d
		U	E	CL1-E	CL1-E	CL1-E	1E
			F	CL1-F	CL1-F	CL1-F	1F
			G	CL1-G	CL1-G	CL1-G	1G
			H	CL1-H	CL1-H	CL1-H	1H
		L	E	CL3-e	CL3-e	CL3-e	3e
			F	CL3-f	CL3-f	CL3-f	3f
			G	CL3-g	CL3-g	CL3-g	3g
			H	CL3-h	CL3-h	CL3-h	3h
		U	J	CL1-J	CL1-J	CL1-J	1J
			K	CL1-K	CL1-K	CL1-K	1K
			L	CL1-L	CL1-L	CL1-L	1L
			M	CL1-M	CL1-M	CL1-M	1M
		L	J	CL3-j	CL3-j	CL3-j	3j
			K	CL3-k	CL3-k	CL3-k	3k
			L	CL3-l	CL3-l	CL3-l	3l
			M	CL3-m	CL3-m	CL3-m	3m
		U	N	CL1-N	CL1-N	CL1-N	1N
			P	CL1-P	CL1-P	CL1-P	1P
			Q	CL1-Q	CL1-Q	CL1-Q	1Q
			R	CL1-R	CL1-R	CL1-R	1R
		L	N	CL3-n	CL3-n	CL3-n	3n
			P	CL3-p	CL3-p	CL3-p	3p
			Q	CL3-q	CL3-q	CL3-q	3q
			R	CL3-r	CL3-r	CL3-r	3r

Table 14-4 Port name of CL2 side

Cluster	Operation Panel on Front Door			SVP/Java GUI	Java RMI/SNMP	RAID Manager (CCI)	Standard Inquiry
2	CL2	U	A	CL2-A	CL2-A	CL2-A	2A
			B	CL2-B	CL2-B	CL2-B	2B
			C	CL2-C	CL2-C	CL2-C	2C
			D	CL2-D	CL2-D	CL2-D	2D
		L	A	CL4-a	CL4-a	CL4-a	4a
			B	CL4-b	CL4-b	CL4-b	4b
			C	CL4-c	CL4-c	CL4-c	4c
			D	CL4-d	CL4-d	CL4-d	4d
		U	E	CL2-E	CL2-E	CL2-E	2E
			F	CL2-F	CL2-F	CL2-F	2F
			G	CL2-G	CL2-G	CL2-G	2G
			H	CL2-H	CL2-H	CL2-H	2H
		L	E	CL4-e	CL4-e	CL4-e	4e
			F	CL4-f	CL4-f	CL4-f	4f
			G	CL4-g	CL4-g	CL4-g	4g
			H	CL4-h	CL4-h	CL4-h	4h
		U	J	CL2-J	CL2-J	CL2-J	2J
			K	CL2-K	CL2-K	CL2-K	2K
			L	CL2-L	CL2-L	CL2-L	2L
			M	CL2-M	CL2-M	CL2-M	2M
		L	J	CL4-j	CL4-j	CL4-j	4j
			K	CL4-k	CL4-k	CL4-k	4k
			L	CL4-l	CL4-l	CL4-l	4l
			M	CL4-m	CL4-m	CL4-m	4m
		U	N	CL2-N	CL2-N	CL2-N	2N
			P	CL2-P	CL2-P	CL2-P	2P
			Q	CL2-Q	CL2-Q	CL2-Q	2Q
			R	CL2-R	CL2-R	CL2-R	2R
		L	N	CL4-n	CL4-n	CL4-n	4n
			P	CL4-p	CL4-p	CL4-p	4p
			Q	CL4-q	CL4-q	CL4-q	4q
			R	CL4-r	CL4-r	CL4-r	4r