

# ***OPTION & MICROVERSION SECTION***

## Contents

[OPTVER01-10](#) 1. Relationship between option and micro-program version

## 1. Relationship between option and micro-program version

Before installing one of hardware options described in the below, confirm whether the stored micro-program supports the hardware option or not.

Table 1-1 Comparison Table of Options & Micro-Versions

| No. | Model number                    | Support item                                                   | Micro-program version (*1)   |
|-----|---------------------------------|----------------------------------------------------------------|------------------------------|
| 1   | DKC-F510I-8NS/8NSR              | NAS 8-port Adapter for Short Wavelength (1.25Gbps)             | DKCMAIN: 50-03-XX and higher |
| 2   | DKU-F505I-300JSR                | DKR2F-J300FC                                                   | DKCMAIN: 50-03-2X and higher |
| 3   | DKC-F510I-16MLR/16MSR           | Mainframe Fibre 16-port Adapter for Short Wavelength (1-2Gbps) | DKCMAIN: 50-04-2X and higher |
| 4   | DKC-F510I-32FSR                 | Fibre 32-port High Performance Adapter (1-4Gbps)               | DKCMAIN: 50-04-2X and higher |
| 5   | DKU-F505I-72KSR/146KSR          | DKS2D-K72FC/K146FC                                             | DKCMAIN: 50-04-2X and higher |
| 6   | DKC-F510I-CX1GR/SX1GR/C8GR/S2GR | 1GB DIMM support                                               | DKCMAIN: 50-05-XX and higher |
| 7   | DKC-F510I-8HSR                  | Fibre 8-port High Performance Adapter (1-2Gbps)                | DKCMAIN: 50-05-4X and higher |
| 8   | DKC-F510I-8ISR                  | iSCSI 8-port Adapter for Short Wavelength                      | DKCMAIN: 50-06-XX and higher |
| 9   | DKC-F510I-8FS2R/16FS2R/32FS2R   | Fibre 8/16/32-port High Performance Adapter 2 (1-4Gbps)        | DKCMAIN: 50-07-XX and higher |
| 10  | DKU-F505I-16MFSR/16MFLR/16MFL4R | Mainframe Fibre 16-port Adapter (1-4Gbps)                      | DKCMAIN: 50-08-XX and higher |
| 11  | DKU-F505I-300KSR                | DKS2E-K300FC                                                   | DKCMAIN: 50-09-3X and higher |
| 12  | DKU-F505I-400JSR                | DKS2E-J400FC                                                   | DKCMAIN: 50-09-7X and higher |

\*1: Refer to the page [SVP03-10](#) to confirm micro-program version.

If the present micro-program versions are lower than the ones in the table above, please exchange or update them first. (Refer to [MICRO-FC04-10](#).)

Non-Disruptive : Go to [INST02-40](#) No.3.

Disruptive : Go to [INST02-80](#) No.3.