



Release Notes for Hotfix Delta Release

Release Notes Version: V1.1 2024-03-27

Atos Unify OpenScape 4000 V11

Hotfix Version: **V11 R0.22.1 – CSTA-HF**

Associated Base Release: **V11 R0.22.0**

Current release status can be verified via the Software Supply Server (SWS)

Export Control Classification Data

AL: N ECCN: 5D992

This release note contains only the information as affected by this Hotfix Delta Release.
For the full list of information, you must refer to the release note of the associated Base Release
Version: **INF-24-000040**

HINT: The Base Version Release Note must be checked each time a Hotfix is applied to ensure full information is obtained.
The History of Change of the Base Version Release Note can be used to identify any Release Note modifications where the content is already familiar.

© Copyright, Unify Software and Solution GmbH & Co. KG All rights reserved.

This document provides general information about the release, generics, and other relevant notes for the corresponding product and its correction versions.

The information provided in this document contains merely general descriptions or characteristics of performance which in case of actual use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract. Availability and technical specifications are subject to change without notice.

Atos, the Atos logo, Atos|Syntel are registered trademarks of the Atos group. © 2023 Atos.

Confidential information owned by Atos, to be used by the recipient only. This document, or any part of it, may not be reproduced, copied, circulated and/or distributed nor quoted without prior written approval from Atos.

Delivered Files

| Product Item Number | | File Name |
|---------------------|-------------------|----------------------|
| 1 | P30152-P1698-C1-1 | CSTA-V11_R0.22.1.tar |
| 2 | P30152-P1698-C1-1 | CSTA-V11_R0.22.1.spa |

Table of Contents

| | | |
|----------|---|----------|
| 1 | HISTORY OF CHANGE | 3 |
| 1.1 | RELEASE NOTES CONTENT..... | 3 |
| 1.2 | PRODUCT VERSIONS HISTORY | 4 |
| 2 | CHANGES | 4 |
| 2.1 | IMPLEMENTED CHANGE REQUESTS / NEW FEATURES..... | 4 |
| 2.2 | RESOLVED REPORTED PROBLEMS / SYMPTOMS | 4 |
| 2.3 | RESOLVED VULNERABILITIES | 5 |
| 3 | IMPORTANT ISSUES, WORKAROUNDS, HINTS AND RESTRICTIONS TO A SPECIFIC RELEASE .. | 5 |
| 3.1 | IMPORTANT ISSUES | 5 |
| 3.2 | WORKAROUNDS, HINTS | 6 |
| 3.3 | RESTRICTIONS | 6 |
| 4 | ADDITIONAL INFORMATION | 6 |
| 4.1 | ACTIVATING CSTA-HFs USING SWM / SWA | 6 |
| 4.2 | DEACTIVATING CSTA-HFs USING SWA | 6 |
| 4.3 | OPERATING SYSTEMS (INCLUDING SECURITY ALERTS/PATCHES) | 7 |
| 4.4 | PRODUCT STRUCTURE | 7 |
| 4.5 | DIAGNOSIS STRUCTURE | 7 |
| 4.6 | DIAGNOSTICS REQUIREMENTS | 7 |

1 History of Change

1.1 Release notes content

| Version | Date | Description of changes |
|---------|------------|------------------------|
| 1.1 | 2024-03-27 | Initial creation |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

1.2 Product versions history

| Software Version | Production Version | Date | Remarks |
|------------------|--|------------|----------|
| V11 R0.22.0 | V11 R0.22.0 - OS4K RLC Upgrade Package (ASS V11 R0.22.0, CSTA V11 R0.22.0, PLT V11 R0.22.0, MGR V11 R0.22.0) | 2024-03-22 | |
| V11 R0.22.1 | CSTA V11 R0.22.1 | 2024-03-27 | CSTA-HF1 |
| | | | |
| | | | |
| | | | |

2 Changes

2.1 Implemented Change Requests / New features

| Tracking Reference | Internal Reference | Summary | Released in Version |
|--------------------|--------------------|---------|---------------------|
| | | | |
| | | | |
| | | | |
| | | | |

2.2 Resolved Reported Problems / Symptoms

| Tracking Reference | Internal Reference | Summary | Released in Version |
|--------------------|--------------------|---|---------------------|
| | OSFOURK-26927 | Unify Phone - Cannot reconnect to the call that was on hold | V11 R0.22.1 |
| | OSFOURK-26513 | Unify Phone – Client not working after an alternative number longer than 22 characters is set | V11 R0.22.1 |
| | OSFOURK-26598 | IBLF memory leak | V11 R0.22.1 |

| Tracking Reference | Internal Reference | Summary | Released in Version |
|--------------------|--------------------|---|---------------------|
| | OSFOURK-26838 | iBLF leaves SSL sockets open after the client disconnects | V11 R0.22.1 |
| | | | |
| | | | |

2.3 Resolved Vulnerabilities

| Tracking Reference | Internal Reference | Summary | Released in Version | Severity Level |
|--------------------|--------------------|--|---------------------|----------------|
| | OSFOURK-26823 | PSA -VA -SQL Injection for password change | V11 R0.22.1 | Medium |
| | | | | |

3 Important Issues, Workarounds, Hints and Restrictions to a specific release

3.1 Important Issues

Not applicable for this release

| Tracking Reference | Internal Reference | Summary | Workaround / Actions |
|--------------------|--------------------|---------|----------------------|
| | | | |
| | | | |

| Tracking Reference | Internal Reference | Summary | Workaround / Actions |
|--------------------|--------------------|---------|----------------------|
| | | | |
| | | | |

3.2 Workarounds, Hints

| Tracking Reference | Internal Reference | Summary | Workaround / Actions |
|--------------------|--------------------|---------|----------------------|
| | | | |
| | | | |

3.3 Restrictions

Not applicable for this release

| Tracking Reference | Internal Reference | Summary |
|--------------------|--------------------|---------|
| | | |

4 Additional Information

4.1 Activating CSTA-HFs using SWM / SWA

Standard procedure – Use Assistant SWM to transfer the CSTA-HF and then Assistant SWA to activate it.

4.2 Deactivating CSTA-HFs using SWA

Standard procedure – Use Assistant SWA to deactivate the CSTA-HF, returning to the previous HF level.

4.3 Operating systems (including security alerts/patches)

This CSTA-HF can be applied only to an OpenScape 4000 V11 R0.22 release (openSUSE) system

4.4 Product structure

| Structure in Nuxeo / SWS | |
|--------------------------|--|
| Main Category | Communication Systems |
| Product Family | OpenScape 4000 |
| Product | OpenScape 4000 |
| Product Version | OpenScape 4000 V11 |
| Product Item # | P30152-P1698-C1-1 (V11 R0.22.0) |

Structure for OpenScape 4000 V11 – Upgrade Package

4.5 Diagnosis structure

| Structure in Case Tracking System ServiceNOW | |
|--|--|
| Product Family | COMMUNICATION SYSTEMS |
| Product Group | OpenScape 4000 SYSTEM |
| Product Type | OpenScape 4000 |
| Product Version | V11 |
| SW Version | P30152-P1698-C1-1 (V11 R0.22.0) |

Structure for OpenScape 4000 V11

4.6 Diagnostics requirements

More extensive detailed information is usually needed by next level support for handling problems quickly. For minimum diagnostics data check the OpenScape 4000 Standard Diagnosis and Troubleshooting Procedure, chapter 3

<https://nuxeo.unify.com/nuxeo/site/proxy/internal/nxdoc/view/raw/c077f23a-d630-400f-9fa2-645cadfa6008>