

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<cli_template xmlns="http://schemas.ericsson.com/nca/template/">
```

← a

```
<name>IOS_Template</name>
```

```
<description>Communication template for IOS operating system for cisco devices</description>
```

```
<prompt>">"</prompt>
```

```
<definitions>
```

```
  <definition>SCM</definition>
```

```
</definitions>
```

```
<feature name="EthernetInterface">
```

← b

```
<!-- EthernetInterface Model version 2.0 -->
```

```
  <operation type="create">
```

```
    <bindings>
```

```
      <val name="interfaceType">
```

```
        <xpath>interfaceType</xpath>
```

```
      </val>
```

```
      <val name="interfaceNumberWithSub">
```

```
        <xpath>interfaceNumber</xpath>
```

```
      </val>
```

```
      <val name="(interfaceNumber, subInterface)">
```

```
        <def>
```

```
          {
```

```
            interfaceNumberWithSub.split("\\.") match {
```

```
            case Array(x) => (x, "")
```

```
            case Array(x, y) => (x, y)
```

```
            case _ => ("", "")
```

```
          }
```

```
        }
```

```
      </def>
```

← c

```
</command>
```

```
  <request>
```

```
    (subInterface) match {
```

```
    case "" => s"interface $interfaceType$interfaceNumber"
```

```
    case _ => s"interface $interfaceType$interfaceNumberWithSub"
```

```
    }
```

```
  </request>
```

```
</command>
```

```
<command>
```

```
  <request>
```

```
    "" match {
```

```
    case "s" => s"$serviceInstanceId $vlanId"
```

```
    case _ => ""
```

```
    }
```

```
  </request>
```

```
</command>
```

← d