

# Create SNMPv2C Target

## OPERATING INSTRUCTIONS

**Copyright**

© Ericsson AB 2014, 2015. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

**Disclaimer**

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

**Trademark List**

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Prerequisites	1
<b>2</b>	<b>Procedure</b>	<b>3</b>



Create SNMPv2C Target



# 1 Introduction

This document describes how to create an SNMPv2C target. An SNMPv2C target is created to forward Simple Network Management Protocol (SNMP) notifications to a management system over the SNMPv2C protocol.

## 1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

### 1.1.1 Conditions

The following conditions must apply:

- The SNMP community and target IP address are known and according to the network IP plan.
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.





## 2 Procedure

To create an SNMPv2C target:

1. Navigate to the **Snmp** Managed Object (MO), for example:

```
>dn ManagedElement=NODE06ST,SystemFunctions=1,SysM=1,Snmp=1
```

2. Enter Config mode:

```
(Snmp=1)>configure
```

3. Create an SNMPv2C target, for example:

```
(config-Snmp=1)>SnmpTargetV2C=OSS_v2C
```

4. For the **SnmpTargetV2C** MO, set attributes **community** and **address**, for example:

```
(config-SnmpTargetV2C=OSS_v2C)>community=public
```

```
(config-SnmpTargetV2C=OSS_v2C)>address=192.0.2.10
```

5. Commit the settings:

```
(config-SnmpTargetV2C=OSS_v2C)>commit
```

6. Verify the settings

```
(SnmpTargetV2C=OSS_v2C)>show -v
```

The following is an example output:

```
SnmpTargetV2C=OSS_v2C
address="192.0.2.10"
administrativeState=UNLOCKED <default>
community="public"
informRetryCount=1 <default>
informTimeout=300 <default>
isMibWritable=true <default>
operationalState=ENABLED [] <read-only>
port=162 <default>
snmpTargetV2CId=OSS_v2C
transportMethod=TRAP <default>
```