

# Delete Backup

## OPERATING INSTRUCTIONS

**Copyright**

© Ericsson AB 2016, 2017. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

**Disclaimer**

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

**Trademark List**

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



# Contents

<b>1</b>	<b>Description</b>	<b>1</b>
<b>2</b>	<b>Procedure</b>	<b>1</b>
2.1	Delete Backup	1



Delete Backup



# 1 Description

This instruction describes how to delete a backup.

## 2 Procedure

### 2.1 Delete Backup

#### Prerequisites

- No documents are required.
- No tools are required.
- The following condition must apply:
  - No other backup operation is in progress.
  - The backup type is known.
  - The name of the backup to delete is known.
  - An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.

#### Steps

1. Navigate to the `BrmBackupManager` managed object, for example:

```
>dn ManagedElement=NODE06ST,SystemFunctions=1,BrM=1,BrmBackupManager=SYSTEM_DATA
```

2. Start the delete operation, for example:

```
(BrmBackupManager=SYSTEM_DATA)>deleteBackup PERF_BACKUP_NAME  
1_20140428_175907
```

The system returns output `true` or `false`.

**Note:** To cancel the deletion of the backup, type `cancelCurrentAction`. If the delete operation is in the Prepare or Commit phase, the cancel is rejected.

3. Verify that the backup was successfully deleted:



(BrmBackupManager=PERF\_BACKUP\_NAME1\_20140428\_175907)>**show  
progressReport**

After a backup is successfully deleted, the progress report shows the following:

```
[...]  
actionName="DELETE"  
additionalInfo="Delete Backup for PERF_BACKUP_NAME1_20140428_175907:⇒  
Succeeded"  
progressInfo=""  
progressPercentage=100  
result=SUCCESS  
resultInfo="PERF_BACKUP_NAME1_20140428_175907 was deleted ⇒  
successfully."  
state=FINISHED  
[...]
```

If an error occurs during the execution of the operation, attribute `reportProgress` shows `result=FAILURE`, and `resultInfo` shows the cause of the failure.

For more information on the progress report, refer to [View Progress Report](#).