

# Delete User Account

---

## OPERATING INSTRUCTIONS

**Copyright**

© Ericsson AB 2015. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

**Disclaimer**

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

**Trademark List**

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Prerequisites	1
<b>2</b>	<b>Procedure</b>	<b>3</b>



Delete User Account



# 1 Introduction

This document describes how to delete a local Operation and Maintenance (O&M) user account.

## 1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

### 1.1.1 Conditions

The following conditions must apply:

- The user has sufficient access rights to perform the task, for example, the user has System Security Administrator role.
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.
- The username for the local user account is known. In this document, username is `j.oedoe`.



Delete User Account



## 2 Procedure

To delete a user account:

1. Navigate to the *UserAccountM* Managed Object (MO), for example:

```
>dn ManagedElement=NODE06ST,SystemFunctions=1,SecM=1  
,UserManagement=1,LocalAuthenticationMethod=1,UserAc  
countM=1
```

2. Enter Config mode:

```
(UserAccountM=1) >configure
```

3. Delete the *UserAccount* MO, for example:

```
(config-UserAccountM=1) >no UserAccount=joedoe
```

4. Commit the deletion:

```
(config-UserAccountM=1) >commit
```

5. Verify that no user account for username *joedoe* exists, for example:

```
(UserAccountM=1) >show UserAccount=joedoe
```

```
ERROR: Specific element not found
```