

Restore Backup

OPERATING INSTRUCTIONS

Copyright

© Ericsson AB 2016. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Introduction	1
1.1	Prerequisites	1
2	Procedure	3



Restore Backup



1 Introduction

This document describes how to restore a backup.

1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

1.1.1 Conditions

The following conditions must apply:

- No other backup operation is in progress.
- The name of the backup to restore is known.
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.



Restore Backup



2 Procedure

To restore a backup:

1. Navigate to the *BrmBackupManager* managed object, for example:

```
>dn ManagedElement=NODE06ST, SystemFunctions=1, BrM=1, BrmBackupManager=SYSTEM_DATA
```

2. Specify the backup to restore, for example:

```
(BrmBackupManager=SYSTEM_DATA) >BrmBackup=PERF_BACKUP_NAME1_20140428_175907
```

3. Start the restore operation:

```
(BrmBackup=PERF_BACKUP_NAME1_20140428_175907) >restore
```

The system returns output `true` or `false`.



Attention!

Risk of system malfunction or traffic disturbance.

A cluster reboot is automatically triggered when restoring a System Data backup. The resulting in-service performance impact corresponds to the time required for a cluster to restart after reboot.

4. Verify that the backup was successfully restored, for example:

```
(BrmBackup=PERF_BACKUP_NAME1_20140428_175907) >show -v
```

The following is an example output:



```
BrmBackup=PERF_BACKUP_NAME1_20140428_175907
[...]  
  asyncActionProgress <read-only>  
    actionId=3 <read-only>  
    actionName="RESTORE" <read-only>  
    additionalInfo=[] <empty>  
    progressInfo="PERMIT_PHASE is completed" <read-only>  
    progressPercentage=33 <read-only>  
    result=NOT_AVAILABLE <read-only>  
    resultInfo="" <read-only>  
    state=RUNNING <read-only>  
    timeActionCompleted="1970-01-01T05:00:00" <read-only>  
    timeActionStarted="2014-09-08T10:55:54" <read-only>  
    timeOfLastStatusUpdate="2014-09-08T10:55:55" <read-only>  
  progressReport <read-only>  
    actionId=3 <read-only>  
    actionName="RESTORE" <read-only>  
    additionalInfo=[] <empty>  
    progressInfo="PERMIT_PHASE is completed" <read-only>  
    progressPercentage=33 <read-only>  
    result=NOT_AVAILABLE <read-only>  
    resultInfo="" <read-only>  
    state=RUNNING <read-only>  
    timeActionCompleted="1970-01-01T05:00:00" <read-only>  
    timeActionStarted="2014-09-08T10:55:54" <read-only>  
    timeOfLastStatusUpdate="2014-09-08T10:55:55" <read-only>  
[...]
```

Note: When performing a System Data backup restore, the restore progress can be monitored (refer to *View Progress Report*) until the system reboot is triggered. After the system is rebooted, the progress report is reset to default values.