

# Schedule Single Backup

---

## OPERATING INSTRUCTIONS

**Copyright**

© Ericsson AB 2016. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

**Disclaimer**

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

**Trademark List**

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Prerequisites	1
<b>2</b>	<b>Procedure</b>	<b>3</b>





# 1 Introduction

This document describes how to schedule a single backup at a specified time.

**Note:** When any of the following backup operations is in progress, a scheduled backup event that is triggered is postponed and retried at regular intervals later:

- Manual backup creation
- Scheduled backup creation
- Backup deletion
- Backup restore

## 1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

### 1.1.1 Conditions

The following conditions must apply:

- The event name is known.
- The day and time for the scheduled backup is known.
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.





## 2 Procedure

To schedule a single backup at a specified time:

1. Navigate to the *BrmBackupScheduler* managed object, for example:

```
>dn ManagedElement=NODE06ST, SystemFunctions=1, BrM=1, BrmBackupManager=SYSTEM_DATA, BrmBackupScheduler=SYSTEM_DATA
```

2. Enter Config mode:

```
(BrmBackupScheduler=SYSTEM_DATA) >configure
```

3. Enter the event name, for example:

```
(config-BrmBackupScheduler=SYSTEM_DATA) >BrmSingleEvent=S_EVENT_20140428_152
```

4. Enter the day and time for the scheduled backup to occur, for example:

```
(config-BrmSingleEvent=S_EVENT_20140428_152) >schedule dTime=2014-07-31T23:59:59
```

**Note:** Ensure to set `scheduledTime` to a date and time that are in accordance with the Daylight Saving Time (DST).

The value of the `scheduledTime` attribute cannot be cleared using the `no scheduledTime` ECLI command

5. Commit the single event schedule:

```
(config-BrmSingleEvent=S_EVENT_20140428_152) >commit
```

6. Verify that the scheduled event was created:

```
(BrmSingleEvent=S_EVENT_20140428_152) >show
```

The following is an example output:

```
BrmSingleEvent=S_EVENT_20140428_152 scheduledTime="2014-07-31T23:59:59"
```