

Configure Target Type Identifiers

OPERATING INSTRUCTIONS

Copyright

© Ericsson AB 2016. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Introduction	1
1.1	Prerequisites	1
2	Procedure	3





1 Introduction

This document describes how to configure a set of target types for Managed Element (ME). The value of attribute `targetType` can be used by, for example, Target-Based Access Control (TBAC).

1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

1.1.1 Conditions

The following conditions must apply:

- The user has the System Security Administrator role.
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.





2 Procedure

To configure a set of target types for ME:

1. Navigate to the *UserManagement* Managed Object (MO), for example:

```
>dn ManagedElement=1,SystemFunctions=1,SecM=1,UserManagement=1
```

2. Enter Config mode:

```
(UserManagement=1) >configure
```

3. Configure the target types in attribute `targetType`, for example:

```
(config-UserManagement=1) >targetType="Stockholm"
```

4. Commit the settings:

```
(config-UserManagement=1) >commit
```

5. Verify the `targetType`:

```
(UserManagement=1) >show targetType
```

The following is an example output:

```
targetType  
"Stockholm"
```

Add One More Identifier to `targetType`

6. Enter Config mode:

```
(UserManagement=1) >configure
```

7. Add one more identifier in `targetType`, for example:

```
(config-UserManagement=1) >targetType="Uppsala"
```

8. Commit the settings:

```
(config-UserManagement=1) >commit
```

9. Verify the `targetType`:

```
(UserManagement=1) >show targetType
```

The following is an example output:



```
targetType
  "Stockholm"
  "Uppsala"
```

Remove One Identifier in targetType

10. Enter Config mode:

```
(UserManagement=1) >configure
```

11. Remove one identifier in targetType, for example:

```
(config-UserManagement=1) >no targetType="Uppsala"
```

12. Commit the settings:

```
(config-UserManagement=1) >commit
```

13. Verify the targetType:

```
(UserManagement=1) >show targetType
```

The following is an example output:

```
targetType
  "Stockholm"
```

Remove All Identifiers in targetType

14. Enter Config mode:

```
(UserManagement=1) >configure
```

15. Remove all identifiers in targetType, for example:

```
(config-UserManagement=1) >no targetType
```

16. Commit the settings:

```
(config-UserManagement=1) >commit
```

17. Verify the targetType:

```
(UserManagement=1) >show targetType
```

The following is an example output:

```
targetType= []
```