

Delete Enrollment Server

OPERATING INSTRUCTIONS

Copyright

© Ericsson AB 2014, 2016, 2017. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Description	1
2	Procedure	1
2.1	Delete Enrollment Server	1



Delete Enrollment Server



1 Description

This instruction describes how to delete an *EnrollmentServer* Managed Object (MO) from the containing *EnrollmentServerGroup* MO.

2 Procedure

2.1 Delete Enrollment Server

Prerequisites

- No documents are required.
- No tools are required.
- The following conditions must apply:
 - The user has the System Security Administrator role.
 - An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.

Steps

1. Navigate to the *CertM* Managed Object (MO), for example:

```
>dn ManagedElement=NODE06ST, SystemFunctions=1, SecM=1, CertM=1
```

2. Enter Config mode:

```
(CertM=1) >configure
```

3. List the existing *EnrollmentServerGroup* MOs with the *EnrollmentServer* MOs:

```
(config-CertM=1) >show -v -r
```

The following is an example output:



```
CertM=1
[...]
  EnrollmentServerGroup=1
    enrollmentServerGroupId="1"
    userLabel=[] <empty>
    EnrollmentServer=1
  [...]
```

4. Navigate to the *EnrollmentServerGroup* MO with the *EnrollmentServer* MO to be deleted, for example:

```
(config-CertM=1) > EnrollmentServerGroup=1
```

5. Delete the *EnrollmentServer* MO, for example:

```
(config-EnrollmentServerGroup=1) > no EnrollmentServer=1
```

6. Commit the deletion:

```
(config-EnrollmentServerGroup=1) > commit
```

7. Verify that the *EnrollmentServer* MO is deleted from the *EnrollmentServerGroup* MO:

```
(EnrollmentServerGroup=1) > show -v -r
```

The following is an example output:

```
EnrollmentServerGroup=1
  enrollmentServerGroupId="1"
  userLabel=[] <empty>
```