

# Configure Target Type Identifiers

---

## OPERATING INSTRUCTIONS

**Copyright**

© Ericsson AB 2016, 2017. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

**Disclaimer**

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

**Trademark List**

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



# Contents

<b>1</b>	<b>Description</b>	<b>1</b>
<b>2</b>	<b>Procedure</b>	<b>1</b>
2.1	Add A Target Type Identifier	1
2.2	Delete A targetType Identifier	2
2.3	Delete All targetType Identifiers	2





# 1 Description

This instruction describes how to configure a set of target types for a Managed Element (ME). The value of the `targetType` attribute can be used by, for example, Target-Based Access Control (TBAC).

## 2 Procedure

### 2.1 Add A Target Type Identifier

#### Prerequisites

- No documents are required.
- No tools are required.
- The following conditions must apply:
  - The user has the System Security Administrator role.
  - An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.

#### Steps

1. Navigate to the *UserManagement* managed object, for example:

```
>dn ManagedElement=1,SystemFunctions=1,SecM=1,UserManagement=1
```

2. Enter Config mode:

```
(UserManagement=1) >configure
```

3. Add a target type identifier in attribute `targetType`, for example:

```
(config-UserManagement=1) >targetType="Stockholm"
```

4. Commit the settings:

```
(config-UserManagement=1) >commit
```

5. Verify the `targetType`:



```
(UserManagement=1) >show targetType
```

The following is an example output:

```
targetType
  "Stockholm"
  "Uppsala"
```

## 2.2 Delete A targetType Identifier

### Steps

1. Navigate to the *UserManagement* managed object, for example:

```
>dn ManagedElement=1, SystemFunctions=1, SecM=1, UserManagement=1
```

2. Enter Config mode:

```
(UserManagement=1) >configure
```

3. Delete an identifier in `targetType`, for example:

```
(config-UserManagement=1) >no targetType="Uppsala"
```

4. Commit the settings:

```
(config-UserManagement=1) >commit
```

5. Verify the `targetType`:

```
(UserManagement=1) >show targetType
```

The following is an example output:

```
targetType
  "Stockholm"
```

## 2.3 Delete All targetType Identifiers

### Steps

1. Navigate to the *UserManagement* managed object, for example:

```
>dn ManagedElement=1, SystemFunctions=1, SecM=1, UserManagement=1
```

2. Enter Config mode:

```
(UserManagement=1) >configure
```



3. Delete all identifiers in `targetType`, for example:

```
(config-UserManagement=1) >no targetType
```

4. Commit the settings:

```
(config-UserManagement=1) >commit
```

5. Verify the `targetType`:

```
(UserManagement=1) >show targetType
```

The following is an example output:

```
targetType= []
```