

Cancel Offline Enrollment

OPERATING INSTRUCTIONS

Copyright

© Ericsson AB 2014–2017. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Description	1
2	Procedure	1
2.1	Cancel Offline Enrollment	1



Cancel Offline Enrollment



1 Description

This instruction describes how to cancel an ongoing offline node credential enrollment that is in **RUNNING** state.

2 Procedure

2.1 Cancel Offline Enrollment

Prerequisites

- This instruction references the following document:
 - [Install or Renew Node Credential by CSR](#)
- No tools are required.
- The following conditions must apply:
 - The user has the System Security Administrator role.
 - Operation **startOfflineCsrEnrollment** has been started successfully (value **true** was returned), refer to [Install or Renew Node Credential by CSR](#).
 - An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.

Steps

1. Navigate to the **CertM** Managed Object (MO), for example:

```
>dn ManagedElement=NODE06ST,SystemFunctions=1,SecM=1,CertM=1
```
2. Select the **NodeCredential** MO, for example:

```
(CertM=1)>NodeCredential=2
```
3. Cancel the enrollment:

```
(NodeCredential=2)>cancelEnrollment
```
4. Verify the result:

```
(NodeCredential=2)>show enrollmentProgress
```



```
[...]  
result=FAILURE  
resultInfo="the enrollment started by =>  
startOfflineCsrEnrollment canceled"  
state=CANCELLED  
[...]
```

The enrollment cancellation automatically deletes the CSR file from the managed element.