

CSCF Alarm List

Call Session Control Function

LIST

Copyright

© Ericsson AB 2016–2019. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	CSCF Alarms	1
---	-------------	---





1 CSCF Alarms

The following is a list of the alarms that are included in the Call Session Control Function (CSCF) Customer Product Information (CPI):

- A Fallback Operation will soon be started
- BCF Mandatory Data Not Configured
- BRM, Auto Export Backup Failed
- BRM, Auto Export Manual Backup Failed
- BRM, Scheduled Backup Failed
- Certificate Management, a Valid Certificate is Not Available
- Certificate Management, Automatic Enrollment Failed
- Certificate Management, the Certificate is to Expire
- COM SA, AMF Component Cleanup Failed
- COM SA, AMF Component Instantiation Failed
- COM SA, AMF SI Unassigned
- COM SA, CLM Cluster Node Unavailable
- COM SA, MDF Detected Model Error
- COM SA, Proxy Status of a Component Changed to Unproxied
- CSCF Application Locked For Maintenance
- CSCF Application Shutting Down
- CSCF Charging Answers Indicate Permanent Failures
- CSCF Charging Answers Indicate Protocol Errors
- CSCF Charging Backup File System Unavailable
- CSCF Charging Request Transmission Problem
- CSCF Credit Control Answers Indicate End User Service Denied
- CSCF Credit Control Answers Indicate Permanent Failures
- CSCF Credit Control Answers Indicate Protocol Errors
- CSCF Degraded HSS Redundancy
- CSCF, DNS Server Unavailable



- CSCF Domain Routing Function Memory Limit Reached
- CSCF, End-Of-Selection Analysis Internal Loop Detected
- CSCF ENUM Responses Resulting In Malformatted CIC
- CSCF ENUM Responses Resulting In Malformatted RN
- CSCF External Network Selection Initial Table Incorrectly Configured
- CSCF External Network Selection Memory Limit Reached
- CSCF External Network Selection Table Loop Detected
- CSCF ICMP Protocol Not Operational
- CSCF Mandatory Data Not Configured
- CSCF, Reference to non-existing End-Of-Selection Case Detected
- CSCF Shared Initial Filter Criteria Priority Collision
- CSCF SIP Interface Already Used
- CSCF SIP Interface Not Operational
- CSCF SIP Interface Reduced Capacity
- CSCF, SIP Monitored Interface Unreachable
- CSCF SIP Request Timed Out
- CSCF, TCP SIP Load Regulation Rejection
- CSCF, Throttling of Diameter Traffic on Cx/Dx Interface Initiated
- CSCF, UDP SIP Load Regulation Rejection
- CSCF User Subscribed Media Profile Id Not Defined
- C-Diameter, Diameter Measurement Threshold Crossed
- C-Diameter, Peer Connection Congestion
- C-Diameter, RTT to Remote Node Exceed Limits
- DBS, Memory Limit Reached
- EATF, Mandatory Data Not Configured
- E-CSCF Mandatory Data Not Configured
- E-CSCF Receives No LRF Response
- eVIP, Gateway Unavailable



- eVIP, IPSEC Tunnel Fault
- Fetch File in Logical File System
- File Management, Max Size in FileGroup Exceeded
- File Management, Number of Files in FileGroup Exceeded
- I-CSCF, LDAP Server Communication Failure
- LemCDCLSv, Operation Execution Timeout
- License Management, Autonomous Mode Activated
- License Management, Emergency Unlock Reset Key Required
- License Management, Key File Fault
- Local Authentication, Authentication Failure Limit Reached
- LOTC Disk Replication Communication
- LOTC Disk Replication Consistency
- LOTC Disk Usage
- LOTC Memory Usage
- LOTC Time Synchronization
- LPM, Load Regulation Limit Passed
- SS7 CAF ECM Goes Active
- SS7 CAF ECM Goes Down
- SS7 CAF OAM Connection Lost
- SS7 CAF Process Down
- SS7 CAF SCTP IP Path is Down
- SS7 CAF Start Process Failed
- vDicos, Diameter Link Congestion
- vDicos, Diameter Link Disabled
- vDicos, Diameter Link Failure
- vDicos, Diameter Own Node Disabled
- vDicos, Diameter Peer Node Disabled