

Delete Scheduled Event

OPERATING INSTRUCTIONS

Copyright

© Ericsson AB 2015. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Introduction	1
1.1	Prerequisites	1
2	Procedure	3



Delete Scheduled Event



1 Introduction

This document describes how to delete a scheduled event. Deleting a scheduled event prevents the associated scheduled health check jobs from occurring.

A scheduled event can be deleted when no longer needed because of, for example, a new preventive maintenance strategy.

1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

1.1.1 Conditions

The following conditions must apply:

- The health check job name is known.
- The scheduled event name to delete is known.
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.



Delete Scheduled Event



2 Procedure

To delete a scheduled event:

1. Navigate to the *HealthCheckM* Managed Object (MO):

```
>dn ManagedElement=<node_name>,SystemFunctions=1,HealthCheckM=1
```

Note: The string `node_name` is specific for the Managed Element (ME).

2. Navigate to the health check job for which the scheduled event must be deleted, for example:

```
(HealthCheckM=1) >HcJob=jobName
```

Note: The string `jobName` is the health check job name.

3. Navigate to the health check job scheduler associated to the health check job:

```
(HcJob=jobName) >HcJobScheduler=1
```

4. Show the list of scheduled events:

```
(HcJobScheduler=1) >show
```

This command is useful to retrieve the scheduled event name in case it is unknown.

The following is an example output:

```
HcSingleEvent=S_EVENT_201505_003
HcSingleEvent=S_EVENT_201505_004
HcSingleEvent=S_EVENT_201505_005
```

5. Enter Config mode:

```
(HcJobScheduler=1) >configure
```

6. Delete the scheduled event, for example:

```
(config-HcJobScheduler=1) >no HcSingleEvent=S_EVENT_201505_003
```

7. Commit the change:

```
(config-HcJobScheduler=1) >commit
```

8. Verify that the event has been deleted:



```
(HcJobScheduler=1) >show
```

The event is no longer shown in the output.

The following is an example output:

```
HcSingleEvent=S_EVENT_201505_004  
HcSingleEvent=S_EVENT_201505_005
```