

Delete Health Check Job

OPERATING INSTRUCTIONS

Copyright

© Ericsson AB 2015. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Introduction	1
1.1	Prerequisites	1
2	Procedure	3



Delete Health Check Job



1 Introduction

This document describes how to delete a health check job.

1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

1.1.1 Conditions

The following conditions must apply:

- The name of the health check job to delete is known.
- The health check job to delete is not currently running.
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.



Delete Health Check Job



2 Procedure

To delete a health check job:

1. Navigate to the **HealthCheckM** Managed Object (MO):

```
>dn ManagedElement=<node_name>,SystemFunctions=1,HealthCheckM=1
```

Note: The string `node_name` is specific for the Managed Element (ME).

2. Show the list of previously created health check jobs:

```
(HealthCheckM=1)>show -m HcJob -p hcJobId
```

The following is an example output:

```
HcJob=jobName
  hcJobId="jobName"
HcJob=secondJob
  hcJobId="secondJob"
```

3. Enter Config mode:

```
(HealthCheckM=1)>configure
```

4. Delete the health check job, for example:

```
(config-HealthCheckM=1)>no HcJob=jobName
```

5. Commit the change:

```
(config-HealthCheckM=1)>commit
```

6. Verify the job deletion:

```
(HealthCheckM=1)>show -m HcJob -p hcJobId
```

The object `HcJob=jobName` is no longer shown into the output.

The following is an example output:

```
HcJob=secondJob
  hcJobId="secondJob"
```

Note: Upon `HcJob` MO deletion, the related scheduled events are deleted as well.