

# Unlock Health Check Rule

## OPERATING INSTRUCTIONS

**Copyright**

© Ericsson AB 2015. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

**Disclaimer**

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

**Trademark List**

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Prerequisites	1
<b>2</b>	<b>Procedure</b>	<b>3</b>





# 1 Introduction

This document describes how to unlock a health check rule, meaning that a rule is included to ME healthiness evaluation. When a health check rule is unlocked, the results of all health check jobs referring to it are affected.

All health check rules are in state unlocked by default.

## 1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

### 1.1.1 Conditions

The following conditions must apply:

- The rule identity to unlock is known.
- The current value of attribute `administrativeState` is `LOCKED` for the rule to unlock
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.





## 2 Procedure

To unlock a health check rule:

1. Navigate to the `HealthCheckM` MO:

```
>dn ManagedElement=<node_name>,SystemFunctions=1,HealthCheckM=1
```

**Note:** The string `node_name` is specific for the ME.

2. Navigate to the health check rule to unlock, for example:

```
(HealthCheckM=1)>HcRule=RuleProvider_1
```

**Note:** The string `RuleProvider_1` is the health check rule identity.

3. Enter Config mode:

```
(HcRule=RuleProvider_1)>configure
```

4. Unlock the health check rule:

```
(config-HcRule=RuleProvider_1)>administrativeState=UNLOCKED
```

5. Commit the change:

```
(config-HcRule=RuleProvider_1)>commit
```

6. Verify the rule state:

```
(HcRule=RuleProvider_1)>show administrativeState
```

The following is an example output:

```
HcRule=RuleProvider_1
administrativeState=UNLOCKED
```