

Service Stopped

Cloud Execution Environment

OPERATING INSTRUCTIONS

Copyright

© Ericsson AB 2016. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Introduction	1
1.1	Alert Description	1
1.2	Prerequisites	2
2	Procedure	2
2.1	Analysis	2
2.2	Actions	3



Service Stopped



1 Introduction

This instruction concerns alert handling.

1.1 Alert Description

The `Service Stopped` alert is issued if a service operating at a vCIC or compute node is stopped.

The possible alert cause and the corresponding fault reasons, fault locations and impacts are described in Table 1.

Table 1 Alert Causes

Alert Cause	Description	Fault Reason	Fault Location	Impact
The service indicated in the <code>Service</code> field of the <code>Managed Object Instance</code> attribute stopped.	The service monitoring functionality has detected that the service indicated in the <code>Service</code> field of the <code>Managed Object Instance</code> attribute stopped.	<ul style="list-style-type: none"> • Misconfiguration • Other undetermined reasons 	The vCIC or compute node indicated in the <code>Node</code> field of the <code>Managed Object Instance</code> attribute	In case a service is running in active-active mode (for example <code>nova-api</code>) on vCIC, then the corresponding performance is lower.

Note: The alert can appear as a result of the maintenance activity.

The alert attributes are listed in Table 2.

Table 2 Alert Attributes

Attribute Name	Attribute Value
Major Type	193
Minor Type	2031710
Managed Object Class	Service
Managed Object Instance	Region=<name_of_the_region>, CeeFunction=1, Node=<hostname_of_the_node>, Service=<service_name>
Specific Problem	Service Stopped



Attribute Name	Attribute Value
Event Type	Other (1)
Probable Cause	m3100Indeterminate (0)
Additional Text	On node <i><hostname_of_the_node></i> <i><service_name></i> has been stopped.
Severity	WARNING (6)

1.2 Prerequisites

This section provides information on the documents, tools, and conditions that apply to the procedure.

1.2.1 Documents

Not applicable.

1.2.2 Tools

No tools are required.

1.2.3 Conditions

Before starting this procedure, ensure that the following condition is met:

- The alert was not issued due to ongoing planned maintenance. If the alert was issued due to ongoing planned maintenance, no further actions are required.

2 Procedure

This section describes the procedure to follow when this alert is received.

2.1 Analysis

Do the following to analyze the alert:



1. Check if the *Service Permanently Stopped* alarm is issued for the same service.
 - If the *Service Permanently Stopped* alarm is issued, refer to *Service Permanently Stopped*, and exit this procedure.
 - If the *Service Permanently Stopped* alarm is not issued, continue with Step 2.
2. Count the number of alert occurrences in a 10 minute period and perform the relevant action:
 - If the alert occurs less than five times in 10 minutes, no actions are needed, the job is completed as the service has been recovered by service supervision.
 - If the alert occurs five or more times in 10 minutes, continue with Section 2.2 on page 3.

2.2

Actions

Do the following:

1. Depending on the node type, perform the relevant action:
 - If the affected node is not a compute node, continue with Step 3.
 - If the fault is detected at a compute node, try to move the virtual machines (VMs) by using the following command with the *<hostname_of_the_node>* reported in the alert:


```
for VM in $(nova list --host <hostname_of_the_node>); do
nova forcemove $VM; done
```
2. If the alert does not reoccur in the next 10 minutes after moving the VMs, the job is completed. Else, continue with Step 3.
3. Collect troubleshooting data as described in the *Data Collection Guideline*. For alarm-specific logs, refer to the table *Data Collection for Alarms and Alerts* in the *Data Collection Guideline*.
4. Consult the next level of maintenance support. Further actions are outside the scope of this instruction.
5. The job is completed.