

OpenStack Object Storage API in CEE

Cloud Execution Environment

INTERWORK DESCRIPTION

Copyright

© Ericsson AB 2016. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Introduction	1
1.1	API Version	1
1.2	Document References	1
2	Supported Operations	2
2.1	Basic OpenStack Operations	2
2.2	OpenStack Extensions	2
3	Ericsson Extensions	3
4	Limitations and Recommendations	4
4.1	Limitations	4
4.2	Recommendations	4





1 Introduction

This document is an introduction to the use of the OpenStack Application Programming Interface (API) component “Object Storage” in the Cloud Execution Environment (CEE).

While the aim of the document is primarily to present the Object Storage API (Swift) in CEE, it also contains descriptive information about CEE.

Note: In CEE, Swift is used for infrastructure storage only. Swift is not exposed as a service to tenants.

1.1 API Version

OpenStack Object Storage API v1 is supported.

1.2 Document References

This section provides information on the official OpenStack API references.

1.2.1 API Design Base Reference

For a description of the API operations and extensions, refer to section “Object Storage API v1” in *OpenStack API Complete Reference*.

Note: The date on the front page shows the date on which the PDF document was generated. The date of the latest change of the actual content can be different.

This is a stored copy of the OpenStack API Reference document version that was the base for the development of this CEE version. All references to the OpenStack API made in this document are based on this specific document version. The document can include API extensions that are not supported in this CEE version. See Section 2.2 on page 2 for details.



2 Supported Operations

The following sections contain the API operations and API extensions that are supported in CEE.

2.1 Basic OpenStack Operations

The OpenStack Object Storage API in CEE supports all OpenStack Object Storage API operations.

For a detailed description of basic Object Storage API operations, refer to section “Object Storage API v1” in the *OpenStack API Complete Reference*.

2.1.1 Limitations

For CEE-specific limitations and recommendations, see Section 4 on page 4.

2.2 OpenStack Extensions

No extensions are defined in the section “Object Storage API v1” in the *OpenStack API Complete Reference*.



3 Ericsson Extensions

There are no Ericsson API extensions that are specific to the Object Storage API.



4 Limitations and Recommendations

This section describes CEE-specific limitations and recommendations.

4.1 Limitations

The API must only be used for:

- Backup destination for Atlas
- Fuel backups
- Back end for OpenStack Glance to store Glance images

4.2 Recommendations

Not applicable.