

```
[~]$ moshell 169.254.1.10
```

```
#####  
#      Welcome to MoShell 9.0a (LPA108514/1_R9A)      #  
#      Finn Magnusson, Jan Pettersson                #  
#      http://utran01.au.ao.ericsson.se/moshell        #  
#      Contact: Finn.Magnusson@ericsson.com            #  
#      Joakim.xo.Ostlund@ericsson.com                  #  
#####
```

```
Checking ip contact...OK
```

```
HELP MENU      : h  
BASIC MO COMMANDS : m  
OTHER MO COMMANDS : n  
OTHER COMMANDS   : o  
PM COMMANDS      : p  
QUIT             : q
```

```
169.254.1.10> It all
```

```
140618-01:18:57 169.254.1.10 9.0a stopfile=/tmp/6612  
Checking MOM version...ERBS_NODE_MODEL_C_1_125  
Parsing MOM (cached): /home/fso/moshell/jarxml/ERBS_NODE_MODEL_C_1_125.jar  
Using paramfile /home/fso/moshell/commonjars/pm/PARAM_ERBS_B_1_0.txt  
Parsing file /home/fso/moshell/commonjars/pm/PARAM_ERBS_B_1_0.txt .....  
Fetching IOR file...Done.  
Connecting to 169.254.1.10:56834 (CorbaSecurity=OFF, corba_class=2, java=1.6.0_25)  
**** Welcome to the Simple Mo Browser (version 3.0)!  
Trying file=C:/cygwin/home/fso/moshell_logfiles/logs_moshell/tempfiles/20140618-01:18:57-169.254.1.10-9.0a-ERBS_NODE_MODEL_C_1_125-PM-PARAM_ERBS_B_1_0.txt  
**** Test Construction OK  
****
```

```
$mobrowser_pid = 7048
```

```
Connected to 169.254.1.10 (ManagedElement=1)  
Connected to 169.254.1.10 (ManagedElement=1)  
Last MO: 647. Loaded 647 MOs. Total: 648 MOs.
```

```
169.254.1.10> It all
```

```
140618-01:19:04 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=  
Connected to 169.254.1.10 (ManagedElement=1)  
Last MO: 647. Loaded 647 MOs. Total: 648 MOs.
```

```
169.254.1.10> cvls
```

```
140618-01:19:07 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
```

```
=====
140618-01:19      CV Name                      Upgrade Package      R
=====
Startable:      basic_cv                      CXP102051/16_R27AS  L1
Loaded:         basic_cv                      CXP102051/16_R27AS  L1
Executing:      basic_cv                      CXP102051/16_R27AS  L1
Last created:   basic_cv                      CXP102051/16_R27AS  L
-----
Current UpgradePkg:  UpgradePackage=R27AS          CXP102051/1
AutoCreatedCV:      Disabled
Countdown status:   Deactivated
Ongoing CV activity: 0 (IDLE)
Rollback status:    Rollback is off
=====
UP name  ProductData      CVs LMs PrDate LastCV state          Release
=====
InitialUP 0_0          0 0 0      IDLE, ONLY_DELETEABLE
R27AS     CXP102051/16_R27AS 1 233 121122 121122 IDLE, UPGRADE_CO
=====
CV Name      Creation Date  UpgradePackage  Release Type  Operate
=====
basic_cv     2012-11-22 13:19 CXP102051/16_R27AS L12B  other unkr
=====
>>> Total: 1 CV's, 2 UP's
```

```
169.254.1.10> get 0
```

```
140618-01:19:20 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
```

```
=====
0                      ManagedElement=1
=====
ManagedElementId      1
applicationConfiguration t[0] =
faultTolerantCoreStates s[1] = ManagedElement=1,Equipment=1,Si
healthCheckResult      Struct{3}
>>> 1.healthCheckResultCode = 99 (INITIAL_VALUE)
>>> 2.message =
>>> 3.startTime =
healthCheckSchedule     t[0] =
logicalName
```


Total: 1 MOs attempted, 1 MOs set

169.254.1.10> set 0 userLabel TAK007

140618-01:20:02 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
Set userLabel on following 1 MOs ?

=====

0 ManagedElement=1

=====

Set userLabel on 1 MOs. Are you Sure [y/n] ? y

=====

Id	MO	userLabel	Result
0	ManagedElement=1	TAK007	>>>

=====

Total: 1 MOs attempted, 1 MOs set

169.254.1.10> get 0

140618-01:20:08 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
=====

0 ManagedElement=1

=====

ManagedElementId 1

applicationConfiguration t[0] =

faultTolerantCoreStates s[1] = ManagedElement=1,Equipment=1,Si

healthCheckResult Struct{3}

>>> 1.healthCheckResultCode = 99 (INITIAL_VALUE)

>>> 2.message =

>>> 3.startTime =

healthCheckSchedule t[0] =

logicalName TAK007

mimInfo Struct{3}

>>> 1.mimName = ERBS_NODE_MODEL_C

>>> 2.mimVersion = 1.125

>>> 3.mimRelease =

mimName ERBS_NODE_MODEL_C

productName

productNumber

productRevision

productType Node

site TAK007

userLabel TAK007

=====

Total: 1 MOs

```
169.254.1.10> setclock 2014-06-18 01:21:0
```

```
140618-01:20:41 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
Please enter Node Password:
$ setclock 2014-06-18 01:21:0
Date and time set ok
$
```

```
169.254.1.10> passwd ; rbs ; rbs
```

```
140618-01:20:58 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
$ passwd
rbs
rbs
rbs
Enter new password:
Re-enter new password:
```

```
169.254.1.10> cvms after_changename_clock
```

```
140618-01:21:13 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
```

```
169.254.1.10> confb+
```

Confirmation of bl/deb/set/acc commands = disabled

```
169.254.1.10> acc 176 create
```

```
*** 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=/tmp/6612
```

```
=====
Proxy MO                               Action                               Nr of
=====
176 ConfigurationVersion=1              create
```

Parameter 1 of 5, configurationVersionName (string): after_changename_clo

Parameter 2 of 5, identity (string): after_changename_clock

Parameter 3 of 5, type (enumRef-ConfigurationVersionType):

Enter one of the following integers: 0:STANDARD, 1:UPGRADE, 2:MINIMAL,

Parameter 4 of 5, operatorName (string): fso

Parameter 5 of 5, comment (string): none

>>> Return value = null

=====

Total: 1 MOs attempted, 1 MOs actioned

```
169.254.1.10> if $nr_of_mos_ok = 1
Enter commands (one per line), then type "fi"
> acc 176 setstartable
> after_changename_clock
> fi
```

```
169.254.1.10> acc 176 setstartable
```

*** 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=/tmp/6612

=====

Proxy	MO	Action	Nr of
-------	----	--------	-------

=====

176	ConfigurationVersion=1	setStartable	
-----	------------------------	--------------	--

Parameter 1 of 1, configurationVersionName (string): after_changename_clo

>>> Return value = null

=====

Total: 1 MOs attempted, 1 MOs actioned

```
169.254.1.10> confb-
```

Confirmation of bl/deb/set/acc commands = enabled

```
169.254.1.10> cvls
```

140618-01:21:23 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=

=====

140618-01:21	CV Name	Upgrade Package	R
--------------	---------	-----------------	---

=====

Startable:	after_changename_clock	CXP102051/16_R27	
------------	------------------------	------------------	--

Loaded:	basic_cv	CXP102051/16_R27AS	L1
---------	----------	--------------------	----

Executing:	after_changename_clock	CXP102051/16_R27	
------------	------------------------	------------------	--

Last created:	after_changename_clock	CXP102051/16_R2	
---------------	------------------------	-----------------	--

```

Current UpgradePkg:   UpgradePackage=R27AS                      CXP102051/1
AutoCreatedCV:       Disabled
Countdown status:    Deactivated
Ongoing CV activity:  0 (IDLE)
Rollback status:     Rollback is off
=====
UP name  ProductData      CVs LMs PrDate LastCV state          Release
=====
InitialUP 0_0            0 0 0          IDLE, ONLY_DELETEABLE
R27AS     CXP102051/16_R27AS  2 233 121122 140618 IDLE, UPGRADE_CO
=====
CV Name          Creation Date   UpgradePackage   Release Type   Opera
=====
basic_cv         2012-11-22 13:19 CXP102051/16_R27AS L12B   other unk
after_changename_clock 2014-06-18 01:21 CXP102051/16_R27AS L12B   of
=====
>>> Total: 2 CV's, 2 UP's

```

169.254.1.10> q

Bye...

[~]\$ moshell 169.254.1.10

```

#####
#      Welcome to MoShell 9.0a (LPA108514/1_R9A)      #
#      Finn Magnusson, Jan Pettersson                #
#      http://utran01.au.ao.ericsson.se/moshell      #
#      Contact: Finn.Magnusson@ericsson.com          #
#      Joakim.xo.Ostlund@ericsson.com                #
#####

```

Checking ip contact...OK

```

HELP MENU      : h
BASIC MO COMMANDS : m
OTHER MO COMMANDS : n
OTHER COMMANDS  : o
PM COMMANDS     : p
QUIT           : q

```

169.254.1.10> lt all

```

140618-01:21:37 169.254.1.10 9.0a stopfile=/tmp/3232
Checking MOM version...ERBS_NODE_MODEL_C_1_125
Parsing MOM (cached): /home/fso/moshell/jarxml/ERBS_NODE_MODEL_C_1_1

```

```
Using paramfile /home/fso/moshell/commonjars/pm/PARAM_ERBS_B_1_0.txt
Parsing file /home/fso/moshell/commonjars/pm/PARAM_ERBS_B_1_0.txt .....
Fetching IOR file...Done.
Connecting to 169.254.1.10:56834 (CorbaSecurity=OFF, corba_class=2, java)
**** Welcome to the Simple Mo Browser (version 3.0)!
Trying file=C:/cygwin/home/fso/moshell_logfiles/logs_moshell/tempfiles/20140618-01:21:43
**** Test Construction OK
****
```

```
$mobrowser_pid = 5928
```

```
Connected to 169.254.1.10 (ManagedElement=1)
Connected to 169.254.1.10 (ManagedElement=1)
Last MO: 647. Loaded 647 MOs. Total: 648 MOs.
```

```
TAK007> It all
```

```
140618-01:21:43 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
Connected to 169.254.1.10 (ManagedElement=1)
Last MO: 647. Loaded 647 MOs. Total: 648 MOs.
```

```
TAK007> trun TAK007.mo
```

```
140618-01:21:58 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
```

```
>>> Running Command File: C:/cygwin/home/fso/TAK007.mo
```

```
CREATE ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
>>> [Proxy ID = 648] MO name :ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
```

```
SET ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1,Exc
```

```
CREATE ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
>>> [Proxy ID = 649] MO name :ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
```

```
SET ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1,Exc
```

```
SET ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1,Exc
```

```
CREATE ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
>>> [Proxy ID = 650] MO name :ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
```

```
SET ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1,Exc
```

```
SET ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1,Exc
```

```

CREATE ManagedElement=1,IpOam=1,Ip=1,IpHostLink=1
>>> [Proxy ID = 651] MO name :ManagedElement=1,IpOam=1,Ip=1,IpHos

CREATE ManagedElement=1,IpSystem=1,IpAccessHostEt=1
>>> [Proxy ID = 652] MO name :ManagedElement=1,IpSystem=1,IpAcces

SET ManagedElement=1,IpSystem=1,IpAccessHostEt=1 administrativeState

CREATE ManagedElement=1,IpSystem=1,IpAccessSctp=1
>>> [Proxy ID = 653] MO name :ManagedElement=1,IpSystem=1,IpAcces

CREATE ManagedElement=1,TransportNetwork=1,Sctp=1
>>> [Proxy ID = 654] MO name :ManagedElement=1,TransportNetwork=1

SET ManagedElement=1,TransportNetwork=1,Sctp=1 ipAccessSctpRef = Ma

SET ManagedElement=1,ENodeBFunction=1 sctpRef = ManagedElement=1

SET ManagedElement=1,ENodeBFunction=1 upIpAccessHostRef = Managed

ACTION ManagedElement=1,IpOam=1,Ip=1,IpRoutingTable=1 addStaticRou

SET ManagedElement=1,IpOam=1,Ip=1 workingMode = 0

SET ManagedElement=1,IpOam=1,Ip=1 icmpRedirect = false

CREATE ManagedElement=1,Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
>>> [Proxy ID = 655] MO name :ManagedElement=1,Equipment=1,Subrac

ACTION - addSyncRefResource
ACTION ManagedElement=1,TransportNetwork=1,Synchronization=1 addSy

ACTION ManagedElement=1,SwManagement=1,ConfigurationVersion=1 cre

ACTION ManagedElement=1,SwManagement=1,ConfigurationVersion=1 set

SET ManagedElement=1,IpOam=1,Ip=1 nodeinterfacename = lh0

*** FILE: C:/cygwin/home/fso/TAK007.mo COMPLETED, NO ERRORS.

```

TAK007> Ist giga

140618-01:22:19 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=

```

=====
Proxy  Adm State   Op. State   MO
=====
648  1 (UNLOCKED)  0 (DISABLED) Equipment=1,Subrack=1,Slot=1,PlugIr
649           0 (DISABLED) Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
650           0 (DISABLED) Equipment=1,Subrack=1,Slot=1,PlugInUnit=1
=====
Total: 3 MOs

```

TAK007> cvms after_giga_unlock

140618-01:22:36 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=

TAK007> confb+

Confirmation of bl/deb/set/acc commands = disabled

TAK007> acc 176 create

*** 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=/tmp/3232

```

=====
Proxy  MO                                     Action                                     Nr of
=====
176  ConfigurationVersion=1                                     create

```

Parameter 1 of 5, configurationVersionName (string): after_giga_unlock

Parameter 2 of 5, identity (string): after_giga_unlock

Parameter 3 of 5, type (enumRef-ConfigurationVersionType):

Enter one of the following integers: 0:STANDARD, 1:UPGRADE, 2:MINIMAL,

Parameter 4 of 5, operatorName (string): fso

Parameter 5 of 5, comment (string): none

>>> Return value = null

```

=====
Total: 1 MOs attempted, 1 MOs actioned

```

TAK007> if \$nr_of_mos_ok = 1

Enter commands (one per line), then type "fi"

> acc 176 setstartable

> after_giga_unlock

> fi

TAK007> acc 176 setstartable

*** 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=/tmp/3232

```
=====
Proxy MO                                     Action                               Nr of
=====
176 ConfigurationVersion=1                  setStartable
```

Parameter 1 of 1, configurationVersionName (string): after_giga_unlock

>>> Return value = null

```
=====
Total: 1 MOs attempted, 1 MOs actioned
```

TAK007> confb-

Confirmation of bl/deb/set/acc commands = enabled

TAK007> alty

140618-01:22:41 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=

Please enter Node Password:

\$ alty

alty: command not found

\$

TAK007> alt

140618-01:22:52 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=

Connecting to 169.254.1.10:56834 (CorbaSecurity=OFF, corba_class=2, jav

Trying file=C:/cygwin/home/fso/moshell_logfiles/logs_moshell/tempfiles/2014

Resolving the alarm service in OMS...

Simple Alarm Client initialized...

Starting to retrieve active alarms

Nr of active alarms are: 4

```
=====
Date & Time (Local) S Specific Problem          MO (Cause/AdditionalInfo
```

```
=====
2013-07-08 18:42:10 C License Key File Fault      Licensing=1 (No licens
```

```
2014-06-18 04:21:17 C System Clock Quality Degradation  Synchronizator
```

```
2014-06-18 04:22:15 M Gigabit Ethernet Link Fault      Subrack=1,Slot=1,f
```

```
2014-06-18 04:22:16 M TU Synch Reference Loss of Signal  Subrack=1,Slot
```

>>> Total: 4 Alarms (2 Critical, 2 Major)

TAK007> get ipinterface

```
140618-01:23:00 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
=====
649                      Equipment=1,Subrack=1,Slot=1,PlugInUnit=1,Exc
=====
IpInterfaceId           1
accessControlListRef
availabilityStatus       1056 (DEPENDENCY_FAILED)
defaultRouter0           10.226.225.66
defaultRouter0State      1 (ENABLED)
defaultRouter1           0.0.0.0
defaultRouter1State      0 (DISABLED)
defaultRouter2           0.0.0.0
defaultRouter2State      0 (DISABLED)
defaultRouterPingInterval 4
defaultRouterTraffic     0 (TRAFFIC_DEF_ROUTER_0)
logging                  0 (DISABLED)
maxNoOfFailedPings       2
maxWaitForPingReply      3
mtu                      1500
networkPrefixLength      30
noOfPingsBeforeOk        2
operationalState         0 (DISABLED)
ownIpAddressActive       0.0.0.0
ownIpAddressPassive      0.0.0.0
reservedBy               [1] =
>>> reservedBy = IpSystem=1,IpAccessHostEt=1
rps                      false
subnet                  10.226.225.64
switchBackTimer          180
trafficSchedulerRef
trafficType              7 (SIGNALING_AND_PAYLOAD_AND_SYNCHRONIZ/
userLabel
vLan                    true
vid                     3147
vlanRef
=====
650                      Equipment=1,Subrack=1,Slot=1,PlugInUnit=1,Exc
=====
IpInterfaceId           2
accessControlListRef
availabilityStatus       1056 (DEPENDENCY_FAILED)
```

```

defaultRouter0      10.140.229.134
defaultRouter0State 1 (ENABLED)
defaultRouter1      0.0.0.0
defaultRouter1State 0 (DISABLED)
defaultRouter2      0.0.0.0
defaultRouter2State 0 (DISABLED)
defaultRouterPingInterval 4
defaultRouterTraffic 0 (TRAFFIC_DEF_ROUTER_0)
logging             0 (DISABLED)
maxNoOfFailedPings 2
maxWaitForPingReply 3
mtu                 1500
networkPrefixLength 29
noOfPingsBeforeOk   2
operationalState    0 (DISABLED)
ownIpAddressActive   0.0.0.0
ownIpAddressPassive  0.0.0.0
reservedBy          [1] =
>>> reservedBy = IpOam=1,Ip=1,IpHostLink=1
rps                 false
subnet              10.140.229.128
switchBackTimer     180
trafficSchedulerRef
trafficType          8 (OPERATION_AND_MAINTENENCE)
userLabel
vLan                 true
vid                  3148
vlanRef
=====
Total: 2 MOs

```

TAK007> get IpHostLink=1

```

140618-01:23:43 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
=====
651                IpOam=1,Ip=1,IpHostLink=1
=====
IpHostLinkId        1
availabilityStatus   0 (NO_STATUS)
interfaceName        lh0
ipAddress            10.140.229.130
ipInterfaceMoRef     Subrack=1,Slot=1,PlugInUnit=1,ExchangeTeri
ipv4Addresses        s[1] = 10.140.229.130
ipv6Addresses        t[0] =

```

operationalState 1 (ENABLED)
userLabel

=====
Total: 1 MOs

TAK007> get IpAccessHostEt=1

140618-01:24:05 169.254.1.10 9.0a ERBS_NODE_MODEL_C_1_125 stopfile=
=====

652 IpSystem=1,IpAccessHostEt=1

=====

IpAccessHostEtId 1
administrativeState 1 (UNLOCKED)
availabilityStatus 1056 (DEPENDENCY_FAILED)
ipAddress 10.226.225.65
ipDefaultTtl 64
ipInterfaceMoRef Subrack=1,Slot=1,PlugInUnit=1,ExchangeTer
networkPrefixLength 0
ntpDscp 46
ntpServerMode 0 (DISABLED)
operationalState 0 (DISABLED)
reservedBy [2] =

>>> reservedBy = IpSystem=1,IpAccessSctp=1

>>> reservedBy = ENodeBFunction=1

userLabel

=====
Total: 1 MOs

TAK007> q

Bye...

[~]\$

#####

#####

l25.xml.cache.gzDone.

.....Done.

a=1.7.0_25, jacoms=R71CG04, jacorb=R71AN04)

40618-011848_2560/ior2560

:/tmp/6612



:/tmp/6612

=====

.elease

=====

2B (C12.2-EP12)

2B (C12.2-EP12)

.2B (C12.2-EP12)

12B (C12.2-EP12)

.6_R27AS L12B (C12.2-EP12)

=====

e CompatIndex

=====

MPLETED L12B (C12.2-EP12) L12B_CPP9

=====

or Comment

=====

nown none

=====



:/tmp/6612

=====

=====

ubrack=1,Slot=1,PlugInUnit=1;ftcState=Active

=====



:/tmp/6612

=====

=====

=====

=====

▸ Set.

=====



:/tmp/6612

=====

=====

=====

=====

▸ Set.

=====

:/tmp/6612

=====

=====

=====

=====

▸ Set.

=====

:/tmp/6612

=====

=====

ubrack=1,Slot=1,PlugInUnit=1;ftcState=Active

=====



:/tmp/6612



:/tmp/6612



:/tmp/6612



=====

Params

=====

5

ck

3:TEST, 4:AUTOCREATE, 5:OTHER, 6:UPGRADE_TOLERATE_ERROR, 7:DOWNLOADED, 8:

=====



=====

Params

=====

1

ck

=====



:/tmp/6612

=====

.elease

=====

AS L12B (C12.2-EP12)

2B (C12.2-EP12)

'AS L12B (C12.2-EP12)

7AS L12B (C12.2-EP12)

.6_R27AS L12B (C12.2-EP12)

=====
e CompatIndex
=====

MPLETED L12B (C12.2-EP12) L12B_CPP9

=====
tor Comment
=====

known	none
ther fso	none

=====



#####

#####



l25.xml.cache.gzDone.

.....Done.

a=1.7.0_25, jacoms=R71CG04, jacorb=R71AN04)

40618-012131_6900/ior6900

:/tmp/3232

:/tmp/3232

,ExchangeTerminalIp=1,GigaBitEthernet=1

:k=1,Slot=1,PlugInUnit=1,ExchangeTerminalIp=1,GigaBitEthernet=1

hangeTerminalIp=1,GigaBitEthernet=1 administrativeState = 1

,ExchangeTerminalIp=1,GigaBitEthernet=1,IpInterface=1

:k=1,Slot=1,PlugInUnit=1,ExchangeTerminalIp=1,GigaBitEthernet=1,IpInterface=1

hangeTerminalIp=1,GigaBitEthernet=1,IpInterface=1 vLan = true

hangeTerminalIp=1,GigaBitEthernet=1,IpInterface=1 vid = 3147

,ExchangeTerminalIp=1,GigaBitEthernet=1,IpInterface=2

:k=1,Slot=1,PlugInUnit=1,ExchangeTerminalIp=1,GigaBitEthernet=1,IpInterface=2

hangeTerminalIp=1,GigaBitEthernet=1,IpInterface=2 vLan = true

hangeTerminalIp=1,GigaBitEthernet=1,IpInterface=2 vid = 3148

stLink=1

sHostEt=1

e = 1

sSctp=1

,Sctp=1

ManagedElement=1,IpSystem=1,IpAccessSctp=1

,TransportNetwork=1,Sctp=1

lElement=1,IpSystem=1,IpAccessHostEt=1

te

,TimingUnit=1,TuSyncRef=1

ck=1,Slot=1,PlugInUnit=1,TimingUnit=1,TuSyncRef=1

ncRefResource

ate

:Startable

/tmp/3232

=====

=====

Unit=1,ExchangeTerminalIp=1,GigaBitEthernet=1
L,ExchangeTerminalIp=1,GigaBitEthernet=1,IpInterface=1
L,ExchangeTerminalIp=1,GigaBitEthernet=1,IpInterface=2

=====



/tmp/3232

=====

Params

=====

5

3:TEST, 4:AUTOCREATE, 5:OTHER, 6:UPGRADE_TOLERATE_ERROR, 7:DOWNLOADED, 8:

=====





=====

Params

=====

1

=====



:/tmp/3232



:/tmp/3232

a=1.7.0_25, jacoms=R71CG04, jacorb=R71AN04)
40618-012131_6900/ior6900

=====

o)

=====

se key file installed.)

1=1 (replaceable_unit_problem)

PlugInUnit=1,ExchangeTerminalIp=1,GigaBitEthernet=1 (Link Fault)
=1,PlugInUnit=1,TimingUnit=1,TuSyncRef=1 (loss_of_signal)

:/tmp/3232

=====

hangeTerminalIp=1,GigaBitEthernet=1,IpInterface=1

=====

ATION)

=====

hangeTerminalIp=1,GigaBitEthernet=1,IpInterface=2

=====

=====



:/tmp/3232

=====

=====

ninaIIP=1,GigaBitEthernet=1,IPIInterface=2

=====



:/tmp/3232

=====

=====

minallp=1,GigaBitEthernet=1,IpInterface=1

=====







:=====

:=====

:=====

:=====

:=====

:=====

:=====



:=====

:=====

:=====



:=====

:=====

:=====



:=====

:=====

:=====



:=====

:=====

:=====



:=====

:=====

:=====

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

:=====

:=====

.RESTORED, 9:STANDALONE: 5

:=====



:=====

:=====

:=====



:=====

:=====

:=====

:=====

:=====

:=====

:=====





:=====

:=====

.RESTORED, 9:STANDALONE: 5

:=====





:=====

:=====

:=====



:=====

:=====



:=====

:=====

:=====

:=====

:=====



:=====

:=====

:=====



:=====

:=====

:=====

