

NOKIA

S10.5 Documentation Upgrade Note

The information in this documentation is subject to change without notice and describes only the product defined in the introduction of this documentation. This documentation is intended for the use of Nokia's customers only for the purposes of the agreement under which the documentation is submitted, and no part of it may be reproduced or transmitted in any form or means without the prior written permission of Nokia. The documentation has been prepared to be used by professional and properly trained personnel, and the customer assumes full responsibility when using it. Nokia welcomes customer comments as part of the process of continuous development and improvement of the documentation.

The information or statements given in this documentation concerning the suitability, capacity, or performance of the mentioned hardware or software products cannot be considered binding but shall be defined in the agreement made between Nokia and the customer. However, Nokia has made all reasonable efforts to ensure that the instructions contained in the documentation are adequate and free of material errors and omissions. Nokia will, if necessary, explain issues which may not be covered by the documentation.

Nokia's liability for any errors in the documentation is limited to the documentary correction of errors. NOKIA WILL NOT BE RESPONSIBLE IN ANY EVENT FOR ERRORS IN THIS DOCUMENTATION OR FOR ANY DAMAGES, INCIDENTAL OR CONSEQUENTIAL (INCLUDING MONETARY LOSSES), that might arise from the use of this documentation or the information in it.

This documentation and the product it describes are considered protected by copyright according to the applicable laws.

NOKIA logo is a registered trademark of Nokia Corporation.

Other product names mentioned in this documentation may be trademarks of their respective companies, and they are mentioned for identification purposes only.

Copyright © Nokia Corporation 2002. All rights reserved.

Contents

	Contents	3
1	S10.5 library	5
2	Changes in documentation contents in S10.5	7

1

S10.5 library

S10.5 documentation is delivered in electronic form using NED5.1, the second development phase of NED5, the new platform-independent NED which also serves the new documentation library structure. A PDF version of the documentation is also available, on CD-ROM and in NOLS (Nokia Online Services).

There is one library available including both BSC and TCSM2 documentation, as TCSM documentation has been combined with the BSC library.

Documents not included in the S10.5 release

The new information for the BSS Integration instructions was not available on time and will be supplied at a later date. Meanwhile, the S10 version is included and visible here (DN9812243).

The BSC3i information has also been delayed, so the BSC3i-specific BSC Commissioning and BSS Integration instructions will be added in the S10.5 Change Delivery.

2

Changes in documentation contents in S10.5

No documents have been removed since S10 release.

New documentation contents in S10.5 include the following (they are listed here according to the category they come under):

Plan network

- *Engineering for BSC3i* (DN01154794)

Install and upgrade

- *Installing BSC3i* (DN01154801)

Test and activate

- *Planning and Testing BSS10101: GSM-WCDMA Inter-System Handover* (DN01159392)
- The name *BSS5050: Dual Band GSM 900 / 1800 Network Operation* has been changed to *Activating and Testing Dual Band Network Operation* (DN9812734).
- The name *BSS10016: Common BCCH Control* has been changed to *Activating and Testing Common BCCH Control for GSM*. (DN00273887)

Reference\Counters

- *BSC Counters: Gb Over IP Measurement* (DN01123389)
- *BSC Counters: UTRAN Handover Adjacent Cell Measurement* (DN01123377)
- *BSC Counters: UTRAN Neighbouring Cell Signal Level Measurement* (DN01123365)

Reference\Hardware

- *BSC3i, Jumper Settings for the Cartridges* (DN01154813)
- *BSC3i, Jumper Settings for the Plug-in Units* (DN01154825)

Reference\Warnings and Cautions

- *Warnings and Cautions* (DN9811544)

Descriptions\Product descriptions

- *BSC3i* (DN01149718)

Descriptions\Feature descriptions

- *GSM-WCDMA Inter-System Handover* (DN01159377)

Descriptions\Feature descriptions\Capacity and Performance

- *Dual Band GSM 900 / 1800 Network Operation* is now called *Dual Band Network Operation* (DN9814105)

Descriptions\Hardware descriptions\Functional Unit Descriptions

- *BCSU (BSC3i)* (DN01154837)
- *CLS (BSC3i)* (DN01154849)
- *GSWB (BSC3i)* (DN01154852)
- *MCMU with GSWB (BSC3i)* (DN01154864)
- *OMU (BSC3i)* (DN01154876)

Descriptions\Hardware descriptions\Plug-in unit Unit Descriptions

- *CP710-A* (DN0171751)
- *AC25-A* (DN9828957)
- *AS7-B* (DN00251394)
- *ESB20* (DN015693)
- *EXAU* (DN0274592)
- *HWAT-A* (DN9829005)
- *MBIF-B* (DN00281601)
- *PCU-B* (DN01154919)
- *PCU-T* (DN029673)
- *PSC6-A* (DN9829029)
- *SERO-A* (DN9828996)
- *SWCOP-A* (DN9828984)