



## **Mississippi EPL 3744 Price Pages**



## **MSWIN Compatible P25 Phase 2 TDMA Price Guide**



Effective Date: October 2017

## Table of Contents:

### Portables

[NX-5200 / 5300](#)

[NX-5400](#)

[TK-5210G / 5310G](#)

[TK-5220 / 5320](#)



### Mobiles

[NX-5700 / 5800 / 5900](#)

[TK-5710G / 5810G](#)

[TK-5720 / 5820](#)

[TK-5910](#)



Radio Series	Programming and Installation Services	Programming Cost	Installation Cost
<b>PORTABLES</b>			
NX-5200/5300		\$75.00	N/A
NX-5400 <i>MSWIN TDMA</i>		\$75.00	N/A
TK-5410G/5310G		\$75.00	N/A
TK-5220/5320		\$75.00	N/A
<b>MOBILES</b>			
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Single Band/Dash Mount	\$75.00	\$75.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Single Band/Single Head Remote	\$75.00	\$125.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Single Band/Dual Head Remote	\$75.00	\$175.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Dual Deck/Single Head Single Speaker Remote	\$125.00	\$200.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Dual Deck/Single Head Dual Speaker Remote	\$125.00	\$200.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Dual Deck/Dual Head Single Speaker Remote	\$125.00	\$225.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Dual Deck/Dual Head Dual Speaker Remote	\$125.00	\$225.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Triple Deck/Single Head Single Speaker Remote	\$175.00	\$250.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Triple Deck/Single Head Triple Speaker Remote	\$175.00	\$250.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Triple Deck/Dual Head Single Speaker Remote	\$175.00	\$250.00
NX-5700/5800/5900 <i>MSWIN TDMA</i>	Triple Deck/Dual Head Triple Speaker Remote	\$175.00	\$275.00
TK-5710G/5810G	Dash Mount	\$75.00	\$75.00
TK-5710G/5810G	Single Band Single Head Remote	\$75.00	\$125.00
TK-5710G/5810G	Single Band Dual Head Remote	\$75.00	\$175.00
TK-5710G/5810G	Single Band Handheld Control Head	\$75.00	\$125.00
TK-5720/5820	Dash Mount	\$75.00	\$75.00
TK-5720/5820	Single Band Single Head Remote	\$75.00	\$125.00
TK-5910	Dash Mount	\$75.00	\$75.00
TK-5910	Single Band Single Head Remote	\$75.00	\$125.00
TK-5910	Single Band Dual Head Remote	\$75.00	\$225.00
TK-5910	Single Band Handheld Control Head	\$75.00	\$125.00



# NX-5200/5300

[Table of Contents](#)

## VHF/UHF Digital & FM Analog Portable Radios



&lt;Standard Key Model &gt;

&lt;Full Key Model &gt;

### All NX-5000 series portables include:

- Belt Clip (KBH-11)
- Universal Connector Cap
- User Guide
- Premium Warranty: 3 Years\*

All Accessories / options: 1 Year

Purchase Battery, Charger, Antenna separately

**\*Note:** To maintain immersion specs (IP67/68), all warranty service must be done by one of the three National Kenwood Authorized Service Centers. IP67/68 Certification is valid under the 3 year premium warranty. No re-certification is available.

Because of spurious signal (birdie), the following frequencies (and  $\pm 10\text{kHz}$  ranges) are not allowed;

- |            |            |            |
|------------|------------|------------|
| • 144.0000 | • 384.0000 | • 460.8000 |
| • 147.4560 | • 403.2000 | • 480.0000 |
| • 153.6000 | • 422.4000 | • 499.2000 |
| • 172.0325 | • 432.0000 | • 518.4000 |
| • 172.8000 | • 441.6000 |            |

Approved by CSA-us International Inc. for Classes I, II & III, Div. 1, Groups D, E, F, G and are also approved for non-Incendive use in Class I, Div. 2, Groups A, B, C hazardous locations.

**Note:** Environmental conditions are less than 32°F (0°C), KENWOOD carrying cases must be used.

### STANDARD

#### ■ GENERAL FEATURES

- 6 W (136-174 MHz) Models
- 5 W (380-470, 450-520 MHz) Models
- 1024 CH-GID / 128 Zones
- Standard Key Models (w/o numeric keypad)
- Full Key Models (w/ numeric keypad)
- Full Color 1.74" (240 x 180 pixels) Transflective TFT Display
- Multi-line Text Display
- Function/Status Icons
- Multi-Language Display
- Date & 12/24 Hour Time Clock
- Transmit/Busy/Call Alert/Warn LED
- On/Off Volume Knob
- 16-Position Mechanical Selector (w/ a stopper)
- 4-way Directional-pad (D-pad)
- 2 Position Lever Switch
- Emergency/AUX Key
- 3 Side PF Keys
- 1W Speaker Audio
- Multi Digital Protocol <sup>1</sup>
- Emergency Call Features
- Built-in GPS Receiver / Antenna
- Built-in Bluetooth® Module
- Built-in Motion Sensor
- Built-in 56-bit DES Encryption (4 keys programmable by KPG-D1(N)K)
- Active Noise Reduction (ANR)
- KPG-D1N Windows® FPU
- Flash Firmware Upgrading
- MIL-STD-810 C/D/E/F/G
- IP67/68 Immersion
- Color Housing Option

*1. Multi Digital Protocol can be used for two(2) of the three(3) Digital Protocols set by programming software. P25/DMR Digital Protocols are options.*

#### ■ DIGITAL – NXDN® MODE

- NXDN® Conventional / TYPE-C (Gen1/Gen2) Trunking
- AMBE+2™ VOCODER
- 6.25 & 12.5 kHz Channels
- Over-the-Air Alias
- Over-the-Air Programming (requires KPG-180AP OTAP Manager Software)
- Paging Call
- Emergency Call
- All Group Call
- Status Messaging
- Remote Stun/Kill/Check
- Short & Long Data Messages
- GPS Location
- NXDN® Scrambler

#### ■ DIGITAL – DMR MODE

- DMR Tier II Conventional
- AMBE+2™ VOCODER
- 12.5 kHz Channels
- Call Interrupt (Direct & Repeater Mode)
- Paging Call
- Emergency Call
- All Group Call
- Late Entry
- Status Messaging
- Remote Control by Subscriber Units
- ARC4 Encryption <sup>2</sup>
- Site Roaming <sup>2</sup>

#### ■ ANALOG MODE

- Conventional Zones
- LTR® Zones
- FleetSync®/II: PTT ID ANI, Caller ID Display, Selective/Group Call, Emergency Status, Text Messages
- MDC-1200: PTT ID ANI, Caller ID Display, Emergency, Radio Check & Inhibit
- QT / DQT
- Two-Tone (Conventional Zones Only)
- DTMF
- Built-in Voice Inversion Scrambler

2. Future release

### OPTIONAL

#### ■ GENERAL FEATURES

- 4000 Channel (KWD-5000CH License Key Activation required)
- Front Panel Programming (KWD-5001FP License Key Activation required)
- microSD/microSDHC Memory Card Slot (KWD-5002SD License Key Activation required)
- Built-in Bluetooth® Module for Data (KWD-5003BT License Key Activation required)
- Remote Control by Subscriber Unites \*DMR Only (KWD-5007RC License Key Activation required)
- 256-bit AES Encryption (KWD-AE30K/31K Encryption Module required)
- Battery Management Solution (KSC-Y32K Charger & KAS-12K Software License Key required)

#### ■ DIGITAL – P25 MODE

- Conventional Features (KWD-5100CV License Key Activation required)
- Phase 1 Trunking Features (KWD-5100CV & 5101TR License Keys Activation required)
- Phase 2 Trunking Features (KWD-5100CV & 5101TR & 5102TR License Keys Activation required)
- Conventional OTAR (KWD-5103RK License Key Activation required)
- Trunking OTAR (KWD-5103RK & 5106DT License Keys Activation required)
- Conventional Voting Scan (KWD-5105VT License Key Activation required)
- Packet Data required for Trunked OTAR/GPS (KWD-5106DT License Keys Activation required)

#### ■ DIGITAL – DMR MODE

- DMR Tier 2 Conventional Features (KWD-5300CV License Key Activation required)



# NX-5200/5300

[Table of Contents](#)

## VHF/UHF Digital & FM Analog Portable Radios

RADIO		EPL	LIST
<b>Standard Key Models</b>			
NX-5200K2	VHF (136-174MHz), 6.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	618.75	825.00
NX-5300K2	UHF (450-520MHz), 5.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	618.75	825.00
NX-5300K5	UHF (380-470MHz), 5.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	618.75	825.00
<b>Full Key Models</b>		EPL	LIST
NX-5200K3	VHF (136-174MHz), 6.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	656.25	875.00
NX-5300K3	UHF (450-520MHz), 5.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	656.25	875.00
NX-5300K6	UHF (380-470MHz), 5.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	656.25	875.00
<b>CSA US APPROVED MODELS</b>		EPL	LIST
<b>Must Order L-5039 &amp; KNB-LS5M Intrinsically Safe Battery per radio</b> <i>*Note: microSD card is not allowed to use as Intrinsically Safe Option.</i>			
NX-5200-ISCK2	VHF (136-174MHz), 6.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	618.75	825.00
NX-5200-ISCK3	VHF (136-174MHz), 6.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	656.25	875.00
NX-5300-ISCK2	UHF (450-520MHz), 5.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	618.75	825.00
NX-5300-ISCK3	UHF (450-520MHz), 5.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	656.25	875.00
NX-5300-ISCK5	UHF (380-470MHz), 5.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	618.75	825.00
NX-5300-ISCK6	UHF (380-470MHz), 5.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	656.25	875.00
<b>OVER THE AIR PROGRAMMING (OTAP)</b>		EPL	LIST
KPG-180AP	OTAP Manager Software (Windows® Vista/7/8.1/10) • License includes Fifty (50) radios / One(1) <b>NXDN</b> Conventional and Type-C <b>Air</b> Communication Profile and One(1) <b>NXDN</b> Conventional and Type-C <b>IP</b> Communication Profile.	663.00	884.00
<b>SOFTWARE UPGRADE LICENSES FOR KPG-180AP</b>			
KWD-AP5100	Additional 100 Radio Package License for 1 PC Note: License includes 100 subscriber radios OTAP License.	1,250.25	1,667.00
KWD-AP5250	Additional 250 Radio Package License for 1 PC Note: License includes 250 subscriber radios OTAP License.	2,187.75	2,917.00
KWD-AP5500	Additional 500 Radio Package License for 1 PC Note: License includes 500 subscriber radios OTAP License.	3,125.25	4,167.00
KWD-AP1-CA	Additional NXDN Conventional Type-C Air Communication Profile for 1 PC. Note: Price is per license on quantities of less than 16 licenses. Used as NEXEDGE Base Station Serial Interface for both Conventional and Trunking (Type-C Gen1/Gen2).	187.50	250.00
KWD-AP2-CP	Additional NXDN Conventional Type-C IP Communication Profile for 1 PC. Note: Price is per license on quantities of less than 16 licenses. Used NEXEDGE Repeater IP Interface for both Conventional and Trunking (Type-C Gen1/Gen2) .	312.75	417.00
KWD-AP3-P25	P25 Radio to Radio Air Communication Profile for 1 PC. Note: Price is per license on quantities of less than 16 licenses. Used as P25 Base Station Serial Interface for only Radio to Radio Communication.	600.00	800.00
<b>-- IMPORTANT NOTES--</b>			
Base radios are connected to a computer using the KPG-36XM USB adapter for portables, or a KPG-46XM for mobiles.			
Requires firmware version 1.4 or higher for the NX-5000 Series portables and mobiles			
Requires firmware version 2.5 or higher for the NXR-x00/NXR-x10 repeaters.			
<b>BATTERY READER</b>		EPL	LIST
KAS-12K	License Key for KAS-12 Battery Reader Software for KNB-L1/2/3/N4/LS5 & KSC-Y32 (Windows® Vista/7/8.1) <b>Note:</b> Requires KPT-300LMC for authentication	63.75	85.00
<b>SOFTWARE UPGRADE LICENSES FOR KAS-12</b>			
<b>Note: Upgrade License attaches to one computer running KAS-12 software. All additional licenses require KPT-300LMC for authentication.</b>			



# NX-5200/5300

[Table of Contents](#)

## VHF/UHF Digital & FM Analog Portable Radios

Add Battery Management with Database	262.50	350.00
--------------------------------------	--------	--------

**Must require KAS-12K Battery Reader Software to upgrade**

### KAS-12PRO

**Note:**

- A Windows® PC may be required as a Database Server which KAS-12DU (Free) software is installed.
- Requires KPT-300LMC for authentication

### Offline Authentication Option

EPL

LIST

KWD-OFL-USB	USB License Storage Hardware key for Radio Feature License	150.00	200.00
-------------	--	--------	--------

**Note:**

- Must purchase Radio Feature Licenses separately.
- Can be used with only one (1) Account Registration Key.
- Requires KPT-300LMC V1.10 or higher.
- Cancellation rule is difference with standard Online/Offline Authentication. Please refer to a leaflet bundled with KWD-OFL-USB.

**Warranty Information:**

- Damaged USB License Storage "KWD-OFL-USB"

### General Radio Features

EPL

LIST

KWD-5000CH	License Key for 4000 Channel Expansion	315.00	420.00
KWD-5001FP	License Key for Front Panel Programming	225.00	300.00
KWD-5002SD	License Key for microSD Memory Card Slot Activation	78.75	105.00
KWD-5003BT	License Key for Bluetooth Serial Port Profile (Required for Data Communication)	26.25	35.00
	<b>Note:</b> Voice Communication for Bluetooth Head Set does NOT require KWD-5003BT. You can pair with any Bluetooth audio device without this option.		
KWD-5007RC	License Key for Remote Control by Subscriber Units	30.00	40.00
	<b>Note:</b>		
	- DMR Mode only. NXDN Mode will be version up. P25 Mode is <b>NOT</b> available.		
	- This license may be used by Administrator due to Stun/Revive/Kill.		
	- The license is required for only Transmitting of Remote Control.		

### P25 Radio Features

EPL

LIST

KWD-5100CV	License Key for P25 Conventional	431.25	575.00
KWD-5101TR	License Key for P25 Phase 1 Trunking (requires KWD-5100CV)	390.00	520.00
KWD-5102TR	License Key for P25 Phase 2 Trunking (requires KWD-5100CV & KWD-5101TR)	300.00	400.00
KWD-5103RK	License Key for P25 OTAR (requires KWD-5106DT for a Trunking Operation)	525.00	700.00
KWD-5105VT	License Key for P25 Conventional Voting Scan	90.00	120.00
KWD-5106DT	License Key for P25 Trunking OTAR/GPS Data	135.00	180.00
	<b>Note:</b> Conventional (OTAR/GPS) does NOT require KWD-5106DT.		

### DMR Radio Features

EPL

LIST

KWD-5300CV	License Key for DMR Tier II Conventional	45.00	60.00
------------	--	-------	-------

### ANTENNAS

EPL

LIST

KRA-26M	VHF helical antenna 146-162 MHz	10.50	14.00
KRA-26M2	VHF helical antenna 162-174 MHz	10.50	14.00
KRA-26M3	VHF helical antenna 136-150 MHz	10.50	14.00
KRA-27M	UHF whip antenna 440-490 MHz	10.50	14.00
KRA-27M2	UHF whip antenna 470-520 MHz	10.50	14.00
KRA-27M3	UHF whip antenna 400-450 MHz	10.50	14.00
KRA-22M	VHF low-profile helical antenna 148-162 MHz	10.28	13.70
KRA-22M2	VHF low-profile helical antenna 162-174 MHz	10.28	13.70
KRA-22M3	VHF low-profile helical antenna 136-150 MHz	10.28	13.70





# NX-5200/5300

## VHF/UHF Digital & FM Analog Portable Radios

[Table of Contents](#)

KRA-23M	UHF low-profile helical antenna 450-490 MHz	10.28	13.70
KRA-23M2	UHF low-profile helical antenna 470-512 MHz	10.28	13.70
KRA-23M3	UHF low-profile helical antenna 403-430 MHz	10.28	13.70
KRA-25	High gain VHF helically loaded whip antenna 148-162 MHz	25.69	34.25
KRA-28	Broad-band VHF helically loaded whip antenna 140-170 MHz	31.50	42.00
KRA-29	Broad Band UHF Whip Antenna 380-430 MHz	27.56	36.75

### BATTERIES AND CHARGERS

		EPL	LIST
KNB-L1M	Li-ion 2000mAh (Compact Slim)	86.25	115.00
KNB-L2M	Li-ion 2600mAh (Standard)	101.25	135.00
KNB-L3M	Li-ion 3400mAh (High Capacity)	131.25	175.00
KNB-N4M	Ni-MH 2500mAh	108.75	145.00
KNB-LS5M	CSA US Intrinsically Safe Battery Li-ion 2000mAh	150.00	200.00

**Note:**

Due to the I.S. circuitry on the KNB-LS5M, the cells may lose charge during storage. To prevent loss of capacity during storage, charge the battery for 10 minutes at least every 4 months with the KSC-32, KSC-Y32K or KSC-326K.

**[Intrinsically Safe Option]**

KBP-8M	AA Alkaline Refillable Battery Pack (12 AA: 9V). Cells not included.	79.50	106.00
--------	--	-------	--------

**Note:** The color of the case is International Orange.

KSC-Y32K	Rapid rate single unit charger (Long-Life Charge Mode capable with KAS-12 Software)	86.25	115.00
KSC-32	Rapid rate single unit charger	52.50	70.00
KSC-326K	Rapid rate 6-unit charger	472.50	630.00
KMB-30M	Wall Mount Bracket for KSC-326K/256K	25.31	33.75
KVC-15	Rapid rate DC vehicular charger adapter for the KSC-32 (chargers not included; includes KSC-mobile bracket & cigarette lighter cable DC adapter)	89.25	119.00
KVC-23	Rapid rate DC vehicular charger for TK-5x10/5x20, NX-5x00/x00/x10/x20, TK-x180, TK-x170, & TK-x360 portables with Lithium Ion /Lithium Polymer/NiMH packs only	225.00	300.00

### CARRYING ACCESSORIES

		EPL	LIST
KBH-11	Spring action belt clip (2.5")	11.03	14.70
KBH-8DS	Leather swivel belt loop with portable D-Ring attachment	19.73	26.30
KLH-6SW	Leather swivel belt loop / detachable swivel D-Ring back	16.50	22.00
KLH-137ST	Firemen's Heavy-Duty Leather Shoulder Strap for a Heavy-Duty Leather Case	27.56	36.75
KLH-200K3	Heavy duty leather carrying case for NX-5000 series with KNB-L1/L2/L3/LS5 (for both keypad models)	33.19	44.25
KLH-201K3	Nylon carrying case for NX-5000-series with KNB-L1/L2/L3/LS5 (for both keypad models)	19.73	26.30

### SPECIAL COLOR HOUSING

		EPL	LIST
KWD-YH-5000	Yellow Housing Kit for NX-5000 series Portables (Standard Key Model Only) Order <b>L-5024</b> for Factory Install. (Eligible for warranty of IP67/68 immersion / Intrinsically Safe Option must be installed by Kenwood.)	30.00	40.00
KWD-OH-5000	<b>Note:</b> If you order only housing and perform Dealer Installation, IP67/68 Warranty Claim will not be eligible. Orange Housing Kit for NX-5000 series Portables (Standard Key Model Only) Order <b>L-5025</b> for Factory Install. (Eligible for warranty of IP67/68 immersion / Intrinsically Safe Option must be installed by Kenwood.) <b>Note:</b> If you order only housing and perform Dealer Installation, IP67/68 Warranty Claim will not be eligible.	30.00	40.00

### MICROPHONES & AUDIO ACCESSORIES

		EPL	LIST
KMC-54WDM	MIL-SPEC, IP67 (Immersion) Speaker Mic <b>Compatible with ANR Feature</b> <b>Note:</b> only compatible with a NX-5000 series portable <b>[Intrinsically Safe Option]</b>	97.50	130.00
KMC-42WDM	MIL-SPEC, IP67 (Immersion) Noise-canceling Speaker Mic <b>[Intrinsically Safe Option]</b>	85.50	114.00

		<b>NX-5200/5300</b> VHF/UHF Digital & FM Analog Portable Radios		Table of Contents
KMC-49	MIL-SPEC, Speaker Mic. with Antenna Connector <b>Note:</b> 5/16" Coax cable hex wrench included (antenna is not included). [Intrinsically Safe Option]	187.50	250.00	
KEP-1	3.5mm earphone kit for KMC-41/42W/54W Speaker Mics [Intrinsically Safe Option]	39.38	52.50	
KEP-2	2.5mm earphone kit for KMC-49 Speaker Mic [Intrinsically Safe Option]	39.38	52.50	
KCT-51	Hirose 6-pin Adapter (adapts KVL/aftermarket audio acc. to portable connector) [Intrinsically Safe Option]	161.25	215.00	
KHS-11BL	2-wire palm mic w/earphone, universal connector (Black) [Intrinsically Safe Option]	117.38	156.50	
KHS-12BL	3-wire mini lapel mic w/earphone, universal connector (Black) <b>Note:</b> NOT compatible with TDMA operations [Intrinsically Safe Option]	138.00	184.00	
MICROPHONES & AUDIO ACCESSORIES CON'T		EPL	LIST	
KHS-14	Lt. Wt. Single muff headset w/boom mic & In-line PTT <b>Note:</b> NOT compatible with TDMA operations [Intrinsically Safe Option]	94.50	126.00	
KHS-15-BH	Hvy-duty noise reduction behind-the-headset w/noise cancelling boom mic & PTT <b>Note:</b> NOT compatible with TDMA operations [Intrinsically Safe Option]	315.00	420.00	
KHS-15-OH	Hvy-duty noise reduction over-the-headset w/noise cancelling boom mic & PTT <b>Note:</b> NOT compatible with TDMA operations [Intrinsically Safe Option]	276.00	368.00	
ENCRYPTION & OPTION MODULES		EPL	LIST	
KWD-AE30K	AES FIPS140-2 & DES Encryption Module (Multi-Key) Order a Labor Code <b>L-5003</b> if installation is required. KWD-AE30K requires: a Motorola KVL3000 Plus/4000 key loader device. KWD-AE30K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1).	637.50	850.00	
KWD-AE31K	AES & DES Encryption Module (Multi-Key) Order a Labor Code <b>L-5004</b> if installation is required. <b>Note:</b> Requires KPG-AE1/DE1 software key loader or Motorola KVL3000 Plus/4000 key loader device. KWD-AE31K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)	412.50	550.00	
KCT-48VU	External Vibration Unit <b>Note:</b> Audio accessories cannot be used when this option installed. KCT-48VU does not support the P25 digital mode calling or paging features [Intrinsically Safe Option]	36.75	49.00	
KPG-AE1K	AES/DES Encryption Software Key Loader for KWD-AE31K <b>Authentication by KPT-300LMC is required</b> <b>Note:</b> KPG-AE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A.1).	393.75	525.00	
KPG-DE1K	DES Encryption Software Key Loader for KWD-AE31K <b>Authentication by KPT-300LMC is required</b> <b>Note:</b> KPG-DE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1).	276.00	368.00	
SERVICE RELATED ACCESSORIES		EPL	LIST	
KPG-36XM	Full Speed USB Programming interface cable <b>Note:</b> This cable with USB mode may used for SD Card Direct Access.	118.88	158.50	
KPG-93	Encryption Key Loader Interface Cable for Motorola KVL-3000/3000 Plus/4000	196.88	262.50	
SERVICE RELATED ACCESSORIES, CON'T		EPL	LIST	
KPG-93AUT	KVL-4000 Radio Authentication Cable <b>Note:</b> Only capable for P25 Radio Authentication. Not available for Encryption Key Loading.	247.50	330.00	





# NX-5200/5300

## VHF/UHF Digital & FM Analog Portable Radios

[Table of Contents](#)

KWD-ASK-AK	Access Key for KPG-D1NK P25 trunked programming <b>Notes:</b> Enables P25 Trunked system programming privileges in a KPG-D1NK. <ul style="list-style-type: none"><li>• For NX-5000 series only.</li><li>• Must be activated by trunked system operator (SYSOP) with KWD-ASK-MK Master Key.</li><li>• Must have KPG-D1NK.</li><li>• Configurable expiration period of KWD-ASK-AK set by KWD-ASK-MK is available for 3 years for built in battery.</li></ul>	156.00	208.00
KWD-ASK-MK	Master Key for activating KWD-ASK-AK Access Keys <b>- Restricted Purchase Requirements -</b> <b>Notes:</b> <ul style="list-style-type: none"><li>• For NX-5000 series only.</li><li>• Sold to trunked system operator (SYSOP) or SYSOP authorized entities only</li><li>• Must have KPG-D1NK.</li><li>• SYSOP must provide 3-digit HEX HSID to Kenwood with P25 Trunking System Keys Request Form placed on Kenwood Tools.</li></ul>	375.00	500.00

INSTALLATION / TUNING CHARGES		EPL	LIST
L-5000	Account Registration Key <b>Note:</b> specify the number of PC's used for Radio Feature License Activation.	N/C	N/C
L-5001	Factory Activation of Radio Feature Licenses (per Radio) <b>Note:</b> Must purchase Radio Feature Licenses separately. <u>KPT-300.LMC's History Menu will not display the Radio Features activated by Factory.</u>	90.00	120.00

INSTALLATION / TUNING CHARGES CON'T		EPL	LIST
L-5002	NX-5200/5300/5400 Programming (with basic TX/RX check)	28.13	37.50
L-5003	Install KWD-AE30K in NX-5000 series Portable (Must purchase module separately)	56.25	75.00
L-5004	Install KWD-AE31K in NX-5000 series Portable (Must purchase module separately)	56.25	75.00
L-5005	KPG-D1NK System Key File (SKF) <b>Note:</b> Enables P25 Trunked system programming privileges in a KPG-D1NK. <b>- Restricted Purchase Requirements -</b> <ul style="list-style-type: none"><li>• Trunked system operator (SYSOP) must provide 3-digit HEX HSID to Kenwood with P25 Trunking System Keys Request Form placed on Kenwood Tools.</li><li>• Must have KPG-D1NK.</li><li>• Kenwood ships an encrypted *.SKF file via E-Mail to the address provided on the P25 Trunking System Keys Request Form placed on Kenwood Tools.</li><li>• Non-SYSOP entities ordering L-5005 must provide verifiable written authorization from SYSOP to receive an</li></ul>	99.00	132.00
L-5024	Assemble Yellow Housing KWD-YH-5000 with NX-5000 series Portable	20.25	27.00
L-5025	Assemble Orange Housing KWD-OH-5000 with NX-5000 series Portable	20.25	27.00
L-5039	Configure NX-5200/5300/5400 for CSA US Intrinsically Safe <b>Must order KNR-L55M U.S. battery.</b>	52.50	70.00

-- IMPORTANT NOTES regarding ENCRYPTION MODULES--



## NX-5200/5300

### VHF/UHF Digital & FM Analog Portable Radios

[Table of Contents](#)

**Encryption modules, key loaders and radios containing encryption are export controlled** by the U.S. Department of Commerce Bureau of Industry & Security EAR regulations and may either require an Export License, are eligible for a License Exception (ENC) or are exportable with No License Required (NLR) depending on the country, the consignee and the intended use. High level encryption is a special commodity that may require an export license to most countries. See [www.bis.gov](http://www.bis.gov) for more information regarding export regulations. DO NOT SHIP encryption items outside the U.S. without proper DOC/BIS Export Licenses and/or compliances.

**Kenwood may request the following information to be submitted at time of order (this information must meet Kenwood internal approvals prior to shipment even if being returned to Kenwood later:**

**a) Initial Destination:** Initial delivery point if different from Ultimate Destination

(customer distribution center, headquarters, dealership, manufacturer's representative)

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

\* Contact Phone:

**b) Ultimate Destination:** Final delivery point(s); deployment/distribution

\* Business/Agency Name:

\* Address:

#### KWD-AE30 AES FIPS140-2 SCM , NIST Validation & Customer Shipping

A secure delivery method direct to the end user customer is required by the NIST AES FIPS 140-2 validation rules. For U.S. Federal Government entities the SCM must ship from Kenwood USA Corporation directly to the end user customer by a trusted carrier (FEDEX, UPS or a designated Kenwood USA Corporation employee); shipping/handling by a dealer or other entity is not acceptable. This may or may not be required by local/state government agencies or business/industrial users. Please check with the end use customer about their AES encryption handling requirements before ordering. Kenwood will not be responsible for shipments of KWD-AE30K modules to erroneous destinations specified on an order.

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5400

700/800MHz Digital &amp; FM Analog Portable Radio

Table of Contents



&lt;Standard Key Model &gt; &lt;Full Key Model &gt;

## All NX-5400 series portables include:

- Belt Clip (KBH-11)
- Universal Connector Cap
- User Guide
- Premium Warranty: 3 Years\*

All Accessories / options: 1 Year

Purchase Battery, Charger, Antenna separately

**\*Note:** To maintain immersion specs (IP67/68), all warranty service must be done by one of the three National Kenwood Authorized Service Centers. IP67/68 Certification is valid under the 3 year premium warranty. No re-certification is available.

Due to spurious signal (birdie), the following frequencies (and  $\pm 10$ kHz ranges) are not allowed:

- 864.000

Approved by CSA-us International Inc. for Classes I, II & III, Div. 1, Groups D, E, F, G and are also approved for non-Incendive use in Class I, Div. 2, Groups A, B, C hazardous locations.

**Note:** Environmental conditions are less than 32°F (0°C), KENWOOD carrying cases must be used.

## STANDARD

## ■ GENERAL FEATURES

- 3 W (700/800 MHz) Models
- 1024 CH-GID / 128 Zones
- Standard Key Models (w/o numeric keypad)
- Full Key Models (w/ numeric keypad)
- Full Color 1.74" (240 x 180 pixels) Transflective TFT Display
- Multi-line Text Display
- Function/Status Icons
- Multi-Language Display
- Date & 12/24 Hour Time Clock
- Transmit/Busy/Call Alert/Warn LED
- On/Off Volume Knob
- 16-Position Mechanical Selector (w/ a stopper)
- 4-way Directional-pad (D-pad)
- 2 Position Lever Switch
- Emergency/AUX Key
- 3 Side PF Keys
- 1W Speaker Audio
- Multi Digital Protocol <sup>1</sup>
- Emergency Call Features
- Built-in GPS Receiver / Antenna
- Built-in Bluetooth® Module
- Built-in Motion Sensor
- Built-in 56-bit DES Encryption (4 keys programmable by KPG-D1(N)K)
- Active Noise Reduction (ANR)
- KPG-D1N Windows® FPU
- Flash Firmware Upgrading
- MIL-STD-810 C/D/E/F/G
- IP67/68 Immersion
- Color Housing Option

1. Multi Digital Protocol can be used for two(2) of the three(3) Digital Protocols set by programming software. P25/DMR Digital Protocols are options.

## ■ DIGITAL – NXDN® MODE

- NXDN® Conventional
- NXDN® TYPE-C (Gen1/Gen2) Trunking (only in 800MHz)
- AMBE+2™ VOCODER
- 6.25 & 12.5 kHz Channels
- Over-the-Air Alias
- Over-the-Air Programming (require KPG-180AP OTAP Manager Software)
- Paging Call
- Emergency Call
- All Group Call
- Status Messaging
- Remote Stun/Kill/Check
- Short & Long Data Messages
- GPS Location
- NXDN® Scrambler

## ■ DIGITAL – DMR MODE

- DMR Tier II Conventional
- AMBE+2™ VOCODER
- 12.5 kHz Channels
- Call Interrupt (Direct & Repeater Mode)
- Paging Call
- Emergency Call
- All Group Call
- Late Entry
- Status Messaging
- Remote Control by Subscriber Units
- ARC4 Encryption <sup>2</sup>
- Site Roaming <sup>2</sup>

## ■ ANALOG MODE

- NPSPAC Channels
- Conventional Zones
- LTR® Zones
- FleetSync®/II: PTT ID ANI, Caller ID Display, Selective/Group Call, Emergency Status, Text Messages
- MDC-1200: PTT ID ANI, Caller ID Display, Emergency, Radio Check & Inhibit
- QT / DQT
- Two-Tone (Conventional Zones Only)
- DTMF
- Built-in Voice Inversion Scrambler

2. Future release

## OPTIONAL

## ■ GENERAL FEATURES

- 4000 Channel (KWD-5000CH License Key Activation required)
- Front Panel Programming (KWD-5001FP License Key Activation required)
- microSD/microSDHC Memory Card Slot (KWD-5002SD License Key Activation required)
- Built-in Bluetooth® Module for Data (KWD-5003BT License Key Activation required)
- Remote Control by Subscriber Units \*DMR Only (KWD-5007RC License Key Activation required)
- 256-bit AES Encryption (KWD-AE30K/31K Encryption Module required)
- Battery Management Solution (KSC-Y32K Charger & KAS-12K Software License Key required)

## ■ DIGITAL – P25 MODE

- Conventional Features (KWD-5100CV License Key Activation required)
- Phase 1 Trunking Features (KWD-5100CV & 5101TR License Keys Activation required)
- Phase 2 Trunking Features (KWD-5100CV & 5101TR & 5102TR License Keys Activation required)
- Conventional OTAR (KWD-5103RK License Key Activation required)
- Trunking OTAR (KWD-5103RK & 5106DT License Keys Activation required)
- Conventional Voting Scan (KWD-5105VT License Key Activation required)
- Packet Data required for Trunked OTAR/GPS (KWD-5106DT License Keys Activation required)

## ■ DIGITAL – DMR MODE

- DMR Tier 2 Conventional Features (KWD-5300CV License Key Activation required))

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5400

700/800MHz Digital &amp; FM Analog Portable Radio

Table of Contents

RADIO		EPL	LIST
NX-5400K2	700 / 800 MHz, 3.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking Standard Key Model	618.75	825.00
NX-5400K3	700 / 800 MHz, 3.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking Full Key Model	656.25	875.00
CSA US APPROVED MODELS		EPL	LIST
<b>Must Order L-5039 &amp; KNB-LS5M Intrinsically Safe Battery per radio</b> <i>*Note microSD card is not allowed to use as Intrinsically Safe Option.</i>			
NX-5400-ISCK2	700 / 800 MHz, 3.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking Standard Key Model	618.75	825.00
NX-5400-ISCK3	700 / 800 MHz, 3.0 Watts NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking Full Key Model	656.25	875.00
OVER THE AIR PROGRAMMING (OTAP)		EPL	LIST
KPG-180AP	OTAP Manager Software (Windows® Vista/7/8/8.1/10) • License includes Fifty (50) radios / One(1) <b>NXDN</b> Conventional and Type-C <b>Air</b> Communication Profile and One(1) <b>NXDN</b> Conventional and Type-C <b>IP</b> Communication Profile	663.00	884.00
<b>Note:</b> - Requires KPT-300LMC for authentication			
<b>SOFTWARE UPGRADE LICENSES FOR KPG-180AP</b> <b>Note: Includes package license for additional subscriber unit or license for additional profile attached to one computer running KPG-180AP software. All additional licenses require KPT-300LMC for authentication.</b>			
KWD-AP5100	Additional 100 Radio Package License for 1 PC Note: License includes 100 subscriber radios OTAP License.	1,250.25	1,667.00
KWD-AP5250	Additional 250 Radio Package License for 1 PC Note: License includes 250 subscriber radios OTAP License.	2,187.75	2,917.00
KWD-AP5500	Additional 500 Radio Package License for 1 PC Note: License includes 500 subscriber radios OTAP License.	3,125.25	4,167.00
KWD-AP1-CA	Additional NXDN Conventional Type-C Air Communication Profile for 1 PC. Note: Price is per license on quantities of less than 16 licenses. Used as NEXEDGE Base Station Serial Interface for both Conventional and Trunking (Type-C Gen1/Gen2).	187.50	250.00
KWD-AP2-CP	Additional NXDN Conventional Type-C IP Communication Profile for 1 PC. Note: Price is per license on quantities of less than 16 licenses. Used NEXEDGE Repeater IP Interface for both Conventional and Trunking (Type-C Gen1/Gen2).	312.75	417.00
KWD-AP3-P25	P25 Radio to Radio Air Communication Profile for 1 PC. Note: Price is per license on quantities of less than 16 licenses. Used as P25 Base Station Serial Interface for only Radio to Radio Communication.	600.00	800.00

## -- IMPORTANT NOTES--

Base radios are connected to a computer using the KPG-36XM USB adapter for portables, or a KPG-46XM for mobiles.

Requires firmware version 1.4 or higher for the NX-5000 Series portables and mobiles

Requires firmware version 2.5 or higher for the NXR-x00/NXR-x10 repeaters.

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5400

Table of Contents

700/800MHz Digital &amp; FM Analog Portable Radio

BATTERY READER		EPL	LIST
KAS-12K	License Key for KAS-12 Battery Reader Software for KNB-L1/2/3/N4/LS5 & KSC-Y32 (Windows® Vista/7/8/8.1) <b>Note:</b> <b>Requires KPT-300LMC for authentication</b>	63.75	85.00
SOFTWARE UPGRADE LICENSES FOR KAS-12			
<b>Note:</b> Upgrade License attaches to one computer running KAS-12 software. All additional licenses require KPT-300LMC for authentication.			
KAS-12PRO	Add Battery Management with Database <b>Must require KAS-12K Battery Reader Software to upgrade</b> <b>Note:</b> - A Windows® PC may be required as a Database Server which KAS-12DU (Free) software is installed. - Requires KPT-300LMC for authentication.	262.50	350.00
Offline Authentication Option		EPL	LIST
KWD-OFL-USB	USB License Storage Hardware key for Radio Feature License <b>Note:</b> - Must purchase Radio Feature Licenses separately. - Can be used with only one (1) Account Registration Key. - Requires KPT-300LMC V1.10 or higher. - Cancellation rule is difference with standard Online/Offline Authentication. Please refer to a leaflet bundled with KWD-OFL-USB. <b>Warranty Information:</b> - Damaged USB License Storage "KWD-OFL-USB" a. Remaining Licenses will not be warranted.	150.00	200.00
General Radio Features		EPL	LIST
KWD-5000CH	License Key for 4000 Channel Expansion	315.00	420.00
KWD-5001FP	License Key for Front Panel Programming	225.00	300.00
KWD-5002SD	License Key for microSD Memory Card Slot Activation	78.75	105.00
KWD-5003BT	License Key for Bluetooth Serial Port Profile (Required for Data Communication) <b>Note:</b> Voice Communication for Bluetooth Head Set does NOT require KWD-5003BT. <b>You can pair with any Bluetooth audio device without this option.</b>	26.25	35.00
KWD-5007RC	License Key for Remote Control by Subscriber Units <b>Note:</b> - DMR Mode only. NXDN Mode will be version up. P25 Mode is <b>NOT</b> available. - This license may be used by Administrator due to Stun/Revive/Kill. - The license is required for only Transmitting of Remote Control. - PC command for Remote Control does NOT require the license.	30.00	40.00
P25 Radio Features		EPL	LIST
KWD-5100CV	License Key for P25 Conventional	431.25	575.00
KWD-5101TR	License Key for P25 Phase 1 Trunking (requires KWD-5100CV)	390.00	520.00
KWD-5102TR	License Key for P25 Phase 2 Trunking (requires KWD-5100CV & KWD-5101TR)	300.00	400.00
KWD-5103RK	License Key for P25 OTAR (requires KWD-5106DT for a Trunking Operation)	525.00	700.00
KWD-5105VT	License Key for P25 Conventional Voting Scan	90.00	120.00
KWD-5106DT	License Key for P25 Trunking OTAR/GPS Data <b>Note:</b> Conventional (OTAR/GPS) does NOT require KWD-5106DT	135.00	180.00
KWD-5300CV	License Key for DMR Tier II Conventional	45.00	60.00
ANTENNAS		EPL	LIST

## MSWIN Compatible P25 Phase 2 TDMA

	<h1>NX-5400</h1> <h2>700/800MHz Digital &amp; FM Analog Portable Radio</h2>	<a href="#">Table of Contents</a>
---	---	-----------------------------------

KRA-32K	700/800 MHz Whip Antenna	26.25	35.00
KRA-36	700/800 MHz Stubby Antenna	18.75	25.00

DMR Radio Features		EPL	LIST
KWD-5300CV	License Key for DMR Tier II Conventional	45.00	60.00

BATTERIES AND CHARGERS		EPL	LIST
KNB-L1M	Li-ion 2000mAh (Compact Slim)	86.25	115.00
KNB-L2M	Li-ion 2600mAh (Standard)	101.25	135.00
KNB-L3M	Li-ion 3400mAh (High Capacity)	131.25	175.00
KNB-N4M	Ni-MH 2500mAh	108.75	145.00
KNB-LS5M	CSA US Intrinsically Safe Battery Li-ion 2000mAh	150.00	200.00

**Note:**

Due to the I.S. circuitry on the KNB-LS5M, the cells may lose charge during storage. To prevent loss of capacity during storage, charge the battery for 10 minutes at least every 4 months with the KSC-32, KSC-Y32K or KSC-326K.

**[Intrinsically Safe Option]**

KBP-8M	AA Alkaline Refillable Battery Pack (12 AA: 9V). Cells not included.	79.50	106.00
	<b>Note:</b> The color of the case is International Orange.		
KSC-Y32K	Rapid rate single unit charger (Long-Life Charge Mode capable with KAS-12 Software)	86.25	115.00
KSC-32	Rapid rate single unit charger	52.50	70.00
KSC-326K	Rapid rate 6-unit charger	472.50	630.00
KMB-30M	Wall Mount Bracket for KSC-326K/256K	25.32	33.75
KVC-15	Rapid rate DC vehicular charger adapter for the KSC-32 (chargers not included; includes KSC-mobile bracket & cigarette lighter cable DC adapter)	89.25	119.00
KVC-23	Rapid rate DC vehicular charger for TK-5x10/5x20, NX-5x00/x00/x10/x20, TK-x180, TK-x170, & TK-x360 portables with Lithium Ion /Lithium Polymer/NiMH packs only	225.00	300.00


CARRYING ACCESSORIES		EPL	LIST
KBH-11	Spring action belt clip (2.5")	11.03	14.70
KBH-8DS	Leather swivel belt loop with portable D-Ring attachment	19.73	26.30
KLH-6SW	Leather swivel belt loop / detachable swivel D-Ring back	16.50	22.00
KLH-137ST	Firemen's Heavy-Duty Leather Shoulder Strap for a Heavy-Duty Leather Case	27.56	36.75
KLH-200K3	Heavy duty leather carrying case for NX-5000 series with KNB-L1/L2/L3/LS5 (for both keypad models)	33.19	44.25
KLH-201K3	Nylon carrying case for NX-5000-series with KNB-L1/L2/L3/LS5 (for both keypad models)	19.73	26.30

SPECIAL COLOR HOUSING		EPL	LIST
KWD-YH-5000	Yellow Housing Kit for NX-5000 series Portables (Standard Key Model Only) Order <b>L-5024</b> for Factory Install. (Eligible for warranty of IP67/68 immersion / Intrinsically Safe Option must be installed by Kenwood.)	30.00	40.00
	<b>Note:</b> If you order only housing and perform Dealer Installation, IP67/68 Warranty Claim will not be eligible.		
KWD-OH-5000	Orange Housing Kit for NX-5000 series Portables (Standard Key Model Only) Order <b>L-5025</b> for Factory Install. (Eligible for warranty of IP67/68 immersion / Intrinsically Safe Option must be installed by Kenwood.)	30.00	40.00
	<b>Note:</b> If you order only housing and perform Dealer Installation, IP67/68 Warranty Claim will not be eligible.		


MICROPHONES & AUDIO ACCESSORIES		EPL	LIST
---------------------------------	--	-----	------



## MSWIN Compatible P25 Phase 2 TDMA

 <b>NX-5400</b> 700/800MHz Digital & FM Analog Portable Radio		Table of Contents	
KMC-54WDM	MIL-SPEC, IP67 (Immersion) Speaker Mic <b>Compatible with ANR Feature</b> <b>Note:</b> only compatible with a NX-5000 series portable <b>[Intrinsically Safe Option]</b>	97.50	130.00
KMC-42WDM	MIL-SPEC, IP67 (Immersion) Noise-canceling Speaker Mic <b>[Intrinsically Safe Option]</b>	85.50	114.00
KMC-49	MIL-SPEC, Speaker Mic. with Antenna Connector <b>Note:</b> 5/16" Coax cable hex wrench included (antenna is not included). <b>[Intrinsically Safe Option]</b>	187.50	250.00
KEP-1	3.5mm earphone kit for KMC-41/42W/54W Speaker Mics <b>[Intrinsically Safe Option]</b>	39.38	52.50
KEP-2	2.5mm earphone kit for KMC-49 Speaker Mic <b>[Intrinsically Safe Option]</b>	39.38	52.50
KCT-51	Hirose 6-pin Adapter (adapts KVL/aftermarket audio acc. to portable connector) <b>[Intrinsically Safe Option]</b>	161.25	215.00
MICROPHONES & AUDIO ACCESSORIES CONT		EPL	LIST
KHS-11BL	2-wire palm mic w/earphone, universal connector (Black) <b>[Intrinsically Safe Option]</b>	117.38	156.50
KHS-12BL	3-wire mini lapel mic w/earphone, universal connector (Black) <b>Note:</b> NOT compatible with TDMA operations <b>[Intrinsically Safe Option]</b>	138.00	184.00
KHS-14	Lt. Wt. Single muff headset w/boom mic & In-line PTT <b>Note:</b> NOT compatible with TDMA operations <b>[Intrinsically Safe Option]</b>	94.50	126.00
KHS-15-BH	Hvy-duty noise reduction behind-the-headset w/noise cancelling boom mic & PTT <b>Note:</b> NOT compatible with TDMA operations <b>[Intrinsically Safe Option]</b>	315.00	420.00
KHS-15-OH	Hvy-duty noise reduction over-the-headset w/noise cancelling boom mic & PTT <b>Note:</b> NOT compatible with TDMA operations <b>[Intrinsically Safe Option]</b>	276.00	368.00
ENCRYPTION & OPTION MODULES		EPL	LIST
KWD-AE30K	AES FIPS140-2 & DES Encryption Module (Multi-Key) Order a Labor Code <b>L-5003</b> if installation is required. KWD-AE30K requires: a Motorola KVL3000 Plus/4000 key loader device. KWD-AE30K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)	637.50	850.00
KWD-AE31K	AES & DES Encryption Module (Multi-Key) Order a Labor Code <b>L-5004</b> if installation is required. <b>Note:</b> Requires KPG-AE1/DE1 software key loader or Motorola KVL3000 Plus/4000 key loader device. KWD-AE31K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)	412.50	550.00
KCT-48VU	External Vibration Unit <b>Note:</b> Audio accessories cannot be used when this option installed. KCT-48VU does not support the P25 digital mode calling or paging features	36.75	49.00
KPG-AE1K	AES/DES Encryption Software Key Loader for KWD-AE31K <b>Authentication by KPT-300LMC is required</b> <b>Note:</b> KPG-AE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A)	393.75	525.00
KPG-DE1K	DES Encryption Software Key Loader for KWD-AE31K <b>Authentication by KPT-300LMC is required</b> <b>Note:</b> KPG-DE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1)	276.00	368.00
SERVICE RELATED ACCESSORIES		EPL	LIST
KPG-36XM	Full Speed USB Programming interface cable <b>Note:</b> This cable with USB mode may be used for SD Card Direct Access.	118.88	158.50

## MSWIN Compatible P25 Phase 2 TDMA

<div> <div>  </div> <div> <b>NX-5400</b>            700/800MHz Digital &amp; FM Analog Portable Radio         </div> <div> <a href="#">Table of Contents</a> </div> </div>			
KPG-93	Encryption Key Loader Interface Cable for Motorola KVL-3000/3000 Plus/4000	196.88	262.50
KPG-93AUT	KVL-4000 Radio Authentication Cable	247.50	330.00
	<b>Note:</b> Only capable for P25 Radio Authentication. Not available for Encryption Key Loading.		
KWD-ASK-AK	Access Key for KPG-D1NK P25 trunked programming	156.00	208.00
	<b>Notes:</b> Enables P25 Trunked system programming privileges in a KPG-D1NK.		
	<ul style="list-style-type: none"> <li>• For NX-5000 series only</li> <li>• Must be activated by trunked system operator (SYSOP) with KWD-ASK-MK Master Key</li> <li>• Must have KPG-D1NK</li> </ul>		
KWD-ASK-MK	Master Key for activating KWD-ASK-AK Access Keys	375.00	500.00
	<b>- Restricted Purchase Requirements -</b> <b>Notes:</b> <ul style="list-style-type: none"> <li>• For NX-5000 series only.</li> <li>• Sold to trunked system operator (SYSOP) or SYSOP authorized entities only</li> <li>• Must have KPG-D1NK</li> <li>• SYSOP must provide 3-digit HEX HSID to Kenwood with P25 Trunking System Keys Request Form placed on Kenwood Tools.</li> <li>• Purchase KWD-ASK-AK Access Keys if needed</li> </ul>		

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5400

Table of Contents

700/800MHz Digital &amp; FM Analog Portable Radio

INSTALLATION / TUNING CHARGES		EPL	LIST
L-5000	Account Registration Key <b>Note:</b> specify the number of PC's used for Radio Feature License Activation.	N/C	N/C
L-5001	Factory Activation of Radio Feature Licenses (per Radio) <b>Note:</b> Must purchase Radio Feature Licenses separately. <u>KPT-3001 MC's History Menu will not display the Radio Features activated by Factory.</u>	90.00	120.00
L-5002	NX-5200/5300/5400 Programming (with basic TX/RX check)	28.13	37.50
L-5003	Install KWD-AE30K in NX-5000 series Portable <b>(Must purchase module separately)</b>	56.25	75.00
L-5004	Install KWD-AE31K in NX-5000 series Portable <b>(Must purchase module separately)</b>	56.25	75.00
L-5005	KPG-D1NK System Key File (SKF) <b>Note:</b> Enables P25 Trunked system programming privileges in a KPG-D1NK. <b>- Restricted Purchase Requirements -</b> • Trunked system operator (SYSOP) must provide 3-digit HEX HSID to Kenwood with P25 Trunking System Keys Request Form placed on Kenwood Tools. • Must have KPG-D1NK. • Kenwood ships an encrypted *.SKF file via E-Mail to the address provided on the P25 Trunking System Keys Request Form placed on Kenwood Tools. • <u>Non-SYSOP entities ordering L-5005 must provide verifiable written authorization from SYSOP to receive an</u>	99.00	132.00
L-5024	Assemble Yellow Housing KWD-YH-5000 with NX-5000 series Portable	20.25	27.00
L-5025	Assemble Orange Housing KWD-OH-5000 with NX-5000 series Portable	20.25	27.00
L-5039	Configure NX-5200/5300/5400 for CSA US Intrinsically Safe <b>Must order KNB-LS5M I.S. battery.</b>	52.50	70.00

**-- IMPORTANT NOTES regarding ENCRYPTION MODULES--**

**Encryption modules, key loaders and radios containing encryption are export controlled** by the U.S. Department of Commerce Bureau of Industry & Security EAR regulations and may either require an Export License, are eligible for a License Exception (ENC) or are exportable with No License Required (NLR) depending on the country, the consignee and the intended use. High level encryption is a special commodity that may require an export license to most countries. See [www.bis.gov](http://www.bis.gov) for more information regarding export regulations. DO NOT SHIP encryption items outside the U.S. without proper DOC/BIS Export Licenses and/or compliances.

**Kenwood may request the following information to be submitted at time of order (this information must meet Kenwood internal approvals prior to shipment even if being returned to Kenwood later:**

**a) Initial Destination:** Initial delivery point if different from Ultimate Destination  
(customer distribution center, headquarters, dealership, manufacturer's representative)

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

\* Contact Phone:

**b) Ultimate Destination:** Final delivery point(s); deployment/distribution

\* Business/Agency Name:

\* Address:

**KWD-AE30 AES FIPS140-2 SCM , NIST Validation & Customer Shipping**

A secure delivery method direct to the end user customer is required by the NIST AES FIPS 140-2 validation rules. For U.S. Federal Government entities the SCM must ship from Kenwood USA Corporation directly to the end user customer by a trusted carrier (FEDEX, UPS or a designated Kenwood USA Corporation employee); shipping/handling by a dealer or other entity is not acceptable. This may or may not be required by local/state government agencies or business/industrial users. Please check with the end use customer about their AES encryption handling requirements before ordering. Kenwood will not be responsible for shipments of KWD-AE30K modules to erroneous destinations specified on an order.

**MSWIN Compatible P25 Phase 2 TDMA**

NEXEDGE®



## NX-5400

[Table of Contents](#)

700/800MHz Digital & FM Analog Portable Radio

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5700/5800/5900

Table of Contents

VHF/UHF/700/800MHz Digital &amp; FM Analog Mobile Radios

**NX-5000(K-version\*) Mobiles include:**

- Standard Microphone (KMC-35)
- Mounting Bracket (KMB-33M)
- DC Cable (KCT-23M)
- Blade Fuse
- User Guide
- Premium Warranty: 3 Years

All Accessories / options: 1 Year

\*BK-version comes with a RF deck only

**STANDARD****■ GENERAL FEATURES**

- 50 W (136-174 MHz) Models
- 45 W (380-470, 450-520 MHz) Models
- 35 W (700/800 MHz) Models
- 1024 CH-GID / 128 Zones
- Full Color 2.55" (154 x 422 pixels) TFT Display
- Multi-line Text Display
- Function/Status Icons
- Multi-Language Display
- Date & 12/24 Hour Time Clock
- Transmit/Busy/Call Alert/Warn LED
- Emergency/AUX Key
- 4W Speaker Audio
- DB-25 Accessory Connector
- Multi Digital Protocol <sup>1</sup>
- Emergency Call Features
- Built-in GPS Receiver
- Built-in Bluetooth® Module
- Built-in 56-bit DES Encryption (4 keys programmable by KPG-D1(N)K)
- Mobile Relay Station<sup>2</sup> (DMR Mode<sup>3</sup>)
- Cross Band Repeater (Only)
- Active Noise Reduction (ANR)
- KPG-D1N Windows® FPU
- Flash Firmware Upgrading
- MIL-STD-810 C/D/E/F/G
- IP54/55

1. Multi Digital Protocol can be used for two(2) of the three(3) Digital Protocols set by programming software. P25/DMR Digital Protocols are options.

2. Requires **L-5023** DB25 Cable between Decks.

**■ DIGITAL – NXDN® MODE**

- NXDN® Conventional
- NXDN® TYPE-C (Gen1/Gen2) Trunking (except 700MHz)
- AMBE+2™ VOCODER
- 6.25 & 12.5 kHz Channels
- Over-the-Air Alias
- Over-the-Air Programming (requires KPG-180AP OTAP Manager Software)
- Paging Call
- Emergency Call
- All Group Call
- Status Messaging
- Remote Stun/Kill/Check
- Short & Long Data Messages
- GPS Location
- NXDN® Scrambler

**■ DIGITAL – DMR MODE**

- DMR Tier II Conventional
- AMBE+2™ VOCODER
- 12.5 kHz Channels
- Call Interrupt (Direct & Repeater Mode)
- Paging Call
- Emergency Call
- All Group Call
- Late Entry
- Status Messaging
- Remote Control by Subscriber Units
- ARC4 Encryption <sup>3</sup>
- Site Roaming <sup>3</sup>

**■ ANALOG MODE**

- Conventional Zones
- LTR® Zones
- FleetSync®/I: PTT ID ANI, Caller ID Display, Selective/Group Call, Emergency Status, Text Messages
- MDC-1200: PTT ID ANI, Caller ID Display, Emergency, Radio Check & Inhibit
- QT / DQT
- Two-Tone (Conventional Zones Only)
- DTMF
- Built-in Voice Inversion Scrambler

3. Future release

**OPTIONAL****■ GENERAL FEATURES**

- 4000 Channel (**KWD-5000CH** License Key Activation required)
- Front Panel Programming (**KWD-5001FP** License Key Activation required)
- microSD/microSDHC Memory Card Slot (**KWD-5002SD** License Key Activation required)
- Built-in Bluetooth® Module for Data (**KWD-5003BT** License Key Activation required)
- Remote Control by Subscriber Unites \*DMR Only (**KWD-5007RC** License Key Activation required)
- 256-bit AES Encryption (**KWD-AE30K/31K** Encryption Module required)

**■ DIGITAL – P25 MODE**

- Conventional Features (**KWD-5100CV** License Key Activation required)
- Phase 1 Trunking Features (**KWD-5100CV** & **5101TR** License Keys Activation required)
- Phase 2 Trunking Features (**KWD-5100CV** & **5101TR** & **5102TR** License Keys Activation required)
- Conventional OTAR (**KWD-5103RK** License Key Activation required)
- Trunking OTAR (**KWD-5103RK** & **5106DT** License Keys Activation required)
- Conventional Voting Scan (**KWD-5105VT** License Key Activation required)
- Packet Data required for Trunked OTAR/GPS (**KWD-5106DT** License Keys Activation required)

**■ DIGITAL – DMR MODE**

- DMR Tier 2 Conventional Features (**KWD-5300CV** License Key Activation required))

**■ MOUNTING & REMOTE CONFIGURATIONS**

(Order L-5029–L-5038 for KENWOOD Factory assembling)

- **KCH-20R** Featured Control Head
- **KCH-21R** Handheld Control Head
- Single Remote Control Head (**KRK Kit** & **KCT-71** or **KCT-77** Cable required)
- Dual Remote Control Heads (**KCH-19/20R/21R** & **KRK Kit** & **KCT-71** or **KCT-77** Cables required)
- Multiple RF Decks (**KRK Kit** & **KCT-71** or **KCT-77** Control Cable + **KWD-5004MR** License Key Activation required\*)

\* ONLY for the radios with S/N: B5900000 or earlier.



## MSWIN Compatible P25 Phase 2 TDMA



## NX-5700/5800/5900


Table of Contents

VHF/UHF/700/800MHz Digital &amp; FM Analog Mobile Radios

RADIO (includes: KCH-19M, KMC-35, KMB-33M, and KCT-23M)			EPL	LIST
NX-5700K	VHF (136-174MHz), 50 Watts	NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	735.00	980.00
NX-5800K	UHF (450-520MHz), 45 Watts	NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	735.00	980.00
NX-5800K2	UHF (380-470MHz), 45 Watts	NXDN Conventional / TYPE-C (Gen1/Gen2) Trunking	735.00	980.00
NX-5900K	700 / 800 MHz, 30/35 Watts	NXDN Conventional / 800MHz TYPE-C (Gen1/Gen2) Trunking	937.50	1,250.00

RF Deck Only			EPL	LIST
<i>MUST purchase necessary accessories separately</i>				
NX-5700BK	NX-5700K (50W, 136-174 MHz) RF Deck Only	(KCH-19 Control Head, KMC-35 Microphone, KMB-33 Bracket, KCT-23 DC Cable not included)	540.00	720.00
NX-5800BK	NX-5800K (45W, 450-520 MHz) RF Deck Only	(KCH-19 Control Head, KMC-35 Microphone, KMB-33 Bracket, KCT-23 DC Cable not included)	540.00	720.00
NX-5800BK2	NX-5800K2 (45W, 380-470 MHz) RF Deck Only	(KCH-19 Control Head, KMC-35 Microphone, KMB-33 Bracket, KCT-23 DC Cable not included)	540.00	720.00
NX-5900BK	NX-5900K (35W, 700/800 MHz) RF Deck Only	(KCH-19 Control Head, KMC-35 Microphone, KMB-33 Bracket, KCT-23 DC Cable not included)	742.50	990.00

## ACCESSORY CONFIGURATION KITS



\* Multiple Speakers configurations allow simultaneous monitoring of multiple RF Decks.

Single Deck Single Head Remote Mount			EPL	LIST
5BM	KCH-19M, KRK-14HM, KRK-15BM, KCT-71M2, KCT-23M3, KMB-33M, KMC-35		420.19	560.25
5FM	KCH-20RM, KRK-15BM, KCT-71M2, KCT-23M3, KMB-33M, KMC-35, KES-5, KCT-72M		689.40	919.20
5HM	KCH-21RM, KRK-15BM, KCT-77M2, KCT-23M3, KMB-33M		957.75	1,277.00

L-5029	Package Single Deck Single Head Remote for Basic/Featured Panel (MUST purchase NX-5x00(B) RF Deck and the Kit with this labor for full installation).	56.25	75.00
--------	--	-------	-------

Single Deck Dual Head Remote Mount			EPL	LIST
5BBM	KCH-19M(x2), KRK-14HM(x2), KRK-15BM, KCT-71M2(x2), KCT-23M3, KMB-33M, KMC-35(x2)		766.31	1,021.75
5FFM	KCH-20RM(x2), KRK-15BM, KCT-71M2(x2), KCT-23M3, KMB-33M, KMC-35(x2), KES-5(x2), KCT-72M(x2)		1,304.74	1,739.65

L-5030	Package Single Deck Dual Head Remote for Basic/Featured Panel (MUST purchase NX-5x00(B) RF Deck and the Kit with this labor for full installation).	105.00	140.00
--------	--	--------	--------



## MSWIN Compatible P25 Phase 2 TDMA



## NX-5700/5800/5900

Table of Contents

VHF/UHF/700/800MHz Digital &amp; FM Analog Mobile Radios

<b>Dual Deck Single Head Single Speaker Remote Mount</b>		<b>EPL</b>	<b>LIST</b>
5BMM	KCH-19M, KRK-14HM, KRK-15BM(x2), KCT-71M2, KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KMC-35	528.00	704.00
5FMM	KCH-20RM, KRK-15BM(x2), KCT-71M2, KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KMC-35, KES-5, KCT-72M	797.21	1,062.95
5HMM	KCH-21RM, KRK-15BM(x2), KCT-77M2, KCT-71M4, KCT-23M3(x2), KMB-33M(x2)	1,065.53	1,420.70
L-5031	Package Dual Deck Single Head Remote for Basic/Feature Panel (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation).	63.75	85.00
<b>Note: MUST submit the Remote Mount Configuration Request Form.</b>			
<b>Dual Deck Single Head Dual Speaker Remote Mount</b>		<b>EPL</b>	<b>LIST</b>
5BMM-MR	KCH-19M, KRK-14HM, KRK-15BM(x2), KCT-71M2, KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KMC-35, KES-5(x2), KAP-2(x2)	714.38	952.50
5FMM-MR	KCH-20RM, KRK-15BM(x2), KCT-71M2, KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KMC-35, KES-5(x2), KAP-2(x2)	910.13	1,213.50
5HMM-MR	KCH-21RM, KRK-15BM(x2), KCT-77M2, KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KES-5(x2), KAP-2(x2)	1,251.98	1,669.30
L-5032	Package Dual Deck Single Head Dual Speaker Remote for Basic/Featured Panel (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation)	112.50	150.00
<b>Note: MUST submit the Remote Mount Configuration Request Form.</b>			
<b>Dual Deck Dual Head Single Speaker Remote Mount</b>		<b>EPL</b>	<b>LIST</b>
5BBMM	KCH-19M(x2), KRK-14HM(x2), KRK-15BM(x2), KCT-71M2(x2), KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KMC-35(x2)	874.13	1,165.50
5FFMM	KCH-20RM(x2), KRK-15BM(x2), KCT-71M2(x2), KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KMC-35(x2), KES-5(x2), KCT-72M(x2)	1,412.55	1,883.40
L-5033	Package Dual Deck Dual Head Single Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation)	112.50	150.00
<b>Note: MUST submit the Remote Mount Configuration Request Form.</b>			
<b>Dual Deck Dual Head Dual Speaker Remote Mount</b>		<b>EPL</b>	<b>LIST</b>
5BBMM-MR	KCH-19M(x2), KRK-14HM(x2), KRK-15BM(x2), KCT-71M2(x2), KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KMC-35(x2), KES-5(x2), KAP-2(x2)	1,060.50	1,414.00
5FFMM-MR	KCH-20RM(x2), KRK-15BM(x2), KCT-71M2(x2), KCT-71M4, KCT-23M3(x2), KMB-33M(x2), KMC-35(x2), KES-5(x2), KAP-2(x2)	1,452.00	1,936.00
L-5034	Package Dual Deck Dual Head Dual Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation)	116.25	155.00
<b>Note: MUST submit the Remote Mount Configuration Request Form.</b>			
<b>Triple Deck Single Head Single Speaker Remote Mount</b>		<b>EPL</b>	<b>LIST</b>
5BMMM	KCH-19M, KRK-14HM, KRK-15BM(x3), KCT-71M2, KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KMC-35	635.82	847.75
5FMMM	KCH-20RM, KRK-15BM(x3), KCT-71M2, KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KMC-35, KES-5, KCT-72M	905.03	1,206.70
5HMMM	KCH-21RM, KRK-15BM(x3), KCT-77M2, KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3)	1,173.23	1,564.30
L-5035	Package Triple Deck Single Head Single Speaker Remote for Basic/Featured Panel (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation)	105.00	140.00
<b>Note: MUST submit the Remote Mount Configuration Request Form.</b>			
<b>Triple Deck Single Head Triple Speaker Remote Mount</b>		<b>EPL</b>	<b>LIST</b>
5BMMM-MR	KCH-19M, KRK-14HM, KRK-15BM(x3), KCT-71M2, KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KMC-35, KES-5(x3), KAP-2(x3)	915.38	1,220.50
5FMMM-MR	KCH-20RM, KRK-15BM(x3), KCT-71M2, KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KMC-35, KES-5(x3), KAP-2(x3)	1,111.13	1,481.50
5HMMM-MR	KCH-21RM, KRK-15BM(x3), KCT-77M2, KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KES-5(x3), KAP-2(x3)	1,452.98	1,937.30
L-5036	Package Triple Deck Single Head Triple Speaker Remote for Basic/Featured Panel (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation)	112.50	150.00
<b>Note: MUST submit the Remote Mount Configuration Request Form.</b>			

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5700/5800/5900

Table of Contents

VHF/UHF/700/800MHz Digital &amp; FM Analog Mobile Radios

Triple Deck Dual Head Single Speaker Remote Mount		EPL	LIST
5BBMMM	KCH-19M(x2), KRK-14HM(x2), KRK-15BM(x3), KCT-71M2(x2), KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KMC-35(x2)	981.94	1,309.25
5FFMMM	KCH-20RM(x2), KRK-15BM(x3), KCT-71M2(x2), KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KMC-35(x2), KES-5(x2), KCT-72M(x2)	1,520.36	2,027.15
L-5037	Package Triple Deck Dual Head Single Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <b>Note: MUST submit the Remote Mount Configuration Request Form.</b>	120.00	160.00
Triple Deck Dual Head Triple Speaker Remote Mount (MUST be KENWOOD Assembled)		EPL	LIST
5BBMMM-MR	KCH-19M(x2), KRK-14HM(x2), KRK-15BM(x3), KCT-71M2(x2), KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KMC-35(x2), KES-5(x3), KAP-2(x3)	1,261.50	1,682.00
5FFMMM-MR	KCH-20RM(x2), KRK-15BM(x3), KCT-71M2(x2), KCT-71M4(x2), KCT-23M3(x3), KMB-33M(x3), KMC-35(x2), KES-5(x3), KAP-2(x3)	1,653.00	2,204.00
L-5038	Package Triple Deck Dual Head Triple Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <b>Note: MUST submit the Remote Mount Configuration Request Form.</b>	135.00	180.00
FRONT PANELS & REMOTE KITS		EPL	LIST
KCH-19M	Basic Control Panel <del>For featured Remote Control Panel</del>	135.00	180.00
KCH-20RM	<b>Note:</b> - microSD License (KWD-5002SD) and Bluetooth SPP License (KWD-5003BT) are <b>NOT</b> required for both KCH-20RM and connected RF Decks. KCH-20RM has built-in Bluetooth SPP license that will also activate the connected RF Decks. Hand Held Control Head for Long Cable <b>*Requires KCT-77M2 (17 ft.)</b>	450.00	600.00
KCH-21RM	<b>Note:</b> - Bluetooth SPP License (KWD-5003BT) is NOT required for both KCH-21RM and connected RF Decks. KCH-21RM has built-in Bluetooth SPP license that will also activate the connected RF Decks. Hand Held Control Head with Short Cable (4 ft.)	746.25	995.00
KCH-21RM-S	<b>Note:</b> - Bluetooth SPP License (KWD-5003BT) is NOT required for both KCH-21RM and connected RF Decks. KCH-21RM has built-in Bluetooth SPP license that will also activate the connected RF Decks.	746.25	995.00
KRK-14HM	Control Head Interface Kit for KCH-19M	119.25	159.00
KRK-15BM	Control Head Remote Kit for a RF Deck	37.50	50.00
CABLES		EPL	LIST
KCT-71M2	Remote Control Cable (17 feet)	52.50	70.00
KCT-71M3	Remote Control Cable (25 feet)	60.00	80.00
KCT-71M4	Remote Control Cable (1.6 feet)	33.75	45.00
KCT-77M2	Remote Control Cable for KCH-21RM (17 feet)	137.48	183.30
KCT-23M	DC Cable (35-50W Dash mount; pos/neg. 10 ft. leads)	23.63	31.50
KCT-23M3	DC Cable (35-50W Remote mount; pos.23 ft.; neg. 3.3. ft. leads)	26.06	34.75
MOBILE INSTALLATION ACCESSORIES		EPL	LIST
KAP-2	Horn Alert/P.A. Relay Option	47.25	63.00
KCT-46	Ignition sense cable (plugs directly into mobile chassis ignition sense line)	10.28	13.70
KCT-72M	External Accessory Connection Cable for KCH-19M / KCH-20RM	27.53	36.70
KLF-2	Line Filter (suppresses alternator whine, 25dB, 25A max).	31.50	42.00
KMB-10	Key lock adapter	19.73	26.30
KMB-33M	Standard Mounting Bracket	10.50	14.00
KPS-15	DC Switching Power Supply (117/230 VAC; 23A max. continuous, 25A peak)	129.75	173.00
KRA-40GM	GPS Antenna	31.50	42.00
CONTROL STATION INSTALLATION ACCESSORIES		EPL	LIST
KMC-9C	Control Station Desktop Microphone (8-pin mod. plug) <b>Note: NOT compatible with TDMA operations</b>	64.50	86.00
KMB-34	Control Station Mounting Case for KPS-15 Power Supply and Portables (excludes TK-5x10/6110 series). (mobile mounting hardware included)	36.00	48.00

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5700/5800/5900

Table of Contents

VHF/UHF/700/800MHz Digital &amp; FM Analog Mobile Radios

KPS-15	DC Switching Power Supply (117/230 VAC; 23A max. continuous, 25A peak)	129.75	173.00
--------	--	--------	--------


## MICROPHONES AND SPEAKERS

		EPL	LIST
KMC-35	MIL-SPEC Standard electret mobile microphone (8-pin mod. plug)	39.38	52.50
KMC-36	MIL-SPEC Standard electret mobile microphone with 12 keypad (8-pin mod. plug)	70.88	94.50
KES-3S	External speaker (compact low profile; black case; 3.5 mm phono plug-in)	33.19	44.25
KES-5	External speaker, 40W max input	45.94	61.25
	<b>Note:</b> requires KAP-2 (PA/HA unit) or KCT-72M (connection cable) installed.		
KCT-73MIC	External Microphone kit w/ 9.8 ft. cord for Safer Driving	20.25	27.00
KCT-74PTT	External PTT Switch kit w/ 9.8 ft cord for Safer Driving	17.25	23.00

## Hands-free operation

To promote driver safety and meet hands-free regulations in certain regions, NX-5000 series mobile offers external microphone and PTT as options.

**NOTE:** Connecting to the radio via DB25 terminal on backside of RF Deck or via optional KCT-72 "Connection Cable" on backside of KCH-19M and KCH-20R\*. KCT-73MIC is not compatible with other NX/TK-mobile radios.



## MSWIN Compatible P25 Phase 2 TDMA



## NX-5700/5800/5900

Table of Contents

VHF/UHF/700/800MHz Digital &amp; FM Analog Mobile Radios

## FIELD PROGRAMMING UNIT (FPU)

		EPL	LIST
--	--	-----	------

KPG-D1NK	License Key for KPG-D1NK	116.25	155.00
----------	--------------------------	--------	--------

Programming Software for NX-5000 Portable/Mobile (Windows® Vista/7/8/8.1)

**Note:** Requires KPT-300LMC for authentication

## P25 Trunked Programming Capability (licensed by either 1 or 2 below):

## 1. USB Key Type: Advanced System Key (ASK)- See KWD-ASK-MK and AK

- For NX-5000 series radios.
- KWD-ASK-MK (Master Key): For trunked system operator (SYSOP). Required for activating KWD-ASK-AK Access keys. Securely embeds/encrypts the HSID.
- KWD-ASK-AK (Access Key): For Dealers/contractors. Activated by KWD-ASK-MK Master Key.
- KPG-D1NK supports up to 16 KWD-ASK-AK Access Keys (16 trunked networks).

## 2. Software Key Type: System Key File (SKF)- See L-5005

- For NX-5000 series radios.
- 3-digit HEX System ID (HSID) with verifiable written authorization required from SYSOP.
- Utilized by both SYSOPs and Dealers/Contractors. But Dealers/Contractors must be permitted from SYSOP to order and use SKF.
- Kenwood ships an encrypted \*.SKF file via E-Mail to the address provided on the P25 Trunking System Keys Request Form placed on Kenwood Tools.
- The \*.SKF securely embeds/encrypts the HSID.

## OVER THE AIR PROGRAMMING (OTAP)

		EPL	LIST
--	--	-----	------

KPG-180AP	OTAP Manager Software (Windows® Vista/7/8/8.1/10)	663.00	884.00
-----------	---	--------	--------

• License includes Fifty (50) radios / One(1) **NXDN** Conventional and Type-C **Air** Communication Profile and One(1) **NXDN** Conventional and Type-C **IP** Communication Profile

**Note:**

- Requires KPT-300LMC for authentication

Radio to Radio OTAP for P25 Conventional system requires KWD-AP2-P25 license

## SOFTWARE UPGRADE LICENSES FOR KPG-180AP

**Note:** Includes package license for additional subscriber unit or license for additional profile attached to one computer running KPG-180AP software. All additional licenses require KPT-300LMC for authentication.

KWD-AP5100	Additional 100 Radio Package License for 1 PC	1,250.25	1,667.00
------------	---	----------	----------

Note: License includes 100 subscriber radios OTAP License.

KWD-AP5250	Additional 250 Radio Package License for 1 PC	2,187.75	2,917.00
------------	---	----------	----------

Note: License includes 250 subscriber radios OTAP License.

KWD-AP5500	Additional 500 Radio Package License for 1 PC	3,125.25	4,167.00
------------	---	----------	----------

Note: License includes 500 subscriber radios OTAP License.

KWD-AP1-CA	Additional NXDN Conventional Type-C Air Communication Profile for 1 PC.	187.50	250.00
------------	---	--------	--------

Note: Price is per license on quantities of less than 16 licenses. Used as NEXEDGE Base Station Serial Interface for both Conventional and Trunking (Type-C Gen1/Gen2).

KWD-AP2-CP	Additional NXDN Conventional Type-C IP Communication Profile for 1 PC.	312.75	417.00
------------	--	--------	--------

Note: Price is per license on quantities of less than 16 licenses. Used NEXEDGE Repeater IP Interface for both Conventional and Trunking (Type-C Gen1/Gen2).

KWD-AP3-P25	P25 Radio to Radio Air Communication Profile for 1 PC.	600.00	800.00
-------------	--	--------	--------

Note: Price is per license on quantities of less than 16 licenses. Used as P25 Base Station Serial Interface for only Radio to Radio Communication.

## -- IMPORTANT NOTES--

Base radios are connected to a computer using the KPG-36XM USB adapter for portables, or a KPG-46XM for mobiles.

Requires firmware version 1.4 or higher for the NX-5000 Series portables and mobiles

Requires firmware version 2.5 or higher for the NXR-x00/NXR-x10 repeaters.

## Offline Authentication Option

EPL

LIST

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5700/5800/5900

Table of Contents

## VHF/UHF/700/800MHz Digital &amp; FM Analog Mobile Radios

KWD-OFL-USB	USB License Storage Hardware key for Radio Feature License	150.00	200.00
<b>Note:</b> - Must purchase Radio Feature Licenses separately. - Can be used with only one (1) Account Registration Key. - Requires KPT-300LMC V1.10 or higher. - Cancellation rule is difference with standard Online/Offline Authentication. Please refer to a leaflet bundled with KWD-OFL-USB. <b>Warranty Information:</b> - Damaged USB License Storage "KWD-OFL-USB"			

General Radio Features		EPL	LIST
KWD-5000CH	License Key for 4000 Channel Expansion	315.00	420.00
KWD-5001FP	License Key for Front Panel Programming	225.00	300.00
KWD-5002SD	License Key for microSD Memory Card Slot Activation	78.75	105.00
KWD-5003BT	License Key for Bluetooth Serial Port Profile (Required for Data Communication)	26.25	35.00
<b>Note:</b> Voice Communication for Bluetooth Head Set does NOT require KWD-5003BT. You can pair with any Bluetooth audio device without this option.			
KWD-5004MR	License Key for Multiple RF Decks Receiver	N/C	N/C
<b>Note:</b> Required ONLY for the radios with S/N: B5900000 or earlier.			
KWD-5007RC	License Key for Remote Control by Subscriber Units	30.00	40.00
<b>Note:</b> - DMR Mode only. NXDN Mode will be version up. P25 Mode is <b>NOT</b> available. - This license may be used by Administrator due to Stun/Revive/Kill. - The license is required for only Transmitting of Remote Control. - PC command for Remote Control does <b>NOT</b> require the license.			

P25 Radio Features		EPL	LIST
KWD-5100CV	License Key for P25 Conventional	431.25	575.00
KWD-5101TR	License Key for P25 Phase 1 Trunking (requires KWD-5100CV)	390.00	520.00
KWD-5102TR	License Key for P25 Phase 2 Trunking (requires KWD-5100CV & KWD-5101TR)	300.00	400.00
KWD-5103RK	License Key for P25 OTAR (requires KWD-5106DT for a Trunking Operation)	525.00	700.00
KWD-5105VT	License Key for P25 Conventional Voting Scan	90.00	120.00
KWD-5106DT	License Key for P25 Trunking OTAR/GPS Data	135.00	180.00
<b>Note:</b> Conventional (OTAR/GPS) does NOT require KWD-5106DT.			

DMR Radio Features		EPL	LIST
KWD-5300CV	License Key for DMR Tier II Conventional	45.00	60.00

ENCRYPTION MODULES		EPL	LIST
KWD-AE30K	AES FIPS140-2 & DES Encryption Module (Multi-Key) Order a Labor Code <b>L-5007</b> if installation is required. KWD-AE30K requires: a Motorola KVL3000 Plus/4000 key loader device. KWD-AE30K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)	637.50	850.00
KWD-AE31K	AES & DES Encryption Module (Multi-Key) Order a Labor Code <b>L-5008</b> if installation is required. <b>Note:</b> Requires KPG-AE1/DE1 software key loader or Motorola KVL3000 Plus/4000 key loader device. KWD-AE31K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)	412.50	550.00
KPG-AE1K	AES/DES Encryption Software Key Loader for KWD-AE31K <b>Authentication by KPT-300LMC is required</b> <b>Note:</b> KPG-AE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A)	393.75	525.00
KPG-DE1K	DES Encryption Software Key Loader for KWD-AE31K <b>Authentication by KPT-300LMC is required</b> <b>Note:</b> KPG-DE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1)	276.00	368.00

FleetSync® & NEXEDGE® AVL & MESSAGING		EPL	LIST
---------------------------------------	--	-----	------

## MSWIN Compatible P25 Phase 2 TDMA



## NX-5700/5800/5900

Table of Contents

## VHF/UHF/700/800MHz Digital &amp; FM Analog Mobile Radios

KAS-10	FleetSync & NEXEDGE AVL & Messaging Software with NEXEDGE Trunking VoIP Dispatch	325.50	434.00
--------	--	--------	--------

**Note:**

- Users can chose to operate Messaging, AVL or VoIP or all three if desired. Compatible with Windows® XP, VISTA & 7 and Microsoft® MapPoint® 2006/2009/2010 (certain format bitmap images can be imported). Refer to KAS-10 product one sheets and manuals for details.

SERVICE RELATED ACCESSORIES		EPL	LIST
KPG-46XM	Full Speed USB Programming interface cable	118.88	158.50
	<b>Note:</b> This cable with USB mode may be used for SD Card Direct Access.		
KPG-115	Encryption Key Loader Interface Cable for Motorola KVL-3000/3000 Plus/4000	196.88	262.50
KPG-115AUT	KVL-4000 Radio Authentication Cable	247.50	330.00
	<b>Note:</b> Only capable for P25 Radio Authentication. Not available for Encryption Key Loading.		

SERVICE RELATED ACCESSORIES, CON'T		EPL	LIST
KWD-ASK-AK	Access Key for KPG-D1NK P25 trunked programming	156.00	208.00
	<b>Notes:</b> Enables P25 Trunked system programming privileges in a KPG-D1NK.		
	• For NX-5000 series only		
	• Must be activated by trunked system operator (SYSOP) with KWD-ASK-MK Master Key		
	• Must have KPG-D1NK		
	• Configurable expiration period of KWD-ASK-AK set by KWD-ASK-MK is available for 3 years for built in battery.		
KWD-ASK-MK	Master Key for activating KWD-ASK-AK Access Keys	375.00	500.00
	<b>- Restricted Purchase Requirements -</b>		
	<b>Notes:</b>		
	• For NX-5000 series only.		
	• Sold to trunked system operator (SYSOP) or SYSOP authorized entities only		
	• Must have KPG-D1NK		
	• SYSOP must provide 3-digit HEX HSID to Kenwood with P25 Trunking System Keys Request Form placed on		

INSTALLATION / TUNING CHARGES		EPL	LIST
L-5000	Account Registration Key	N/C	N/C
	<b>Note:</b> specify the number of PC's used for Radio Feature License Activation.		
L-5001	Factory Activation of Radio Feature Licenses (per Radio)	90.00	120.00
	<b>Note:</b> Must purchase Radio Feature Licenses separately.		
	KPT-3001 MC's History Menu will not display the Radio Features activated by Factory.		
L-5006	NX-5700/5800 Programming (with basic TX/RX check)	28.13	37.50
L-5007	Install KWD-AE30K in NX-5000 series Mobile	56.25	75.00
	(Must purchase module separately)		
L-5008	Install KWD-AE31K in NX-5000 series Mobile	56.25	75.00
	(Must purchase module separately)		
L-5005	KPG-D1NK System Key File (SKF)	99.00	132.00
	<b>Note:</b> Enables P25 Trunked system programming privileges in a KPG-D1NK.		
	<b>- Restricted Purchase Requirements -</b>		
	• Trunked system operator (SYSOP) must provide 3-digit HEX HSID to Kenwood with P25 Trunking System Keys Request Form placed on Kenwood Tools.		
	• Must have KPG-D1NK.		
	• Kenwood ships an encrypted *.SKF file via E-Mail to the address provided on the P25 Trunking System Keys Request Form placed on Kenwood Tools.		
	• Non-SYSOP entities ordering L-5005 must provide verifiable written authorization from SYSOP to receive an *.SKF file.		
L-5015	Install KAP-2 (Default) HR1/Internal Sp./PA.	18.75	25.00
	<b>Note:</b> This labor code is only for individual orders for mobile configuration. The labor code (L-5032, 5034, 5036 and 5038) for Multi-RE Deck Configuration Package includes installation of KAP-2.		
L-5016	Assemble NX-5000 Mobile for Single Remote Head Control	31.50	42.00



## MSWIN Compatible P25 Phase 2 TDMA

NEXEDGE®

P25

DMR

NX-5700/5800/5900

VHF/UHF/700/800MHz Digital & FM Analog Mobile Radios

Table of Contents

L-5020	KCT-71 Extended Control Head Cable (up to 50 ft. max.) <b>Note:</b> Please specify exact length at 1ft. increments when ordering. <b>Caution:</b> Extended control head cables exhibit a loss in speaker audio power to the control heads.	142.50	190.00
L-5021	KCT-71 Extended Control Head Cable (up to 100 ft. max.) <b>Note:</b> Please specify exact length at 1ft. increments when ordering. <b>Caution:</b> Extended control head cables exhibit a loss in speaker audio power to the control heads.	183.75	245.00
L-5022	USB Mobile Cable for SD Card Direct Access Support <b>Note:</b> microSD function requires KWD-5002SD license.	71.25	95.00
L-5023	DB25 Cable for Mobile Relay Station (Conventional Only) <b>Note:</b> - Mobile Relay Station requires Multi RF Deck Configuration. The cable requires between Decks. - Built-in GPS and Bluetooth are not available with Mobile Relay Station. <del>DMR is not available and version is later.</del>	26.25	35.00
L-5029	Package Single Deck Single Head Remote (MUST purchase NX-5x00(B) RF Deck and the Kit with this labor for full installation)	56.25	75.00
L-5030	Package Single Deck Dual Head Remote (MUST purchase NX-5x00(B) RF Deck and the Kit with this labor for full installation)	105.00	140.00
L-5031	Package Dual Deck Single Head Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <del>Note: MUST submit the Remote Mount Configuration Request Form.</del>	63.75	85.00
L-5032	Package Dual Deck Single Head Dual Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <del>Note: MUST submit the Remote Mount Configuration Request Form.</del>	112.50	150.00
L-5033	Package Dual Deck Dual Head Single Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <del>Note: MUST submit the Remote Mount Configuration Request Form.</del>	112.50	150.00
<b>INSTALLATION / TUNING CHARGES, CON'T</b>		<b>EPL</b>	<b>LIST</b>
L-5034	Package Dual Deck Dual Head Dual Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <del>Note: MUST submit the Remote Mount Configuration Request Form.</del>	116.25	155.00
L-5035	Package Triple Deck Single Head Single Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <del>Note: MUST submit the Remote Mount Configuration Request Form.</del>	105.00	140.00
L-5036	Package Triple Deck Single Head Triple Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <del>Note: MUST submit the Remote Mount Configuration Request Form.</del>	112.50	150.00
L-5037	Package Triple Deck Dual Head Single Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <del>Note: MUST submit the Remote Mount Configuration Request Form.</del>	120.00	160.00
L-5038	Package Triple Deck Dual Head Triple Speaker Remote (MUST purchase NX-5x00(B) RF Decks and the Kit with this labor for full installation) <del>Note: MUST submit the Remote Mount Configuration Request Form.</del>	135.00	180.00

**-- IMPORTANT NOTES regarding ENCRYPTION MODULES--**

Encryption modules, key loaders and radios containing encryption are export controlled by the U.S. Department of Commerce Bureau of Industry & Security EAR regulations and may either require an Export License, are eligible for a License Exception (ENC) or are exportable with No License Required (NLR) depending on the country, the consignee and the intended use. High level encryption is a special commodity that may require an export license to most countries. See [www.bis.gov](http://www.bis.gov) for more information regarding export regulations. DO NOT SHIP encryption items outside the U.S. without proper DOC/BIS Export Licenses and/or compliances.

**KWD-AE30 AES FIPS140-2 SCM , NIST Validation & Customer Shipping**

A secure delivery method direct to the end user customer is required by the NIST AES FIPS 140-2 validation rules. For U.S. Federal Government entities the SCM must ship from Kenwood USA Corporation directly to the end user customer by a trusted carrier (FEDEX, UPS or a designated Kenwood USA Corporation employee); shipping/handling by a dealer or other entity is not acceptable. This may or may not be required by local/state government agencies or business/industrial users. Please check with the end use customer about their AES encryption handling requirements before ordering. Kenwood will not be responsible for shipments of KWD-AE30K modules to erroneous destinations specified on an order.



# TK-5210G / 5310G

## VHF/UHF FM Analog & P25 Digital Portable Radios

Table of Contents

**All 5X10G series portables include:**

- Belt Clip (KBH-11)
- Universal Connector Cap
- Instruction Manual
- Premium Warranty: 3 Years\*

\* All Accessories / options: 1 Year

Order packages to include Battery  
& Charger,  
or purchase Battery, Charger, and Antenna  
separately.

**G models are Ver 3 Hardware  
(starting S/No. B03xxxxx )****Basic Model**

No LCD display; no front panel keys  
- TK-5210GK, TK-5310GK/GK4

**Standard Model**

16-Character Alphanumeric LCD  
4 control keys  
- TK-5210GK2, TK-5310GK2/K5

**12 Keypad Model**

16-Character Alphanumeric LCD  
4 control keys  
DTMF/Function keypad  
- TK-5210GK3, TK-5310GK3/K6

**STANDARD****■ GENERAL FEATURES**

- 5 Watt (136-174 MHz)
- 4 Watt (450-520, 380-470 MHz)
- 100 Zones / 1024 Channels (K-K6)
- Personality Lists
- Backlit Dot Matrix LCD
- 16 Character Alphanumeric Aliases
- 3-Digit Sub-Display
- Function / Status LCD Icons
- RSSI Indicator
- Transmit / Busy / Call Alert / Warn LED
- On/Off Volume Knob
- 16-Position Selector Knob
- 2-Position PF Lever Switch
- 3-Position PF Concentric Switch
- 4 Front Menu-Driven PF Keys
- 3 Side PF Keys
- Orange Emergency / AUX Key
- 12-Key DTMF / PF Keypad
- Enhanced Kenwood Audio
- Voice Annunciation
- VOX Ready
- Emergency Features
- Tactical Group
- Battery Level Indicator
- Transceiver Password
- Date & 12/24 Hour Time Clock
- Windows® Programming & Tuning
- Windows® Firmware Uploading
- Self-Programming & Tuning
- Cloning
- Easy Option Port
- Voice Guide & Storage (Option)
- Weather-Sealed Accessory Connector
- MIL-STD-810 C/D/E/F/G
- IP54/55 Water & Dust Protection
- Immersion (IP66/67/68) Option
- Intrinsically Safe Option\*

**■ DIGITAL – NXDN® MODE**

- P25 Digital Conventional
- P25 Digital Trunking Option
- AMBE+2™ Enhanced VOCODER
- Talk Group ID Lists
- Individual ID Lists
- Caller ID Display
- Remote Monitor/Remote Check
- Radio Inhibit
- Encryption Key Delete
- Encryption Key Zeroize Option
- Encryption Key Retention Option
- DES Encryption Options
- AES / DES Encryption Options
- KPG-93 KVL Key Loader Interface Cable
- P25 GPS Location
- P25 OTAR Option

**■ SCAN TYPES (FM & P25)**

- Single Zone/Multi-Zone Scan
- Scan Lists
- Conventional Scan
- Limited Talk Group Scan
- Priority Monitor Scan
- Dual Priority Scan

**■ FM**

- QT / DQT
- Operator Selectable Tone
- Two-Tone Encode / Decode
- DTMF Encode / Decode / Stun
- Special Alert Tone Patterns
- Encryption / ANI Board Control
- Companded Audio
- FleetSync® /II PTT ID / Caller ID Display / Emergency
- MDC-1200 PTT ID / Caller ID Display / Emergency

\* Approved for Classes I, II & III, Div. 1, Groups D, E, F, G and are also approved for non-Incendive use in Class I, Div. 2, Groups A, B, C, D hazardous locations.

**Note:** Class I, Div 2 Group A & B Gases require use of a portable carrying case.

RADIO		EPL	LIST
TK-5210GK2	136-174MHz 5W, 1024 CH, Standard Model	1,117.50	1,490.00
TK-5210GK3	136-174MHz 5W, 1024 CH, 12 Keypad Model	1,222.50	1,630.00
TK-5310GK2	450-520 MHz 4W, 1024 CH, Standard Model	1,117.50	1,490.00
TK-5310GK3	450-520 MHz 4W, 1024 CH, 12 Keypad Model	1,222.50	1,630.00
TK-5310GK5	380-470 MHz 4W, 1024 CH, Standard Model	1,117.50	1,490.00
TK-5310GK6	380-470 MHz 4W, 1024 CH, 12 Keypad Model	1,222.50	1,630.00

Table of Contents



# TK-5210G / 5310G

## VHF/UHF FM Analog & P25 Digital Portable Radios

**CSA US APPROVED MODELS****EPL****LIST***Must Order L-1802 & an Intrinsically Safe Battery per radio*

TK-5210-ISCGK2	136-174MHz 5W, 1024 CH, Standard Model	1,117.50	1,490.00
TK-5210-ISCGK3	136-174MHz 5W, 1024 CH, 12 Keypad Model	1,222.50	1,630.00
TK-5310-ISCGK2	450-520 MHz 4W, 1024 CH, Standard Model	1,117.50	1,490.00
TK-5310-ISCGK3	450-520 MHz 4W, 1024 CH, 12 Keypad Model	1,222.50	1,630.00
TK-5310-ISCGK5	380-470 MHz 4W, 1024 CH, Standard Model	1,117.50	1,490.00
TK-5310-ISCGK6	380-470 MHz 4W, 1024 CH, 12 Keypad Model	1,222.50	1,630.00

**[note 1]:** these models are stocked in minimum quantities. Please anticipate a minimum 90-day lead time and call order desk to verify availability.

**PACKAGES****EPL****LIST**

TK-5210GK2-NKP	VHF NiMH Battery Package (TK-5210GK2 + KNB-54N + KSC-32 + KBH-11)	1,236.00	1,648.00
TK-5210GK2-LKP	VHF Li-Ion Battery Package (TK-5210GK2 + KNB-43L + KSC-32 + KBH-11)	1,292.25	1,723.00
TK-5310GK2-NKP	UHF NiMH Battery Package (TK-5310GK2 + KNB-54N + KSC-32 + KBH-11)	1,236.00	1,648.00
TK-5310GK2-LKP	UHF Li-Ion Battery Package (TK-5310GK2 + KNB-43L + KSC-32 + KBH-11)	1,292.25	1,723.00

**ANTENNAS****EPL****LIST**

KRA-26M	VHF helical antenna 146-162 MHz	10.50	14.00
KRA-26M2	VHF helical antenna 162-174 MHz	10.50	14.00
KRA-26M3	VHF helical antenna 136-150 MHz	10.50	14.00
KRA-27M	UHF whip antenna 440-490 MHz	10.50	14.00
KRA-27M2	UHF whip antenna 470-520 MHz	10.50	14.00
KRA-27M3	UHF whip antenna 400-450 MHz	10.50	14.00
KRA-22M	VHF low-profile helical antenna 148-162 MHz	10.28	13.70
KRA-22M2	VHF low-profile helical antenna 162-174 MHz	10.28	13.70
KRA-22M3	VHF Low-profile helical antenna 136-150 MHz	10.28	13.70
KRA-23M	UHF low-profile helical antenna 450-490 MHz	10.28	13.70
KRA-23M2	UHF low-profile helical antenna 470-512 MHz	10.28	13.70
KRA-23M3	UHF low-profile helical antenna 403-430 MHz	10.28	13.70
KRA-25	High gain VHF helically loaded whip antenna 148-162 MHz	25.69	34.25
KRA-28	Broad-band VHF helically loaded whip antenna 140-170 MHz	31.50	42.00
KRA-29	Broad Band UHF Whip Antenna 380-430 MHz	27.56	36.75

**BATTERIES AND CHARGERS****EPL****LIST**

KNB-54N	2500 mAh, Ni-MH battery - requires KSC-32/326K charger <b>[Immersion Option compatible]</b>	65.63	87.50
KNB-33L	2000 mAh, Li-ion battery - requires KSC-32/326K charger <b>[Immersion Option compatible]</b>	78.75	105.00
KNB-41NC	2500 mAh, Ni-MH battery - requires KSC-32/326K charger <b>[FM &amp; CSA-us ntrinsically Safe Option]</b>	102.38	136.50
KNB-43L	3300 mAh, Li-Polymer battery - requires KSC-32/326K charger	122.25	163.00
KBP-6	AA Alkaline Refillable Battery Pack (6 AA; 9V) cells not included	51.38	68.50
KSC-32	Rapid rate single unit charger for KNB-31A/32N/33L/41NC/43L/47L/48L/50NC <b>Note:</b> Includes 110/220V auto-switching AC adapter with U.S.-style line cord plug; requires plug adapter for 220V Euro-style outlets (not supplied).	52.50	70.00
KSC-326K	Rapid rate 6-unit charger for KNB-31A/32N/33L/41NC/43L/47L/48L/50NC	472.50	630.00
KMB-30M	Wall Mount Bracket for KSC-326K/256K	25.31	33.75

## Table of Contents



# TK-5210G / 5310G

## VHF/UHF FM Analog & P25 Digital Portable Radios

**BATTERIES AND CHARGERS, CON'T**

		<b>EPL</b>	<b>LIST</b>
KMB-23	Six Unit Charger Adapter for the KSC-16/20/24/25/25L/32 chargers (chargers not included)	143.25	191.00
KVC-15	Rapid rate DC vehicular charger adapter for the KSC-32 (chargers not included; includes KSC-mobile bracket & cigarette lighter cable DC adapter)	89.25	119.00
KVC-23	Rapid rate DC vehicular charger for TK-5x10/5x20, NX-5x00/x00/x10/x20, TK-x180, TK-x170, & TK-x360 portables with Lithium Ion /Lithium Polymer/NiMH packs only	225.00	300.00

**CARRYING ACCESSORIES**

		<b>EPL</b>	<b>LIST</b>
KBH-11	Spring action belt clip (2.5")	11.03	14.70
KBH-8DS	Leather swivel belt loop with portable D-Ring attachment	19.73	26.30
KLH-6SW	Leather swivel belt loop / detachable swivel D-Ring back	16.50	22.00
KLH-133K2	Heavy duty leather carrying case for TK-5*10 Standard Models	33.19	44.25
KLH-133K3	Heavy duty leather carrying case for TK-5*10 12 Keypad Models	33.19	44.25
KLH-134K2	Cordura Nylon carrying case for TK-5*10 Standard Models	19.73	26.30
KLH-134K3	Cordura Nylon carrying case for TK-5*10 12 Keypad Models	19.73	26.30
KLH-137ST	Firemen's Heavy-Duty Leather Shoulder Strap for a Heavy-Duty Leather Case (KLH-75B/76B/78B/79B/92/122/123/133/148/154)	27.56	36.75

**MICROPHONES & AUDIO ACCESSORIES**

		<b>EPL</b>	<b>LIST</b>
KMC-51DM	MIL-SPEC, IP54/55 DSP Digital Noise-canceling Speaker Mic	187.50	250.00
KMC-52WDM	MIL-SPEC, <b>IP67 (Immersion)</b> DSP Digital Noise-canceling Speaker Mic	225.00	300.00
	<b>Note 2:</b> To adjust microphone settings different from factory default, download KPG-147NC configuration software and special configuration firmware from Kenwood Tools (no charge).		
KMC-47GPSD	GPS Speaker Microphone	217.50	290.00
KMC-41M	MIL-SPEC, IP54/55 Noise-canceling Speaker Mic [Intrinsically Safe Approved Accessory]	72.38	96.50
KMC-42WDM	MIL-SPEC, <b>IP67 (Immersion)</b> Noise-canceling Speaker Mic [Intrinsically Safe Approved Accessory] [MSHA Approved Accessory]	85.50	114.00
KMC-26	MIL-SPEC, Noise canceling Speaker mic w/Antenna Connector (ant. not incl.) [Intrinsically Safe Approved Accessory] [MSHA Approved Accessory]	86.63	115.50
KMC-49	MIL-SPEC, Speaker Mic. with Antenna Connector [Intrinsically Safe Approved Accessory]	187.50	250.00
	<b>Note:</b> 5/16" Coax cable hex wrench included (antenna is not included).		
KEP-1	3.5mm earphone kit for KMC-25/26/41M/42WM Speaker Mics [Intrinsically Safe Approved Accessory] [MSHA Approved Accessory]	39.38	52.50
KCT-51	Hirose 6-pin Adapter (adapts KVL/aftermarket audio acc. to portable connector)	161.25	215.00
KHS-11BL	2-wire palm mic w/earphone, universal connector (Black) [Intrinsically Safe Approved Accessory]	117.38	156.50
KHS-12BL	3-wire mini lapel mic w/earphone, universal connector (Black) [Intrinsically Safe Approved Accessory]	138.00	184.00
KHS-14	Lt. Wt. Single muff headset w/boom mic & In-line PTT [Intrinsically Safe Approved Accessory]	94.50	126.00
KHS-15-BH	Hvy-duty noise reduction behind-the-headset w/noise cancelling boom mic & in-line PTT [Intrinsically Safe Approved Accessory] [MSHA Approved Accessory]	315.00	420.00
KHS-15-OH	Hvy-duty noise reduction over-the-headset w/noise cancelling boom mic & in-line PTT [Intrinsically Safe Approved Accessory] [MSHA Approved Accessory]	276.00	368.00

Table of Contents



## TK-5210G / 5310G

### VHF/UHF FM Analog & P25 Digital Portable Radios

#### FIRMWARE OPTIONS

		EPL	LIST
KWD-RK20	<p>OTAR Option for KWD-AE30K Encryption Module in TK-5x10 series (OTAR in P25 Conventional &amp; Trunked Modes)</p> <ul style="list-style-type: none"> <li>• Requires <b>KWD-AE30K module</b>.</li> <li>• <b>L-1108</b> (for portable) &amp; <b>L-1109</b> (for mobile) Installation (no charge)</li> <li>• <b>L-1733</b> (for portable) &amp; <b>L-1734</b> (for mobile) Field Upgrade Option</li> </ul> <p><b>Note:</b></p> <ul style="list-style-type: none"> <li>• Supports OTAR in P25 Conventional &amp; Trunked modes (Not compatible with GK7 64 CH Model)</li> <li>• Compatible with Motorola KMF P25 OTAR (excludes Motorola-proprietary non-TIA/P25 KMF features)</li> <li>• Requires KPG-95D/DG(N) V7.10 or later for radio programming</li> <li>• TK-5x10 VER2: Requires KPG-95D V5.40 or later for radio programming</li> <li>• TK-5410/5910: Requires KPG-95D V6.00 or later for radio programming</li> <li>• TK-5x10G: Requires KPG-95DG(N) for radio programming</li> <li>• TK-5x10 VER2: Option deletes self-programming, cloning and analog FleetSync® (except PTT ID/Emergency) when installed.</li> </ul>	622.50	830.00
KWD-TR20	<p>Trunking Option for TK-5210/5310/5210G/5310G, TK-5710/5810/5710G/5810G</p> <p>KWD-TR20 support: 16 Trunking Network</p> <p>Must order <b>L-1055</b> for factory installation, or <b>L-1067</b> for field-upgrade option</p> <p><b>Note:</b> KPG-95D/95DG(N) Requires Network Level License ID to program trunked network radio parameters (see KPG-95D/95DG(N) for purchase restrictions &amp; requirements)</p> <p>Compatible with TK-5210 Version 2 (SN 80600001 or later); TK-5310 (SN 809xxxxx or later); TK-5710 Version 2 (SN 806xxxxx); TK-5810 (SN 809xxxxx or later).</p>	250.50	334.00

#### SOFTWARE OPTIONS

		EPL	LIST
KPG-AE1K	<p>AES/DES Encryption Software Key Loader for KWD-AE31K</p> <p>Authentication by KPT-300LMC is required</p> <p><b>Note:</b> KPG-AE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A).</p>	393.75	525.00
KPG-DE1K	<p>DES Encryption Software Key Loader for KWD-AE31K</p> <p>Authentication by KPT-300LMC is required</p> <p><b>Note:</b> KPG-DE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1).</p>	276.00	368.00

#### OPTION MODULES

		EPL	LIST
KCT-48VU	<p>External Vibration Unit</p> <p><b>[Intrinsically Safe Approved Accessory]</b></p> <p><b>Note:</b> Audio accessories cannot be used when this option installed.</p> <p>KCT-48VU does not support the P25 digital mode calling or paging features.</p>	36.75	49.00
KCT-57MS	<p>Man-Down Internal Tilt Switch (Non-Mercury)</p> <p><b>[Intrinsically Safe Approved Accessory]</b>- Must be Kenwood installed for I.S.</p> <p>Order <b>L-1613</b> for CIM-1000, K-20, K-26 &amp; <b>L-1614</b> for FleetSync®/P25 Emergency operations</p>	16.50	22.00
KWD-AE30K	<p>AES FIPS140-2 &amp; DES Encryption Module (Multi-Key)</p> <p>Order a Labor Code L-1820 if installation is required.</p> <p>KWD-AE30K requires: a Motorola KVL3000 Plus/4000 key loader device.</p> <p>KWD-AE30K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1).</p> <p><b>[Intrinsically Safe Option]- Must be Kenwood installed for I.S.</b></p>	637.50	850.00
KWD-AE31K	<p>AES &amp; DES Encryption Module (Multi-Key)</p> <p>Order a Labor Code L-1821 if installation is required.</p> <p><b>Note:</b> Requires KPG-AE1/DE1 software key loader or Motorola KVL3000 Plus/4000 key loader device. KWD-AE31K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)</p> <p><b>[Intrinsically Safe Option]- Must be Kenwood installed for I.S.</b></p>	412.50	550.00

## Table of Contents



# TK-5210G / 5310G

## VHF/UHF FM Analog & P25 Digital Portable Radios

**SERVICE RELATED ACCESSORIES**

		<b>EPL</b>	<b>LIST</b>
KPG-36XM	USB Programming interface cable	118.88	158.50
KPG-93	KVL-3000/3000 Plus/4000 Interface Cable for TK-5x10, TK-5x10G & TK-5x20 Portables	196.88	262.50
KPG-95DGNK	Windows® Programming Software for TK-5x10 & TK-5x10G Portables & Mobiles (Compliant with FCC Part 90 Narrowbanding) <b>Note:</b> Self-programming function is not available.	471.00	628.00

**Analog & P25 Conventional Programming**

A "Dealer-Level" License ID is included with each KPG-95DG(N)K which only permits full analog conventional and P25 conventional programming. Data files created with a "Network-Level Licensed" KPG-95DG(N)K and containing P25 programmed P25 trunked network parameters can be loaded and viewed with a Dealer-Level Licensed KPG-95DG(N)K, but the trunked network parameters cannot be changed.

**P25 Trunked Programming Capability (licensed by either 1 or 2 below):****1. KPG-95DG(N)K with System Key File (\*.SKF)- See L-989**

- For all TK-5x10 radio platforms (VER1, 2, 3 or later).
- 3-digit HEX System ID (HSID) and verifiable written authorization required from trunked system operator (SYSOP).
- Purchase KPG-95DG(N)K & L-989 Network-Level License ID
- Kenwood ships an encrypted \*.SKF file on CD ROM
- The \*.SKF securely embeds/encrypts the 16-digit Network Level License ID & the HSID.

**2. KPG-95DG(N)K with Advanced Network Keys (ANK's)**

KWD-ANK-AK	Access Key for KPG-95DG(N)K P25 trunked programming <b>Notes:</b> • For TK-5x10G/5410/5910 VER 3 or later radio platforms only • Must be activated by a SYSOP with KWD-ANK-MK Master Key. • Must have KPG-95DG(N)K (V7.0 or later); L-989 is NOT required.	156.00	208.00
------------	--	--------	--------

KWD-ANK-MK	Master Key for activating KWD-ANK-AK Access Keys <b>- Restricted Purchase Requirements -</b> <b>Notes:</b> • For TK-5x10G/5410/5910 VER 3 or later radio platforms only. • Sold to SYSOP or SYSOP authorized entities only • Must have KPG-95DG(N)K (V7.0 or later) with L-989 Network-Level License ID • SYSOP must provide 3-digit HEX HSID to Kenwood. • Purchase KWD-ANK-AK Access Keys if needed.	375.00	500.00
------------	---	--------	--------

**INSTALLATION / TUNING CHARGES**

		<b>EPL</b>	<b>LIST</b>
L-961	Assemble KMB-23 with six KSC-32K's (Rapid Rate, 120 Volt version only)	12.75	17.00
L-989	KPG-95D/95DG(N) Network Level ID (encrypted data file)	99.00	132.00
L-990	TK-5x10 & TK-5x10G Portable Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-95D/95DG(N) data file)	93.75	125.00
L-1055	Install KWD-TR20 Trunking Option in TK-5210/5310/5210G/5310G (Must purchase KWD-TR20K separately)	N/C	N/C
L-1067	TK-5210/5310 KWD-TR20 FIELD-UPGRADE (Must purchase KWD-TR20 separately)	31.50	42.00
L-1108	Install KWD-RK20 OTAR Option in TK-5x10 & TK-5x10G Series (Must purchase KWD-RK20 separately)	N/C	N/C
L-1614	TK-5x10 & TK-5x10G Series Portable KCT-57MS Installation (for P25/FleetSync®)	15.00	20.00
L-1733	KWD-RK20 Field Upgrade Option for TK-5x10/5x10G/5410 (Must purchase KWD-RK20 separately)	31.50	42.00
L-1802	Configure TK-5x10-ISCG for CSA US Intrinsically Safe <b>Must order KNB-41NC I.S. battery.</b>	75.00	100.00
L-1820	Install KWD-AE30K in TK-5x10 Series Portables (Must purchase module separately)	56.25	75.00
L-1821	Install KWD-AE31K in TK-5x10 Series Portables (Must purchase module separately)	56.25	75.00





## TK-5210G / 5310G

VHF/UHF FM Analog & P25 Digital Portable Radios

[Table of Contents](#)**-- IMPORTANT NOTES --**

**Encryption modules, key loaders and radios containing encryption are export controlled** by the U.S. Department of Commerce Bureau of Industry & Security EAR regulations and may either require an Export License, are eligible for a License Exception (ENC) or are exportable with No License Required (NLR) depending on the country, the consignee and the intended use. High level encryption is a special commodity that may require an export license to most countries. See [www.bis.gov](http://www.bis.gov) for more information regarding export regulations. DO NOT SHIP encryption items outside the U.S. without proper DOC/BIS Export Licenses and/or compliances.

**Kenwood may request the following information to be submitted at time of order (this information must meet Kenwood internal approvals prior to shipment even if being returned to Kenwood later:**

**a) Initial Destination:** Initial delivery point if different from Ultimate Destination  
(customer distribution center, headquarters, dealership, manufacturer's representative)

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

\* Contact Phone:

**b) Ultimate Destination:** Final delivery point(s); deployment/distribution

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

\* Contact Phone:

---

**KWD-AE30 AES FIPS140-2 SCM , NIST Validation & Customer Shipping**

A secure delivery method direct to the end user customer is required by the NIST AES FIPS 140-2 validation rules. For U.S. Federal Government entities the SCM must ship from JVCKENWOOD USA Corporation directly to the end user customer by a trusted carrier (FEDEX, UPS or a designated JVCKENWOOD USA Corporation employee); shipping/handling by a dealer or other entity is not acceptable. This may or may not be required by local/state government agencies or business/industrial users. Please check with the end use customer about their AES encryption handling requirements before ordering. Kenwood will not be responsible for shipments of KWD-AE30K modules to erroneous destinations specified on an order.



# TK-5220/5320

## VHF/UHF FM Analog & P25 Digital Portable Radios

Table of Contents

## STANDARD

**All 5X20 series portables include:**

- Belt Clip (KBH-11)
- Universal Connector Cap
- Instruction Manual
- Premium Warranty: 3 Years\*

\* All Accessories / options: 1 Year

Order packages to include Battery & Charger, or purchase Battery, Charger, and Antenna separately.

**GENERAL FEATURES**

- 5 Watt (136-174 MHz)
- 5 Watt (400-470, 450-520, 380-400 MHz)
- 128 Zones / 512 Channels
- Backlit Dot Matrix LCD
- 14 Character Alphanumeric Aliases
- 3-Digit Sub-Display
- Function / Status LCD Icons
- RSSI Indicator
- Transmit / Busy / Call Alert / Warn LED
- On/Off Volume Knob
- 16-Position Selector Knob
- 4 Front Menu-Driven PF Keys
- 2 Side PF Keys
- Orange Emergency / AUX Key
- 12-Keypad Models
- VOX Ready
- Emergency Features
- Battery Level
- Transceiver Password
- Date & 12/24 Hour Time Clock
- Windows® Programming & Tuning
- Windows® Firmware Uploading
- Easy Option Port
- Weather-Sealed Accessory Connector
- MIL-STD-810 C/D/E/F/G
- IP54/55 Water & Dust Protection
- Intrinsically Safe Option \*\*

**P25 DIGITAL**

- P25 Digital Conventional
- AMBE+2™ Enhanced VOCODER
- Talk Group ID Lists
- Individual ID Lists
- Caller ID Display
- Remote Monitor / Check, Radio Inhibit
- Encryption Key Zeroize and Retention
- DES Encryption Options
- AES & DES Encryption Options
- KPG-93 KVL Key Loader Interface Cable
- P25 Digital Trunking Option

**SCAN TYPES (FM & P25)**

- Single Zone/Multi-Zone Scan
- Scan Lists
- Conventional Scan
- Limited Talk Group Scan
- Priority Monitor Scan
- Dual Priority Scan

**ANALOG**

- QT / DQT
- Operator Selectable Tone
- Two-Tone Decode / Encode
- DTMF Encode / Decode / Stun
- Special Alert Tone Patterns
- Companded Audio

**FleetSync® /I/ (FM)**

- PTT ID Digital ANI
- Caller ID Display
- Status Messaging
- Emergency & Stun Statuses
- Selective & Group Call
- Text Messaging
- Send/Display GPS (KPG-47GPS)

**MDC-1200**

- PTT ID Digital ANI
- Caller ID Display
- Emergency Status
- Radio Check
- Radio Inhibit

\*\* Approved for Classes I, II & III, Div. 1, Groups C, D, E, F, G and are also approved for non-Incendive use in Class I, Div. 2, Groups A, B, C, D hazardous locations.

**Note:** Class I, Div 2 Group A & B Gases require use of a portable carrying case.

RADIO		EPL	LIST
TK-5220K	136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys	645.00	860.00
TK-5220K2	136-174MHz 5W, 14 characters Alphanumeric LCD, Full Keypad	682.50	910.00
TK-5320K	450-520MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys	645.00	860.00
TK-5320K2	400-470MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys	645.00	860.00
TK-5320K3	450-520MHz 5W, 14 characters Alphanumeric LCD, Full Keypad	682.50	910.00
TK-5320K4	400-470MHz 5W, 14 characters Alphanumeric LCD, Full Keypad	682.50	910.00
CSA US APPROVED MODELS		EPL	LIST
Must Order L-1803 & an Intrinsically Safe Battery per radio			
TK-5220-ISCK	136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys	645.00	860.00
TK-5220-ISCK2	136-174MHz 5W, 14 characters Alphanumeric LCD, Full Keypad	682.50	910.00
TK-5320-ISCK	450-520MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys	645.00	860.00



## TK-5220/5320

VHF/UHF FM Analog & P25 Digital Portable Radios

[Table of Contents](#)

TK-5320-ISCK2	400-470MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys	645.00	860.00
---------------	---	--------	--------



# TK-5220/5320

## VHF/UHF FM Analog & P25 Digital Portable Radios

Table of Contents

CSA US APPROVED MODELS		EPL	LIST
<i>Must Order L-1803 &amp; an Intrinsically Safe Battery per radio</i>			
TK-5320-ISCK3	450-520MHz 5W, 14 characters Alphanumeric LCD, Full Keypad	682.50	910.00
TK-5320-ISCK4	400-470MHz 5W, 14 characters Alphanumeric LCD, Full Keypad	682.50	910.00
PACKAGES		EPL	LIST
TK-5220K-LKP	VHF Li-Ion Battery Package (TK-5220K + KNB-47L + KSC-32 + KBH-11)	776.25	1,035.00
TK-5220K-LHKP	VHF Hi Cap Li-Ion Battery Package (TK-5220K + KNB-48L + KSC-32 + KBH-11)	789.75	1,053.00
TK-5320K-LKP	UHF Li-Ion Battery Package (TK-5320K + KNB-47L + KSC-32 + KBH-11)	776.25	1,035.00
TK-5320K-LHKP	UHF Hi Cap Li-Ion Battery Package (TK-5320K + KNB-48L + KSC-32 + KBH-11)	789.75	1,053.00
TK-5320K2-LKP	UHF Li-Ion Battery Package (TK-5320K2 + KNB-47L + KSC-32 + KBH-11)	776.25	1,035.00
TK-5320K2-LHKP	UHF Hi Cap Li-Ion Battery Package (TK-5320K2 + KNB-48L + KSC-32 + KBH-11)	789.75	1,053.00
ANTENNAS		EPL	LIST
KRA-22M	VHF low-profile helical antenna 148-162 MHz	10.28	13.70
KRA-22M2	VHF low-profile helical antenna 162-174 MHz	10.28	13.70
KRA-22M3	VHF Low-profile helical antenna 136-150 MHz	10.28	13.70
KRA-23M	UHF low-profile helical antenna 450-490 MHz	10.28	13.70
KRA-23M3	UHF low-profile helical antenna 403-430 MHz	10.28	13.70
KRA-25	High gain VHF helically loaded whip antenna 148-162 MHz	25.69	34.25
KRA-26M	VHF helical antenna 146-162 MHz	10.50	14.00
KRA-26M2	VHF helical antenna 162-174 MHz	10.50	14.00
KRA-26M3	VHF helical antenna 136-150 MHz	10.50	14.00
KRA-27M	UHF whip antenna 440-490 MHz	10.50	14.00
KRA-27M2	UHF whip antenna 470-520 MHz	10.50	14.00
KRA-27M3	UHF whip antenna 400-450 MHz	10.50	14.00
KRA-28	Broad-band VHF helically loaded whip antenna 140-170 MHz	31.50	42.00
KRA-29	Broad Band UHF Whip Antenna 380-430 MHz	27.56	36.75
BATTERIES AND CHARGERS		EPL	LIST
KNB-47L	1950 mAh, Li-ion battery - requires KSC-32/326K charger [Immersion Option compatible]	78.75	105.00
KNB-48L	2550 mAh, Li-ion battery - requires KSC-32/326K charger [Immersion Option compatible]	91.88	122.50
KNB-50NC	2000 mAh, Ni-MH battery - requires KSC-32/326K charger [FM & CSA-us Intrinsically Safe Option]	118.13	157.50
KNB-72LC-CSA-US	1880 mAh, Li-ion battery - requires KSC-32/326K charger [CSA-us Intrinsically Safe Option]	157.50	210.00
KBP-7	AA Alkaline Refillable Battery Pack (6 AA; 9V) cells not included <b>Note:</b> the color of the case is orange	51.38	68.50
KSC-32	Rapid rate single unit charger for KNB-31A/32N/33L/41NC/43L/47L/48L/50NC <b>Note:</b> Includes 110/220V auto-switching AC adapter with U.S.-style line cord plug; requires plug adapter for 220V Euro-style outlets (not supplied).	52.50	70.00
KSC-326K	Rapid rate 6-unit charger for KNB-31A/32N/33L/41NC/43L/47L/48L/50NC	472.50	630.00
KMB-30M	Wall Mount Bracket for KSC-326K/256K	25.31	33.75
KMB-23	Six Unit Charger Adapter for the KSC-16/20/24/25/25L/32 chargers (chargers not included)	143.25	191.00
KVC-15	Rapid rate DC vehicular charger adapter for the KSC-32 (chargers not included; includes KSC-mobile bracket & cigarette lighter cable DC adapter)	89.25	119.00
KVC-23	Rapid rate DC vehicular charger for TK-5x10/5x20, NX-5x00/x00/x10/x20, TK-x180, TK-x170, & TK-x360 portables with Lithium Ion /Lithium Polymer/NiMH packs only	225.00	300.00

## Table of Contents



# TK-5220/5320

## VHF/UHF FM Analog & P25 Digital Portable Radios

CARRYING ACCESSORIES		EPL	LIST
KBH-11	Spring action belt clip (2.5")	11.03	14.70
KBH-8DS	Leather swivel belt loop with portable D-Ring attachment	19.73	26.30
KLH-137ST	Firemen's Heavy-Duty Leather Shoulder Strap for a Heavy-Duty Leather Case (KLH-75B/76B/78B/79B//92/122/123/133/148/154)	27.56	36.75
KLH-148K	Heavy duty leather carrying case for NX-200/300/TK-5220/5320 (Non DTMF keypad models)	33.19	44.25
KLH-148K2	Heavy duty leather carrying case for NX-200/300/TK-5220/5320 (DTMF keypad models)	33.19	44.25
KLH-149K	Nylon carrying case for NX-200/300/TK-5220/5320 (Non DTMF keypad models)	19.73	26.30
KLH-149K2	Nylon carrying case for NX-200/300/TK-5220/5320 (DTMF keypad models)	19.73	26.30
SPECIAL COLOR HOUSING		EPL	LIST
KWD-YH20-P25	Yellow Housing Kit for TK-5x20 portables (6 Control Keys Version Only) Order <b>L-1713</b> for Factory Install. (required for Intrinsically Safe & IP67 radio orders)	30.00	40.00
KWD-OH20-P25	Orange Housing Kit for TK-5x20 portables (6 Control Keys Version Only) Order <b>L-1738</b> for Factory Install. (required for Intrinsically Safe & IP67 radio orders)	30.00	40.00
MICROPHONES & AUDIO ACCESSORIES		EPL	LIST
KMC-51DM	MIL-SPEC, IP54/55 DSP Digital Noise-canceling Speaker Mic <a href="#">[see note 2]</a>	187.50	250.00
KMC-52WDM	MIL-SPEC, <b>IP67 (Immersion)</b> DSP Digital Noise-canceling Speaker Mic <a href="#">[see note 2]</a> <b>Important</b> <b>Note:</b> Portable radio does not have an IP67 Immersion option; meets MIL-STD810 rain standards <b>[note 2]:</b> To adjust microphone settings different from factory default, download KPG-147NC configuration software and special configuration firmware from Kenwood Tools (no charge)	225.00	300.00
KMC-47GPSD	GPS Speaker Microphone (FM Conventional mode only -- does not operate in P25 modes)	217.50	290.00
KMC-40	MIL-SPEC, Speaker Mic. with Antenna Connector <b>[Intrinsically Safe Approved Accessory]</b> <b>Note:</b> 5/16" Coax cable hex wrench included (antenna is not included)	217.50	250.00
KMC-41M	MIL-SPEC, IP54/55 Noise-canceling Speaker Mic <b>[Intrinsically Safe Approved Accessory]</b>	72.38	96.50
KMC-42WDM	MIL-SPEC, <b>IP67 (Immersion)</b> Noise-canceling Speaker Mic <b>[Intrinsically Safe Approved Accessory]</b> <b>Important Note:</b> Portable radio does not have an IP67 Immersion option; meets MIL-STD810 rain standards	85.50	114.00
KEP-1	3.5mm earphone kit for KMC-25/26/41M/42WM Speaker Mics <b>[Intrinsically Safe Approved Accessory]</b>	39.38	52.50
KCT-51	Hirose 6-pin Adapter (adapts KVL/aftermarket audio acc. to portable connector) <b>[Intrinsically Safe Approved Accessory]</b>	161.25	215.00
KHS-11BL	2-wire palm mic w/earphone, universal connector (Black) <b>[Intrinsically Safe Approved Accessory]</b>	117.38	156.50
KHS-12BL	3-wire mini lapel mic w/earphone, universal connector (Black) <b>[Intrinsically Safe Approved Accessory]</b>	138.00	184.00
KHS-14	Lt. Wt. Single muff headset w/boom mic & In-line PTT <b>[Intrinsically Safe Approved Accessory]</b>	94.50	126.00
KHS-15-BH	Hvy-duty noise reduction behind-the-headset w/noise cancelling boom mic & in-line PTT <b>[Intrinsically Safe Approved Accessory]</b>	315.00	420.00
KHS-15-OH	Hvy-duty noise reduction over-the-headset w/noise cancelling boom mic & in-line PTT <b>[Intrinsically Safe Approved Accessory]</b>	276.00	368.00
SOFTWARE OPTIONS		EPL	LIST
KPG-AE1K	AES/DES Encryption Software Key Loader for KWD-AE31K Authentication by KPT-300LMC is required <b>Note:</b> KPG-AE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A).	393.75	525.00
KPG-DE1K	DES Encryption Software Key Loader for KWD-AE31K Authentication by KPT-300LMC is required <b>Note:</b> KPG-DE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1).	276.00	368.00



# TK-5220/5320

## VHF/UHF FM Analog & P25 Digital Portable Radios

Table of Contents

SOFTWARE OPTIONS, CON'T		EPL	LIST
KWD-TR30	Trunking Option for TK-5220/5320, TK-5720/5820 KWD-TR30 support:1 Trunking Network Must order <b>L-1694</b> for factory installation, or <b>L-1696</b> for field-upgrade option <b>Note:</b> KPG-112D(N) Ver2.0 or later Requires Network Level License ID to program trunked network radio parameters (see KPG-112D(N) for purchase restrictions & requirements)	187.50	250.00
OPTION MODULES		EPL	LIST
KCT-48VU	External Vibration Unit <b>[Intrinsically Safe Approved Accessory]</b> <b>Note:</b> Audio accessories cannot be used when this option installed. KCT-48VU does not support the P25 digital mode calling or paging features	36.75	49.00
KCT-57MS	Man-Down Internal Tilt Switch (Non-Mercury) <b>[Intrinsically Safe Approved Accessory]</b> - Must be Kenwood installed for I.S. Order <b>L-1648</b> for P25/FleetSync®/MDC-1200 operations	16.50	22.00
KWD-AE30K	AES FIPS140-2 & DES Encryption Module (Multi-Key) Order a Labor Code L-1824 if installation is required. KWD-AE30K requires: a Motorola KVL3000 Plus/4000 key loader device. KWD-AE30K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1). <b>[Intrinsically Safe Option]</b> - Must be Kenwood installed for I.S.	637.50	850.00
KWD-AE31K	AES & DES Encryption Module (Multi-Key) Order a Labor Code L-1825 if installation is required. Note: Requires KPG-AE1/DE1 software key loader or Motorola KVL3000 Plus/4000 key loader device. KWD-AE31K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1) <b>[Intrinsically Safe Option]</b> - Must be Kenwood installed for I.S.	412.50	550.00
SERVICE RELATED ACCESSORIES		EPL	LIST
KPG-112DNK	Windows® Programming Software for TK-5*20 Series (Compliant with FCC Part 90 Narrowbanding)	77.44	103.25
KPG-36XM	USB Programming interface cable	118.88	158.50
KPG-93	TK-5210/5310/5410/5220/5320/5400 KVL-3000/3000 Plus/4000 Interface Cable	196.88	262.50
INSTALLATION / TUNING CHARGES		EPL	LIST
L-961	Assemble KMB-23 with six KSC-32K's (Rapid Rate, 120 Volt version only)	12.75	17.00
L-1644	TK-5220/5320 Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-112D data file)	93.75	125.00
L-1646	Multi-Channel Encoder Modification	18.75	25.00
L-1648	TK-5220/5320 Portable KCT-57MS Installation (for P25/FleetSync®/MDC-1200)	15.00	20.00
L-1694	Install KWD-TR30 Trunking Option in TK-5220/5320 (Must purchase KWD-TR30 separately)	N/C	N/C
L-1696	TK-5220/5320 KWD-TR30 FIELD-UPGRADE (Must purchase KWD-TR30 separately)	N/C	N/C
L-1713	Assemble Yellow Housing KWD-YH20-P25 with TK-5X20 Portable	20.25	27.00
L-1738	Assemble Orange Housing KWD-OH20-P25 with TK-5X20 Portable	20.25	27.00
L-1803	Configure TK-5220/5320 for CSA US Intrinsically Safe <b>Must order KNB-50NC I.S. battery</b>	52.50	70.00
L-1824	Install KWD-AE30K in TK-5220/TK-5320 Portables (Must purchase module separately)	56.25	75.00
L-1825	Install KWD-AE31K in TK-5220/TK-5320 Portables (Must purchase module separately)	56.25	75.00



## TK-5220/5320

### VHF/UHF FM Analog & P25 Digital Portable Radios

[Table of Contents](#)

#### -- IMPORTANT NOTES --

**Encryption modules, key loaders and radios containing encryption are export controlled** by the U.S. Department of Commerce Bureau of Industry & Security EAR regulations and may either require an Export License, are eligible for a License Exception (ENC) or are exportable with No License Required (NLR) depending on the country, the consignee and the intended use. High level encryption is a special commodity that may require an export license to most countries. See [www.bis.gov](http://www.bis.gov) for more information regarding export regulations. DO NOT SHIP encryption items outside the U.S. without proper DOC/BIS Export Licenses and/or compliances.

**Kenwood may request the following information to be submitted at time of order (this information must meet Kenwood internal approvals prior to shipment even if being returned to Kenwood later:**

**a) Initial Destination:** Initial delivery point if different from Ultimate Destination  
(customer distribution center, headquarters, dealership, manufacturer's representative)

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

\* Contact Phone:

**b) Ultimate Destination:** Final delivery point(s); deployment/distribution

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

#### **KWD-AE30 AES FIPS140-2 SCM , NIST Validation & Customer Shipping**

A secure delivery method direct to the end user customer is required by the NIST AES FIPS 140-2 validation rules. For U.S. Federal Government entities the SCM must ship from JVCKENWOOD USA Corporation directly to the end user customer by a trusted carrier (FEDEX, UPS or a designated JVCKENWOOD USA Corporation employee); shipping/handling by a dealer or other entity is not acceptable. This may or may not be required by local/state government agencies or business/industrial users. Please check with the end use customer about their AES encryption handling requirements before ordering. Kenwood will not be responsible for shipments of KWD-AE30K modules to erroneous destinations specified on an order.





# TK-5710G / 5810G

## VHF/UHF FM & P25 Digital Mobile Radios

Table of Contents

### STANDARD



#### All P25 series mobiles include:

- RF Deck Only  
(Configuration Set & Assembly Labor Code must be order for a Complete Mobile.)
- Premium Warranty: 3 Years\*

\* All Accessories / options: 1 Year

G models are Ver 3 Hardware  
(starting S/No. B03xxxxx )

\* TX Power is derated  
at 500-520 MHz for TK-5810HBK:

450-499 MHz (100 W)  
500-520 MHz (60 W)

#### ■ GENERAL FEATURES

- 50W & 110W (136-174 MHz)
- 45W & 100 W (450-520, 400-470 MHz)
- 100 Zones / 1024 Channels
- Personality Lists
- Enhanced Kenwood Audio
- Zone/CH Voice Announce
- Emergency Features
- Tactical Group
- Intercom
- Public Address
- Time Out Timer
- Busy Channel Lockout
- Ignition Sense
- Timed Power Off
- DB-25 & 9-Pin Accessory Connectors
- Transceiver Password
- Date & 12/24 Hour Time Clock
- Windows® Programming & Tuning
- Windows® Firmware Uploading
- Field-Programming & Tuning
- Cloning
- Easy Option Ports (26-pin)
- DB-25 & 9-Pin Accessory Connectors
- MIL-STD 810 C/D/E/F, IP-54
- MIL-STD Noise-Cancel Mic
- MIL-STD 12-Key DTMF Mic Option

#### ■ MOUNTING CONFIGURATIONS

- Dash Mount
- Single Control Head Remote Mount
- Handheld Control Remote Mount
- Dual Control Head Remote Mount

#### ■ FRONT PANELS/CONTROL HEADS

##### KCH-14 Front Panel

- 12-Character Alphanumeric Aliases
- 5 PF Keys
- Built-in Front Speaker

##### KCH-15 Front Panel

- 14-Character Alphanumeric Aliases
- 11 PF Keys

##### KCH-16M Handheld Control Head

- 14-Character Alphanumeric Aliases
- 9 PF Keys
- 12-Key DTMF/Function Keypad

#### ■ P25 DIGITAL

- P25 Digital Conventional
- P25 Digital Trunking Option
- AMBE+2™ Enhanced VOCODER
- Talk Group ID Lists
- Individual ID Lists
- Caller ID Display
- RSSI Indicator
- Remote Monitor
- Remote Check
- Radio Inhibit
- Encryption Key Delete
- Encryption Key Zeroize Option
- Encryption Key Retention Option
- DES 16-Key SCM Option
- AES FIPS 140-2 & DES 16-Key SCM Option
- KPG-94 KVL Key Loader Interface Cable
- P25 GPS Location
- P25 OTAR Option

#### ■ SCAN TYPES (FM & P25)

- Single Zone/Multi-Zone Scan
- Scan Lists
- Conventional Scan
- Limited Talk Group Scan
- Priority Monitor Scan
- Dual Priority Scan

#### ■ FM

- QT / DQT
- Operator Selectable Tone
- Two-Tone Encode / Decode
- DTMF Encode / Decode / Stun
- Special Alert Tone Patterns
- Horn Alert Output
- Encryption / ANI Board Control
- Companded Audio
- FleetSync® / II PTT ID / Caller ID Display / Emergency
- MDC-1200 PTT ID / Caller ID Display / Emergency

RADIO		EPL	LIST
TK-5710BGK	136-174MHz 10-50W 100 Zones/1024 Channels (R.F. DECK ONLY)	1,117.50	1,490.00
TK-5710HBGK	136-174MHz 50-110W 100 Zones/1024 Channels (R.F. DECK ONLY)	1,545.00	2,060.00
TK-5810BGK	450-520 MHz 5-45W 100 Zones/1024 Channels (R.F. DECK ONLY)	1,117.50	1,490.00
TK-5810BGK2	400-470 MHz 5-45W 100 Zones/1024 Channels (R.F. DECK ONLY)	1,117.50	1,490.00
TK-5810HBGK	450-520 MHz 50-100W 100 Zones/1024 Channels (R.F. DECK ONLY)	1,545.00	2,060.00
TK-5810HBGK2	400-470 MHz 50-100W 100 Zones/1024 Channels (R.F. DECK ONLY)	1,545.00	2,060.00



# TK-5710G / 5810G

## VHF/UHF FM & P25 Digital Mobile Radios


Table of Contents

### ACCESSORY CONFIGURATION SETS

EPL

LIST

#### CONFIGURATION SET DEFINITIONS



#### Dash Mount

		EPL	LIST
10BHD	KCH-14M, KCT-23M2, KMB-9, KMC-27	512.63	683.50
10BMD	KCH-14M, KCT-23M, KMB-5, KMC-27	490.13	653.50
10FHD	KCH-15M, KCT-23M2, KMB-9, KMC-27, KES-5	558.56	744.75
10FMD	KCH-15M, KCT-23M, KMB-5, KMC-27, KES-5	536.06	714.75

#### Single Head Remote Mount

		EPL	LIST
10BHSH	KCH-14M, KRK-5, KCT-22M2, KCT-23M4, KMB-9, KMC-27	690.75	921.00
10BMSH	KCH-14M, KRK-5, KCT-22M2, KCT-23M3, KMB-5, KMC-27	665.81	887.75
10FHSH	KCH-15M, KRK-5, KCT-22M2, KCT-23M4, KMB-9, KMC-27, KES-5	736.69	982.25
10FMSH	KCH-15M, KRK-5, KCT-22M2, KCT-23M3, KMB-5, KMC-27, KES-5	711.75	949.00

#### Dual Head Remote Mount

		EPL	LIST
10BHDH	KCH-14M(x2), KRK-6DH, KCT-22M2(x2), KCT-23M4, KMB-9, KMC-27(x2)	1,288.50	1,718.00
10BMDH	KCH-14M(x2), KRK-6DH, KCT-22M2(x2), KCT-23M3, KMB-5, KMC-27(x2)	1,263.56	1,684.75
10FHHDH	KCH-15M(x2), KRK-6DH, KCT-22M2(x2), KCT-23M4, KMB-9, KMC-27(x2), KES-5(x2)	1,380.38	1,840.50
10FMDH	KCH-15M(x2), KRK-6DH, KCT-22M2(x2), KCT-23M3, KMB-5, KMC-27(x2), KES-5(x2)	1,355.44	1,807.25

#### Handheld Control Head Remote

		EPL	LIST
10CHSH	KCH-16M, KRK-11M, KCT-22M2, KCT-23M4, KMB-9, KES-5	792.56	1,056.75
10CMSH	KCH-16M, KRK-11M, KCT-22M2, KCT-23M3, KMB-9, KES-5	784.69	1,046.25

#### FRONT PANELS & REMOTE KITS (Order Configuration Sets for full install accessories)

		EPL	LIST
KCH-14M	Basic Remote Control Head w/ 12 Alphanumeric Display (4W Front Speaker) <b>Note:</b> All KCH-14 / Basic Control Head configurations are shipped with the control heads 4W internal speaker enabled. Order L-1008 to enable the 13W external speaker output for KES-5 speaker use. This will disconnect the control heads internal 4W speaker!	378.00	504.00
KCH-15M	Full-Featured Remote Control Head w/ 14 Alphanumeric Display <b>Note:</b> requires an external speaker	378.00	504.00
KRK-5	Single Control Head Remote Mount Kit	110.25	147.00
KRK-6DH	Dual Control Head Remote Mount Kit	189.00	252.00



## TK-5710G / 5810G

### VHF/UHF FM & P25 Digital Mobile Radios

Table of Contents

<b>HANDHELD CONTROL HEAD REMOTE</b> (Order Configuration Sets for full install accessories)		<b>EPL</b>	<b>LIST</b>
KCH-16M	Handheld Control Head for P25 Mobiles <b>Note:</b> requires KRK-11M, KCT-22M/M2/M3, & KES-5	409.50	546.00
KRK-11M	KCH-16M HHCH Interface Kit for Single Head Remote	212.63	283.50
<b>CABLES</b>		<b>EPL</b>	<b>LIST</b>
KCT-18	Ignition sense cable	10.28	13.70
KCT-22M	Control cable - 8 Feet	55.13	73.50
KCT-22M2	Control cable - 17 Feet (Standard accessory config. set cable)	63.00	84.00
KCT-22M3	Control cable - 25 Feet	70.88	94.50
KCT-23M	DC Cable (10-50W Dash mount)	23.63	31.50
KCT-23M2	DC Cable (50-110W Dash mount)	29.06	38.75
KCT-23M3	DC Cable (10-50W Remote mount)	26.06	34.75
KCT-23M4	DC Cable (50-110W Remote mount)	33.94	45.25
<b>MOBILE INSTALLATION ACCESSORIES</b>		<b>EPL</b>	<b>LIST</b>
KLF-2	Line Filter (suppresses alternator whine, 25dB, 25A max)	31.50	42.00
KMB-10	Key Lock Adapter for use with KMB-4/5/6	19.73	26.30
KMB-5	Medium Power Mounting Bracket (10-50W models)	10.50	14.00
KMB-9	Heavy Duty Mounting Bracket with built-in key lock	27.56	36.75
<b>MICROPHONES AND SPEAKERS</b>		<b>EPL</b>	<b>LIST</b>
KES-5	External Speaker (40W max input)	45.94	61.25
KMC-27	MIL-SPEC noise-canceling mobile hand microphone	78.00	104.00
KMC-28	MIL-SPEC DTMF noise-canceling mobile hand microphone	122.25	163.00
KMC-9B	Desk top microphone	72.38	96.50
<b>SERVICE RELATED ACCESSORIES</b>		<b>EPL</b>	<b>LIST</b>
KPG-43UM	USB Programming interface cable	118.88	158.50
KPG-94	KVL-3000/3000 Plus/4000 Interface Cable for TK-5x10 & TK-5x10G Mobiles	196.88	262.50
KPG-95DGNK	Windows® Programming Software for TK-5x10 & TK-5x10G Portables & Mobiles (Compliant with FCC Part 90 Narrowbanding) <b>Note:</b> Self-programming function is not available.	471.00	628.00

**Analog & P25 Conventional Programming**

A "Dealer-Level" License ID is included with each KPG-95D/DG(N)K which only permits full analog conventional and P25 conventional programming. Data files created with a "Network-Level Licensed" KPG-95D/95DG and containing P25 programmed P25 trunked network parameters can be loaded and viewed with a Dealer-Level Licensed KPG-95D/DG(N)K, but the trunked network parameters cannot be changed.

**P25 Trunked Programming Capability (licensed by either 1 or 2 below):****1. KPG-95DG(N)K with System Key File (\*.SKF)- See L-989**

- For all TK-5x10 radio platforms (VER1, 2, 3 or later).
- 3-digit HEX System ID (HSID) and verifiable written authorization required from trunked system operator (SYSOP).
- Purchase KPG-95DG(N)K & L-989 Network-Level License ID
- Kenwood ships an encrypted \*.SKF file on CD ROM
- The \*.SKF securely embeds/encrypts the 16-digit Network Level License ID & the HSID.

**2. KPG-95DG(N)K with Advanced Network Keys (ANK's)**

- For TK-5x10G/5410/5910 VER 3 or later radio platforms only.



## TK-5710G / 5810G

### VHF/UHF FM & P25 Digital Mobile Radios

Table of Contents

#### SERVICE RELATED ACCESSORIES, CON'T

		EPL	LIST
KWD-ANK-AK	Access Key for KPG-95DGK P25 trunked programming <b>Notes:</b> <ul style="list-style-type: none"><li>• For TK-5x10G/5410/5910 VER 3 or later radio platforms only</li><li>• Must be activated by a SYSOP with KWD-ANK-MK Master Key.</li><li>• Must have KPG-95DG(N)K (V7.0 or later); L-989 is NOT required.</li><li>• Battery Life: 3 years (non-serviceable; key must be replaced)</li></ul>	156.00	208.00
KWD-ANK-MK	Master Key for activating KWD-ANK-AK Access Keys <b>- Restricted Purchase Requirements -</b> <b>Notes:</b> <ul style="list-style-type: none"><li>• For TK-5x10G/5410/5910 VER 3 or later radio platforms only.</li><li>• Sold to SYSOP or SYSOP authorized entities only</li><li>• Must have KPG-95DG(N)K (V7.0 or later) with L-989 Network-Level License ID</li><li>• SYSOP must provide 3-digit HEX HSID to Kenwood.</li><li>• Purchase KWD-ANK-AK Access Keys if needed.</li></ul>	375.00	500.00

#### FIRMWARE OPTIONS

		EPL	LIST
KWD-RK20	OTAR Option for KWD-AE30K Encryption Module in TK-5x10 series (OTAR in P25 Conventional & Trunked Modes) <b>• Requires KWD-AE30K module.</b> <b>• L-1108</b> (for portable) & <b>L-1109</b> (for mobile) Installation (no charge) <b>• L-1733</b> (for portable) & <b>L-1734</b> (for mobile) Field Upgrade Option  <b>Note:</b> <ul style="list-style-type: none"><li>• Supports OTAR in P25 Conventional &amp; Trunked modes (Not compatible with GK7 64 CH Model)</li><li>• Compatible with Motorola KMF P25 OTAR (excludes Motorola-proprietary non-TIA/P25 KMF features)</li><li>• Requires KPG-95D/DG(N) V7.10 or later for radio programming</li><li>• TK-5x10 VER2: Requires KPG-95D V5.40 or later for radio programming</li><li>• TK-5410/5910: Requires KPG-95D V6.00 or later for radio programming</li><li>• TK-5x10G: Requires KPG-95DG(N) for radio programming</li><li>• TK-5x10 VER2: Option deletes self-programming, cloning and analog FleetSync® (except PTT ID/Emergency) when installed.</li></ul>	622.50	830.00
KWD-TR20	Trunking Option for TK-5210/5310/5210G/5310G, TK-5710/5810/5710G/5810G KWD-TR20 support: 16 Trunking Network Must order <b>L-1056</b> for factory installation, or <b>L-1068</b> for field-upgrade option <b>Note:</b> KPG-95D/95DG(N) Requires Network Level License ID to program trunked network radio parameters (see KPG-95D/95DG(N) for purchase restrictions & requirements) Compatible with TK-5210 Version 2 (SN 80600001 or later); TK-5310 (SN 809xxxxx or later); TK-5710 Version 2 (SN806xxxxx); TK-5810 (SN 809xxxxx or later);	250.20	334.00



# TK-5710G / 5810G

## VHF/UHF FM & P25 Digital Mobile Radios

Table of Contents

**SOFTWARE OPTIONS**

		<b>EPL</b>	<b>LIST</b>
KPG-AE1K	AES/DES Encryption Software Key Loader for KWD-AE31K Authentication by KPT-300LMC is required Note: KPG-AE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A).	393.75	525.00
KPG-DE1K	DES Encryption Software Key Loader for KWD-AE31K Authentication by KPT-300LMC is required Note: KPG-DE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1).	276.00	368.00

**OPTION MODULES**

		<b>EPL</b>	<b>LIST</b>
KWD-AE30K	AES FIPS140-2 & DES Encryption Module (Multi-Key) Order a Labor Code L-1822 if installation is required. KWD-AE30K requires: a Motorola KVL3000 Plus/4000 key loader device. KWD-AE30K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1).	637.50	850.00
KWD-AE31K	AES & DES Encryption Module (Multi-Key) Order a Labor Code L-1823 if installation is required. Note: Requires KPG-AE1/DE1 software key loader or Motorola KVL3000 Plus/4000 key loader device. KWD-AE31K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)	412.50	550.00

**GPS OPTIONS**

		<b>EPL</b>	<b>LIST</b>
GA25MCX	Garmin On-dash Style Magnetic base GPS Antenna for GPS15XL-W <b>Note:</b> shipped loose only; Install GA25MCX antenna to GPS15XL-W before vehicle install.	46.50	62.00
GPS15XL-W	Garmin Internal GPS Receiver Board (P25 Conventional) <b>Note:</b> • Provides GPS on P25 Conventional only (TIA-102.BAJB Tier I Location Service compliant; not for use over trunked systems) • Requires GA25MCX GPS antenna	97.69	130.25

**INSTALLATION / TUNING CHARGES**

		<b>EPL</b>	<b>LIST</b>
L-862	Install Front Panel PF Key Label Inserts in TK-5x10, TK-5x10G & TK-x90 series Mobile (key names and positions must be specified)	11.25	15.00
L-864	KCT-22A Extended Control Head Cable (Specify length in 1 ft increments up to 50 ft. max.)	142.50	190.00
L-865	KCT-22A Extended Control Head Cable (Specify length in 1 ft. increments up to 100 ft. max.) <b>Extended control head cables:</b> Extended cables result in a loss of control head audio power. On KCH-14 use 13W audio output modifications per service manual Use a standard KCT-22 25 ft. or less cable for firmware installation. Normal KPG-95D radio	183.75	245.00
L-866	Modify KCT-23M2/M4 110W High Power DC Cables from 4 to 2 Conductors (1x23 ft. positive, 1x23 ft. negative; AWG #10) <b>Two Conductor Modification:</b> KCT-23M2 75/110W Dash Mount DC Cable ( 4 Conductor: 2x10 ft. positive, 2x10 ft. negative) KCT-23M4 75/110W Remote Mount DC Cable (4 Conductor: 2x23 ft. positive, 2x23 ft. negative)	56.25	75.00
L-989	KPG-95D/95DG(N) Network Level ID (encrypted data file) <b>Note:</b> Enables Trunked system programming privileges in a KPG-95DG(N)K. <b>- Restricted Purchase Requirements -</b> • 3-Digit HEX System ID (HSID) from SYSOP required • Must Purchase KPG-95DG(N)K (V7.0 or later) with L-989 • Kenwood ships an encrypted *.SKF file on CD ROM • Non-SYSOP entities ordering L-989 must provide verifiable written authorization from SYSOP to receive an *.SKF file. <b>The 16 digit Network Level License ID &amp; 2 digit HEX HSID are securely generated &amp; embedded in the *.SKF</b>	99.00	132.00
L-1005	TK-5x10 & TK-5x10G Mobile Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-95D/95DG(N) data file)	93.75	125.00
L-1006	Modify TK-5x10 & TK-5x10G Mobile for Horn Alert relay output (1 amp max.; relay factory installed already)	18.75	25.00



## TK-5710G / 5810G

### VHF/UHF FM & P25 Digital Mobile Radios

[Table of Contents](#)

#### INSTALLATION / TUNING CHARGES - CONT'D

		EPL	LIST
L-1008	External Speaker modification for TK-5x10 & TK-5x10G mobile Control Head (13W) <b>Note:</b> All Basic Control Head (KCH-14M) configurations are shipped with the control heads 4W internal speaker enables. Order L-1008 to enable the 13W external speaker output for KES-5 speaker use. This will disconnect the control heads internal 4W speaker.	7.50	10.00
L-1028	Package Dash/Single Head Remote for TK-5x10 & TK-5x10G mobiles	12.75	17.00
L-1029	Package Dual Head Remote for TK-5x10 & TK-5x10G mobiles	25.50	34.00
L-1056	Install KWD-TR20 Trunking Option in TK-5710/5810 & TK-5710G/5810G (Must purchase KWD-TR20K separately)	N/C	N/C
L-1068	TK-5710/5810 & TK-5710G/5810G KWD-TR20 FIELD-UPGRADE (Must purchase KWD-TR20 separately)	31.50	42.00
L-1109	Install KWD-RK20 OTAR Option in TK-5x10 & TK-5x10G Mobiles (Must purchase KWD-RK20 separately)	N/C	N/C
L-1110	Package HHCH Remote for TK-5x10 & TK-5x10G mobiles	18.75	25.00
L-1734	KWD-RK20 Field Upgrade Option for TK-5x10/5x10G/5910 (Must purchase KWD-RK20 separately)	31.50	42.00
L-1822	Install KWD-AE30K in TK-5x10 Mobile (Must purchase module separately)	56.25	75.00
L-1823	Install KWD-AE31K in TK-5x10 Mobile (Must purchase module separately)	56.25	75.00

#### -- IMPORTANT NOTES --

**Encryption modules, key loaders and radios containing encryption are export controlled** by the U.S. Department of Commerce Bureau of Industry & Security EAR regulations and may either require an Export License, are eligible for a License Exception (ENC) or are exportable with No License Required (NLR) depending on the country, the consignee and the intended use. High level encryption is a special commodity that may require an export license to most countries. See [www.bis.gov](http://www.bis.gov) for more information regarding export regulations. DO NOT SHIP encryption items outside the U.S. without proper DOC/BIS Export Licenses and/or compliances.

**Kenwood may request the following information to be submitted at time of order (this information must meet Kenwood internal approvals prior to shipment even if being returned to Kenwood later:**

**a) Initial Destination:** Initial delivery point if different from Ultimate Destination  
(customer distribution center, headquarters, dealership, manufacturer's representative)

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

\* Contact Phone:

**b) Ultimate Destination:** Final delivery point(s); deployment/distribution

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

#### KWD-AE30 AES FIPS140-2 SCM, NIST Validation & Customer Shipping

A secure delivery method direct to the end user customer is required by the NIST AES FIPS 140-2 validation rules. For U.S. Federal Government entities the SCM must ship from JVCENWOOD USA Corporation directly to the end user customer by a trusted carrier (FEDEX, UPS or a designated JVCENWOOD USA Corporation employee); shipping/handling by a dealer or other entity is not acceptable. This may or may not be required by local/state government agencies or business/industrial users. Please check with the end use customer about their AES encryption handling requirements before ordering. Kenwood will not be responsible for shipments of KWD-AE30K modules to erroneous destinations specified on an order.





# TK-5720 / 5820

## VHF/UHF FM Analog & P25 Digital Mobile Radios

Table of Contents

**All 5X20 series mobiles include:**

- Standard Microphone (KMC-35)
- Mounting Bracket
- DC Cable (KCT-23M)
- Blade Fuse
- Instruction Manual
- Premium Warranty: 3 Years\*

\* All Accessories / options: 1 Year

\* TX Power is derated at 490-512 MHz  
TK-5320: 450-489 MHz (45 W)  
490-512 MHz (40 W)

**STANDARD****■ GENERAL FEATURES**

- 50W (136-174 MHz)
- 45W (400-470, 450-520, 380-400MHz)
- 128 Zones / 512 Channels
- Emergency Features
- Public Address (KAP-2 Required)
- Time Out Timer
- Busy Channel Lockout
- Ignition Sense
- Timed Power Off
- DB-25 & 9-Pin Accessory Connectors
- 9 Programmable AUX I/Os
- 2 Programmable AUX Outputs
- Transceiver Password
- Date & 12/24 Hour Time Clock
- Windows® Programming & Tuning
- Windows® Firmware Uploading
- Easy Option Ports (26-pin)
- Voice Guide & Storage (option)
- MIL-STD 810 C/D/E/F/G, IP-54
- MIL-STD Mic (included)
- MIL-STD 12-Key DTMF Mic Option

**■ FRONT PANELS/CONTROL HEADS**

- Dash & Remote Mount
- 14 Character Alphanumeric Aliases
- Backlit Dot Matrix LCD
- 3-Digit Sub-Display
- Function/Status LCD Icons
- RSSI Indicator
- Transmit/Busy/Call Alert/Warn LED
- On/Off Power Control
- 4 Up/Down Selectors
- 6 Front PF Keys
- Emergency/AUX Key
- 4W Speaker Audio

**■ P25 DIGITAL**

- P25 Digital Conventional
- AMBE+2™ Enhanced VOCODER
- Talk Group ID Lists
- Individual ID Lists
- Caller ID Display
- Remote Monitor / Check, Radio Inhibit
- Encryption Key Zeroize and Retention
- DES Encryption Module Option
- AES & DES Encryption Module Option
- KPG-115 Key Loader Interface Cable
- P25 Digital Trunking Option

**■ SCAN TYPES (FM & P25)**

- Single Zone/Multi-Zone Scan
- Scan Lists\*
- Conventional Scan
- Limited Talk Group Scan\*
- Priority Monitor Scan\*
- Dual Priority Scan

**■ FM**

- QT / DQT
- Operator Selectable Tone
- Two-Tone Decode / Encode
- DTMF Encode / Decode / Stun
- Special Alert Tone Patterns
- Companded Audio

**■ FleetSync® / II (FM)**

- PTT ID Digital ANI
- Caller ID Display
- Status Messaging
- Emergency & Stun Statuses
- Selective & Group Call
- Text Messaging
- Send/Display GPS

**■ MDC-1200**

- PTT ID Digital ANI
- Caller ID Display
- Emergency Status
- Radio Check
- Radio Inhibit

RADIO		EPL	LIST
TK-5720K	136-174 MHz 50W, 512 CH / 128 Zone	937.50	1,250.00
TK-5820K	450-520 MHz 45W, 512 CH / 128 Zone	937.50	1,250.00
TK-5820K2	400-470 MHz 45W, 512 CH / 128 Zone	937.50	1,250.00
MOBILE INSTALLATION ACCESSORIES		EPL	LIST
KAP-2	Horn Alert/P.A. Relay Option	47.25	63.00
KCT-46	Ignition sense cable (plugs directly into mobile chassis ignition sense line)	10.28	13.70
KLF-2	Line Filter (suppresses alternator whine, 25dB, 25A max).	31.50	42.00
KMB-10	Key lock adapter	19.73	26.30
KRK-10	Remote Control Kit (a remote control cable (23 ft) is included)	78.75	105.00





# TK-5720 / 5820

VHF/UHF FM Analog & P25 Digital Mobile Radios

[Table of Contents](#)

KRK-13	Dual Control Head Kit (a control head, remote cables, and KMC-35 microphone included) <b>Note:</b> some operations have limitations. Please refer to Application Note avlb. on Kenwood Tools. <b>Order:</b> L-1777 if installation is required.	719.25	959.00
--------	---	--------	--------



# TK-5720 / 5820

## VHF/UHF FM Analog & P25 Digital Mobile Radios

Table of Contents

MOBILE INSTALLATION ACCESSORIES, CON'T		EPL	LIST
KCT-23M	DC Cable (35-50W Dash mount; pos/neg. 10 ft. leads)	23.63	31.50
KCT-23M3	DC Cable (35-50W Remote mount; pos.23 ft.; neg. 3.3. ft. leads)	26.06	34.75
CONTROL STATION INSTALLATION ACCESSORIES		EPL	LIST
KMC-9C	Control Station Desktop Microphone (8-pin mod. plug)	64.50	86.00
KMB-34	Control Station Mounting Case for KPS-15 Power Supplies (mobile mounting hardware included)	36.00	48.00
KPS-15	DC Switching Power Supply (117/230 VAC; 23A max. continuous, 25A peak)	129.75	173.00
MICROPHONES AND SPEAKERS		EPL	LIST
KMC-35	MIL-SPEC Standard electret mobile microphone (8-pin mod. plug) - same as supplied	39.38	52.50
KMC-36	MIL-SPEC Standard electret mobile microphone with 12 keypad (8-pin mod. plug)	70.88	94.50
KMC-27B	Standard dynamic mobile microphone (8-pin mod. plug)	31.50	42.00
KMC-28A	MIL-SPEC & Noise Canceling dynamic mobile microphone (8-pin mod. plug) w/ DTMF	122.25	163.00
KES-3S	External speaker (compact low profile; black case; 3.5 mm phono plug-in)	33.19	44.25
KES-5	External speaker, 40W max input <b>Note:</b> requires KAP-2 (PA/HA unit) installed	45.94	61.25
SOFTWARE OPTIONS		EPL	LIST
KPG-AE1K	AES/DES Encryption Software Key Loader for KWD-AE31K Authentication by KPT-300LMC is required <b>Note:</b> KPG-AE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A).	393.75	525.00
KPG-DE1K	DES Encryption Software Key Loader for KWD-AE31K Authentication by KPT-300LMC is required <b>Note:</b> KPG-DE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1).	276.00	368.00
KWD-TR30	Trunking Option for TK-5220/5320, TK-5720/5820 KWD-TR30 support:1 Trunking Network Must order <b>L-1695</b> for factory installation, or <b>L-1697</b> for field-upgrade option <b>Note:</b> KPG-112D(N) Ver2.0 or later Requires Network Level License ID to program trunked network radio parameters (see KPG-112D(N) for purchase restrictions & requirements).	187.50	250.00
OPTION MODULES		EPL	LIST
KWD-AE30K	AES FIPS140-2 & DES Encryption Module (Multi-Key) Order a Labor Code L-1826 if installation is required. KWD-AE30K requires: a Motorola KVL3000 Plus/4000 key loader device. KWD-AE30K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1).	637.50	850.00
KWD-AE31K	AES & DES Encryption Module (Multi-Key) Order a Labor Code L-1827 if installation is required. <b>Note:</b> Requires KPG-AE1/DE1 software key loader or Motorola KVL3000 Plus/4000 key loader device. KWD-AE31K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)	412.50	550.00
GPS OPTION		EPL	LIST
GPS15XL-W	Garmin Internal GPS Receiver Board for FleetSync® AVL <b>Note:</b> • Provides GPS on Analog Conventional • Requires GA25MCX GPS antenna • Refer to 5720/5820-Series Service Manuals for installation. Refer to www.garmin.com for GPS15XL-W technical specifications.	97.69	130.25
GA25MCX	Garmin On-dash Style Magnetic base GPS Antenna for GPS15XL-W <b>Note:</b> shipped loose only; Install GA25MCX antenna to GPS15XL-W before vehicle install.	46.50	62.00



# TK-5720 / 5820

## VHF/UHF FM Analog & P25 Digital Mobile Radios

Table of Contents

SERVICE RELATED ACCESSORIES		EPL	LIST
KPG-46XM	USB Programming interface cable	118.88	158.50
KPG-112DNK	Windows® Programming Software for TK-5*20 Series (Compliant with FCC Part 90 Narrowbanding)	77.44	103.25
KPG-115	Key Loader Interface Cable for Motorola KVL-3000/3000 Plus/4000	196.88	262.50
INSTALLATION / TUNING CHARGES		EPL	LIST
L-1652	TK-5720/5820 Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-112D(N) data file)	93.75	125.00
L-1653	TK-5720/5820 Install KAP-2 (Default) HR1/Internal Sp./PA	18.75	25.00
L-1654	TK-5720/5820 Install KAP-2 HR1/External Sp./PA	18.75	25.00
L-1655	Install Garmin GPS15XL-W in TK-5720/5820 mobiles for FleetSync® AVL	75.00	100.00
L-1656	Assemble TK-5720/5820 with KRK-10 Remote Kit	31.50	42.00
L-1695	Install KWD-TR30 Trunking Option in TK-5720/5820 (Must purchase KWD-TR30 separately)	N/C	N/C
L-1697	TK-5720/5820 KWD-TR30 FIELD-UPGRADE (Must purchase KWD-TR30 separately)	N/C	N/C
L-1698	KPG-112D(N) Network Level ID (encrypted data file) <b>Note:</b> Enables Trunking system programming privileges; See KPG-112D(N) Network Level ID (Trunking System Privileges) <b>- Restricted Purchase Requirements -</b> L-1698- KPG-112D(N) Network Level ID (Trunking System Privileges) The KPG-112D(N) only ships with a "Dealer Level License ID" which permits Conventional FM and P25 Conventional radio programming privileges only. For radios with the P25 Trunking option installed, trunked/network programming privileges require a "Network Level License ID" generally reserved ONLY for the system owner or the system owners authorized operators/service centers. Purchasing the KPG-112D(N) Network Level License ID will require 1) Written verifiable authorization from the systems owner/operator. 2) The 3-digit hexadecimal P25 System ID from the system owner/operator. 3) Purchase of a L-1698 : KPG-112D(N) Network Level ID option. This option will include an encrypted KPG-112D(N) "System Key Data File" containing the 16-digit Network Level	99.00	132.00
L-1777	Assemble TK-5720/5820 with KRK-13 Dual Remote Kit	31.50	42.00
L-1826	Install KWD-AE30K in TK-5720/5820 Mobile (Must purchase module separately)	56.25	75.00
L-1827	Install KWD-AE31K in TK-5720/5820 Mobile (Must purchase module separately)	56.25	75.00

**IMPORTANT NOTES****Encryption modules, key loaders and radios**

containing encryption are export controlled by the U.S. Department of Commerce Bureau of Industry & Security EAR regulations and may either require an Export License, are eligible for a License Exception (ENC) or are exportable with No License Required (NLR) depending on the country, the consignee and the intended use. High level encryption is a special commodity that may require an export license to most countries. See [www.bis.gov](http://www.bis.gov) for more information regarding export regulations. DO NOT SHIP encryption items outside the U.S. without proper DOC/BIS Export Licenses and/or compliances.

Kenwood may request the following information to be submitted at time of order (this information must meet Kenwood internal approvals prior to shipment even if being returned to Kenwood later:

**a) Initial Destination:** Initial delivery point if different from Ultimate Destination

(customer distribution center, headquarters, dealership, 'NX-5200 • 5300!A204+'NX-5200 • 5300!B206 representative)

\* Business/Agency Name:

\* Address:

\* Contact Person Name:

\* Contact Phone:

**b) Ultimate Destination:** Final delivery point(s); deployment/distribution

\* Business/Agency Name:

\* Address:



## TK-5720 / 5820

### VHF/UHF FM Analog & P25 Digital Mobile Radios

[Table of Contents](#)

---

**KWD-AE30 AES FIPS140-2 SCM , NIST Validation & Customer Shipping**

A secure delivery method direct to the end user customer is required by the NIST AES FIPS 140-2 validation rules. For U.S. Federal Government entities the SCM must ship from JVCENWOOD USA Corporation directly to the end user customer by a trusted carrier (FEDEX, UPS or a designated JVCENWOOD USA Corporation employee); shipping/handling by a dealer or other entity is not acceptable. This may or may not be required by local/state government agencies or business/industrial users. Please check with the end use customer about their AES encryption handling requirements before ordering. Kenwood will not be responsible for shipments of KWD-AE30K modules to erroneous destinations specified on an order.



# TK-5910

Table of Contents

700/800 MHz FM Analog &amp; P25 Digital Mobile Radio

## STANDARD

### ■ GENERAL FEATURES

- 30W (763-806 MHz)
- 35W (806-870 MHz)
- 100 Zones / 1024 Channels
- Personality Lists
- Zone/CH Voice Announce
- Emergency Features
- Intercom
- Public Address
- Time Out Timer
- Busy Channel Lockout
- Ignition Sense
- Timed Power Off
- DB-25 & 9-Pin Accessory Connectors
- Transceiver Password
- Date & 12/24 Hour Time Clock
- Windows® Programming & Tuning
- Windows® Firmware Uploading
- Field-Programming & Tuning
- MIL-STD 810 C/D/E/F/G, IP-54
- MIL-STD Noise-Cancel Mic (included)
- MIL-STD 12-Key DTMF Mic Option

### ■ MOUNTING CONFIGURATIONS

- Dash Mount
- Single Control Head Remote Mount
- Handheld Control Remote Mount
- Dual Control Head Remote Mount

### ■ FRONT PANELS/CONTROL HEADS

- Backlit Dot Matrix LCD
- 3-Digit Sub-Display
- Transmit LED
- Busy/Call Alert/Warn LED
- LCD Brightness Control
- Backlit Keys
- MIL-STD 810 512.X Driven Rain

### KCH-14 Front Panel

- 12-Character Alphanumeric Aliases
- 5 PF & UP/DOWN Keys
- PF Key Label Inserts
- Built-in Front Speaker

### KCH-15 Front Panel

- 14-Character Alphanumeric Aliases
- 11 PF Keys & UP/DOWN Keys
- PF Key Label Inserts
- External Speaker Required

### KHC-16 Handheld Control Head

- 14-Character Alphanumeric Aliases
- 5 PF Keys & UP/DOWN/LEFT/RIGHT Keys
- Front PF Keys Name Display
- 12-Key DTMF/Function Keypad
- External Speaker Required

### ■ P25 DIGITAL

- P25 Digital Conventional
- P25 Digital Trunking
- AMBE+2™ Enhanced VOCODER
- Talk Group ID Lists
- Individual ID Lists
- Caller ID Display
- RSSI Indicator
- Remote Monitor / Check, Radio Inhibit
- Encryption Key Zeroize & Retention
- DES Encryption Module Option
- AES & DES Encryption Module Option
- KPG-94 KVL Device Key Loader Cable
- P25 GPS Location
- P25 OTAR Option

### ■ SCAN TYPES (FM & P25)

- Single Zone/Multi-Zone Scan
- Scan Lists
- Conventional Scan
- Limited Talk **Group** Scan
- Priority Monitor Scan
- Dual Priority Scan

### ■ FM

- QT / DQT
- Operator Selectable Tone
- DTMF Encode
- Horn Alert Output
- Companded Audio
- NPSPAC Channels

### 5910 series mobile includes:

- RF Deck Only
- (Configuration Set & Assembly Labor Code must be order for a Complete Mobile.)
- Premium Warranty: 3 Years\*

\* All Accessories / options: 1 Year



## RADIO

EPL

LIST

TK-5910BK 700/800 MHz 2-30/35W 100 Zones/1024 Channels (R.F. DECK ONLY)

1,305.00

1,740.00




# TK-5910

700/800 MHz FM Analog & P25 Digital Mobile Radio

Table of Contents

## ACCESSORY CONFIGURATION SETS

### CONFIGURATION SET DEFINITIONS



### Dash Mount

		<u>EPL</u>	<u>LIST</u>
10BMD-9	KCH-14M, KCT-23M, KMB-9, KMC-27	507.19	676.25
10FMD-9	KCH-15M, KCT-23M, KMB-9, KMC-27, KES-5	553.13	737.50

### Single Head Remote Mount

		<u>EPL</u>	<u>LIST</u>
10BMSH-9	KCH-14M, KRK-5, KCT-22M2, KCT-23M3, KMB-9, KMC-27	682.88	910.50
10FMSH-9	KCH-15M, KRK-5, KCT-22M2, KCT-23M3, KMB-9, KMC-27, KES-5	728.44	971.75

### Dual Head Remote Mount

		<u>EPL</u>	<u>LIST</u>
10BMDH-9	KCH-14M(x2), KRK-6DH, KCT-22M2(x2), KCT-23M3, KMB-9, KMC-27(x2)	1,280.63	1,707.50
10FMDH-9	KCH-15M(x2), KRK-6DH, KCT-22M2(x2), KCT-23M3, KMB-9, KMC-27(x2), KES-5(x2)	1,372.50	1,830.00

### Handheld Control Head Remote

		<u>EPL</u>	<u>LIST</u>
10CMSH	KCH-16M, KRK-11M, KCT-22M2, KCT-23M3, KMB-9, KES-5	784.88	1,046.25

### FRONT PANELS & REMOTE KITS (Order Configuration Sets for full install accessories)

		<u>EPL</u>	<u>LIST</u>
KCH-14M	Basic Remote Control Head w/ 12 Alphanumeric Display (4W Front Speaker) <b>Note:</b> All KCH-14 / Basic Control Head configurations are shipped with the control heads 4W internal speaker enabled. Order L-1008 to enable the 13W external speaker output for KES-5 speaker use. This will disconnect the control heads internal 4W speaker.	378.00	504.00
KCH-15M	Full-Featured Remote Control Head w/ 14 Alphanumeric Display <b>Note:</b> requires an external speaker	378.00	504.00
KRK-5	Single Control Head Remote Mount Kit	110.25	147.00
KRK-6DH	Dual Control Head Remote Mount Kit	189.00	252.00

### HANDHELD CONTROL HEAD REMOTE (Order Configuration Sets for full install accessories)

		<u>EPL</u>	<u>LIST</u>
KCH-16M	Handheld Control Head for P25 Mobiles <b>Note:</b> requires KRK-11M, KCT-22M2/M3, & KES-5	409.50	546.00
KRK-11M	KCH-16M HHCH Interface Kit for Single Head Remote	212.63	283.50

### CABLES

		<u>EPL</u>	<u>LIST</u>
KCT-18	Ignition sense cable	10.28	13.70
KCT-22M	Control cable - 8 Feet	54.75	73.50
KCT-22M2	Control cable - 17 Feet (Standard accessory config. set cable)	63.00	84.00
KCT-22M3	Control cable - 25 Feet	70.88	94.50



# TK-5910

700/800 MHz FM Analog & P25 Digital Mobile Radio

Table of Contents

CABLES, CON'T		EPL	LIST
KCT-23M	DC Cable (Dash mount)	23.63	31.50
KCT-23M3	DC Cable (Remote mount)	26.06	34.75
MOBILE INSTALLATION ACCESSORIES		EPL	LIST
KLF-2	Line Filter (suppresses alternator whine, 25dB, 25A max)	31.50	42.00
KMB-9	Heavy Duty Mounting Bracket with built-in key lock	27.56	36.75
MICROPHONES AND SPEAKERS		EPL	LIST
KES-5	External Speaker (40W max input)	45.94	61.25
KMC-27	MIL-SPEC noise-canceling mobile hand microphone	78.00	104.00
KMC-28	MIL-SPEC DTMF noise-canceling mobile hand microphone	122.25	163.00
KMC-9B	Desk top microphone	72.38	96.50
SERVICE RELATED ACCESSORIES		EPL	LIST
KPG-95DGK	Windows® Programming Software for TK-5x10 & TK-5x10G Portables & Mobiles (Compliant with FCC Part 90 Narrowbanding) <b>Note:</b> Self-programming function is not available.  <b>Analog &amp; P25 Conventional Programming</b> A "Dealer-Level" License ID is included with each KPG-95D/DG(N)K which only permits full analog conventional and P25 conventional programming. Data files created with a "Network-Level Licensed" KPG-95D/95DG(N) and containing P25 programmed P25 trunked network parameters can be loaded and viewed with a Dealer-Level Licensed KPG-95D/DG(N)K, but the trunked network parameters cannot be changed.  <b>P25 Trunked Programming Capability (licensed by either 1 or 2 below):</b> <b>1. KPG-95DG(N)K with System Key File (*.SKF)- See L-989</b> • For all TK-5x10 radio platforms (VER1, 2, 3 or later). • 3-digit HEX System ID (HSID) and verifiable written authorization required from trunked system operator (SYSOP). • Purchase KPG-95DG(N)K & L-989 Network-Level License ID • Kenwood ships an encrypted *.SKF file on CD ROM • The *.SKF securely embeds/encrypts the 16-digit Network Level License ID & the HSID. <b>2. KPG-95DG(N)K with Advanced Network Keys (ANK's)</b> • For TK-5x10G/5410/5910 VER 3 or later radio platforms only.	471.00	628.00
KWD-ANK-MK	Master Key for activating KWD-ANK-AK Access Keys <b>- Restricted Purchase Requirements -</b> <b>Notes:</b> • For TK-5x10G/5410/5910 VER 3 or later radio platforms only. • Sold to SYSOP or SYSOP authorized entities only • Must have KPG-95DG(N)K (V7.0 or later) with L-989 Network-Level License ID • SYSOP must provide 3-digit HEX HSID to Kenwood. • Purchase KWD-ANK-AK Access Keys if needed.	375.00	500.00
KWD-ANK-AK	Access Key for KPG-95DG(N)K P25 trunked programming <b>Notes:</b> • For TK-5x10G/5410/5910 VER 3 or later radio platforms only • Must be activated by a SYSOP with KWD-ANK-MK Master Key. • Must have KPG-95DG(N)K (V7.0 or later); L-989 is NOT required.	156.00	208.00
KPG-43UM	USB Programming interface cable	118.88	158.50
KPG-94	Key Loader Interface Cable for Motorola KVL-3000/3000 Plus/4000	196.88	262.50





# TK-5910

## 700/800 MHz FM Analog & P25 Digital Mobile Radio

Table of Contents

FIRMWARE OPTIONS		EPL	LIST
KWD-RK20	OTAR Option for KWD-AE30K Encryption Module in TK-5x10 series (OTAR in P25 Conventional & Trunked Modes) <b>• Requires KWD-AE30K module.</b> <b>• L-1108</b> (for portable) & <b>L-1109</b> (for mobile) Installation (no charge) <b>• L-1733</b> (for portable) & <b>L-1734</b> (for mobile) Field Upgrade Option  <b>Note:</b> • Supports OTAR in P25 Conventional & Trunked modes (Not compatible with GK7 64 CH Model) • Compatible with Motorola KMF P25 OTAR (excludes Motorola-proprietary non-TIA/P25 KMF features) • Requires KPG-95D/DG(N) V7.10 or later for radio programming • TK-5x10 VER2: Requires KPG-95D V5.40 or later for radio programming • TK-5410/5910: Requires KPG-95D V6.00 or later for radio programming • TK-5x10G: Requires KPG-95DG(N) for radio programming • TK-5x10 VER2: Option deletes self-programming, cloning and analog FleetSync® (except PTT ID/Emergency) when installed.	622.50	830.00
KWD-RK20 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A.1).			
SOFTWARE OPTIONS		EPL	LIST
KPG-AE1K	AES/DES Encryption Software Key Loader for KWD-AE31K Authentication by KPT-300LMC is required Note: KPG-AE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A).	393.75	525.00
KPG-DE1K	DES Encryption Software Key Loader for KWD-AE31K Authentication by KPT-300LMC is required Note: KPG-DE1 is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1).	276.00	368.00
OPTION MODULES		EPL	LIST
KWD-AE30K	AES FIPS140-2 & DES Encryption Module (Multi-Key) Order a Labor Code L-1822 if installation is required. KWD-AE30K requires: a Motorola KVL3000 Plus/4000 key loader device. KWD-AE30K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1).	637.50	850.00
KWD-AE31K	AES & DES Encryption Module (Multi-Key) Order a Labor Code L-1823 if installation is required. Note: Requires KPG-AE1/DE1 software key loader or Motorola KVL3000 Plus/4000 key loader device. KWD-AE31K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1).	412.50	550.00
L-862	Install Front Panel PF Key Label Inserts in TK-5*10/90-series Mobile (key names and positions must be specified)	11.25	15.00
L-864	KCT-22A Extended Control Head Cable (Specify length in 1 ft increments up to 50 ft. max.)	142.50	190.00
L-865	KCT-22A Extended Control Head Cable (Specify length in 1 ft. increments up to 100 ft. max.)  <b>Extended control head cables:</b> Extended cables result in a loss of control head audio power. On KCH-14 use 13W audio output modifications per service manual. Use a standard KCT-22 25 ft. or less cable for firmware installation. Normal KPG-95D radio	183.75	245.00



# TK-5910

## 700/800 MHz FM Analog & P25 Digital Mobile Radio

Table of Contents

L-989	KPG-95D/95DG(N) Network Level ID (encrypted data file) <b>Note:</b> Enables Trunked system programming privileges in a KPG-95DG(N)K. <b>- Restricted Purchase Requirements -</b> • 3-Digit HEX System ID (HSID) from SYSOP required • Must Purchase KPG-95DG(N)K (V7.0 or later) with L-989 • Kenwood ships an encrypted *.SKF file on CD ROM • Non-SYSOP entities ordering L-989 must provide verifiable written authorization from SYSOP to receive an *.SKF file. • The 16-digit Network Level License ID & 3-digit HEX HSID are securely encrypted & embedded in the *.SKF file.	99.00	132.00
L-1005	TK-5*10 Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-95D/DG(N) data file)	93.75	125.00
L-1008	External Speaker modification for TK-5*10 mobile Control Head (13W) <b>Note:</b> All Basic Control Head (KCH-14M) configurations are shipped with the control heads 4W internal speaker enables. Order L-1008 to enable the 13W external speaker output for KES-5 speaker use. This will disconnect the control heads internal 4W speaker.	7.50	10.00
L-1028	Package Dash/Single Head Remote for 5*10 mobiles	12.75	17.00
L-1029	Package Dual Head Remote for 5*10 mobiles	25.50	34.00
L-1110	Package HHCH Remote for 5*10 mobiles	18.75	25.00
<b>INSTALLATION / TUNING CHARGES, CON'T</b>		<b>EPL</b>	<b>LIST</b>
L-1734	KWD-RK20 Field Upgrade Option for TK-5x10/5x10G/5910 (Must purchase KWD-RK20 separately)	31.50	42.00
L-1822	Install KWD-AE30K in TK-5x10 Mobile (Must purchase module separately)	56.25	75.00
L-1823	Install KWD-AE31K in TK-5x10 Mobile (Must purchase module separately)	56.25	75.00

**-- IMPORTANT NOTES --**

**Encryption modules, key loaders and radios containing encryption are export controlled** by the U.S. Department of Commerce Bureau of Industry & Security EAR regulations and may either require an Export License, are eligible for a License Exception (ENC) or are exportable with No License Required (NLR) depending on the country, the consignee and the intended use. High level encryption is a special commodity that may require an export license to most countries. See [www.bis.gov](http://www.bis.gov) for more information regarding export regulations. DO NOT SHIP encryption items outside the U.S. without proper DOC/BIS Export Licenses and/or compliances.

**Kenwood may request the following information to be submitted at time of order (this information must meet Kenwood internal approvals prior to shipment even if being returned to Kenwood later:**

**a) Initial Destination:** Initial delivery point if different from Ultimate Destination  
(customer distribution center, headquarters, dealership, manufacturer's representative)

\* Business/Agency Name:

**KWD-AE30 AES FIPS140-2 SCM , NIST Validation & Customer Shipping**

A secure delivery method direct to the end user customer is required by the NIST AES FIPS 140-2 validation rules. For U.S. Federal Government entities the SCM must ship from JVCKENWOOD USA Corporation directly to the end user customer by a trusted carrier (FEDEX, UPS or a designated JVCKENWOOD USA Corporation employee); shipping/handling by a dealer or other entity is not acceptable. This may or may not be required by local/state government agencies or business/industrial users. Please check with the end use customer about their AES encryption handling requirements before ordering. Kenwood will not be responsible for shipments of KWD-AE30K modules to erroneous destinations specified on an order.



## TK-5910

[Table of Contents](#)

700/800 MHz FM Analog & P25 Digital Mobile Radio