



This drawing, written description or specification represents a proprietary product of TELEX, Lincoln, NE., and shall not be released, disclosed nor duplicated without the written permission of TELEX.



REVISIONS				
CHANGE #	REV	DESCRIPTION OF CHANGE	DATE	CHK BY
41-000308	A	RELEASE FOR PRODUCTION	11/8/05	PBH
F03X008459	02	ADDED CONNENTOR END VIEWS, UPDATED TO SAP P/N	03/05/2013	MJ

WIRING TABLE

PIN	TO	PIN	COLOR	CABLE No.
PI-1	-	RADIO-1/PIN 1	BLACK	1
PI-2	-	RADIO-1/PIN 2	ORANGE	1
PI-3	-	RADIO-1/PIN 3	GREEN	1
PI-4	-	RADIO-2/PIN 9	RED	2
PI-5	-	NC	NC	NC
PI-6	-	RADIO-2/PIN 1	BLACK	2
PI-7	-	RADIO-2/PIN 3	GREEN	2
PI-8	-	RADIO-2/PIN 2	ORANGE	2
PI-9	-	RADIO-1/PIN 9	RED	1

NOTES: UNLESS OTHERWISE SPECIFIED

1. THE DRAIN WIRE OF EACH CABLE MUST BE CONNECTED AS FOLLOWS:

CABLE 1 DRAIN WIRE IS SOLDERED TO PI CONNECTOR SHELL, AND CONNECTOR SHELL OF RADIO 1  
CABLE 2 DRAIN WIRE IS SOLDERED TO PI CONNECTOR SHELL, AND CONNECTOR SHELL OF RADIO 2.

4	SPACER, HEX THREADED	8	250330	
1	LABEL, SMALL "RADIO 2"	7	804230-3	
1	LABEL, SMALL "RADIO 1"	6	804230-2	
1	LABEL, SMALL "TO IP223"	5	804230-1	
2	CONNECTOR, 9 PIN FEMALE D-SUB	4	8800102132	
3.000	CABLE, 7 CONDUCTOR 24AWG, SHIELDED	3	550252	UNIT OF MEASURE IS FEET
1	CONNECTOR, 9 PIN MALE D-SUB	2	8800102114	
3	HOUSING, 9 PIN D-SUB CONNECTOR	1	6503681	
QTY	DESCRIPTION	ITEM	PART NUMBER	ADDITIONAL INFORMATION
UNSPECIFIED LIMITS OF TOLERANCE DECIMAL: FRACTION: .X = ±.030 IN .XX = ±.010 IN .XXX = ±.005 IN ANGLES ± 1°, BENDS ±2° STRAIGHTNESS AND/OR FLATNESS .005 IN./1 IN. CONCENTRICITY UNMARKED ANGLES, BENDS AND INTERSECTIONS 90° THREADS - EXT. CLASS 2A INT. CLASS 2B		DR BY	JJS	<div>Telex®</div> <div>TELEX COMMUNICATIONS INC.</div> <div>Lincoln Nebraska U.S.A.</div>
		CHK BY	SKL	
		APPR'D	PBH	
		PROD	KH	
		TITLE		
		CABLE, DB-9 SPLITTER		
MAT'L SEE BOM TABLE		SIZE	CODE IDENT	DWG. No.
		C	57010	F01U190225
		SCALE: NONE		SHEET: 1 OF 1