

EQUIPMENT TEST LIST

AUTOTRANSFORMERS, BELLS, BUZZERS, DIALS,

DIAL ADAPTERS AND MOUNTINGS, GONGS, HEAD TELEPHONE SETS,

POTENTIOMETERS, RHEOSTATS, RINGERS, AND SOUNDERS

SEE SECTION 010-300-011 FOR EQUIPMENT TEST LIST INSTRUCTIONS

| EQUIPMENT TEST LIST | | | | | | |
|---------------------|-------------|---------------------|---|-------|-------|------------|
| B.S.P. | I S S | TEST OR REQT. | EQUIPMENT AND WORK DESCRIPTION | CLASS | FREQ. | JOB NO. |
| 028-7 | | | AUTOTRANSFORMERS, POTENTIOMETERS, AND RHEOSTATS | | | |
| 028-706-701 | 9 | | AUTO TRS—CONTINUOUSLY TAPPED TYPE MOTOR DRIVEN | | | |
| | | | Lubrication: | | | |
| | | 2.01(a) | KS-5775, KS-15583, KS-15683 and KS-15684 | MW | 36M | |
| | | | Autotransformers KS-15581 & KS-15582 | MW | 12M | |
| | | | Autotransformers Auto TR of KS-15908 L1 Regulator | MW | 12M | |
| | | 2.01(b) | Bearings of KS-15552, KS-5621, and KS-5775 Autotransformers | MW | * | |
| | | 2.01(c) | KS-5775, KS-15581, KS-15682 & KS-15683 | MW | 36M | |
| | | | Auto Trs & Vert Mutd KS-15583 & KS-15684 | | | |
| | | 2.01(d) | Exposed Gears, Sprockets, & Drive Chains | MW | 12M | |
| 028-720-701 | 3 | | RHEOSTATS, SWITCH RHEOSTATS, & POTS MANUALLY OPERATED MISC TYPES | | | |
| | | 2.02 | Lubrication | MW | 12M | |
| 028-721-701 | 3 | | MANUALLY OPERATED RHEOSTATS—STEEL PLATE & CARBON PILE TYPES | | | |
| ADDENDUM | 1 | | | | | |
| | | 2.09 | Lubrication | MW | 12M | |
| | | 2.10 | Tightness of Terminal Bar Connections | MW | 12M | |
| 028-722-701 | 3 | | MOTOR DRIVEN RHEOSTATS | | | |
| ADDENDUM | 1 | 2.02 | Lubrication | | | |
| | | 2.02 | (c)(1) Shaft Bearings (Oil Cups) | MW | M | |
| | | 2.02 | (c)(2) Waste Packed Bearings | MW | 6M | |
| | | 2.02 | (c)(3) Limit Switch Rollers | MW | M | |
| | | 2.02 | (d)(1) Gear Box Cleaned and Refilled | MW | 24M | |
| | | 2.02 | (d)(2) Gear Box with Overflow Plug | MW | 3M | |
| | | 2.02 | (d)(3) Gear Box without Overflow Plug | MW | 3M | |
| | | 2.02 | (e)(1) Ball Bearing | MW | 24M | |
| | | 2.02 | (e)(2) Exposed Gears & Chains | MW | 12M | |
| | | 2.02 | (e)(3) Gear Box KS-5501, KS-5713, KS15571, KS-15743 Rheostat | MW | 24M | |
| 028-1 | | | BELLS, BUZZERS, GONGS, RINGERS, SOUNDERS | | | |
| 028-100-701 | 2 | | BELLS & BUZZERS 7-TYPE | | | |
| | | Part 2 | 2.01-2.07 | TT | | |
| 028-101-701 | 1 | | 10 & 11 TYPE BELLS & 11 TYPE BUZZERS | | | |
| | | 2.01 | Cleaning | TT | | |

| EQUIPMENT TEST LIST | | | | | | |
|---------------------|-------------|---------------------|--|-------|-------|------------|
| B.S.P. | I S S | TEST OR REQT. | EQUIPMENT AND WORK DESCRIPTION | CLASS | FREQ. | JOB NO. |
| 028-101-701 | 1 | | (Cont) | | | |
| | | 2.02 | Cover Fit | TT | | |
| | | 2.03 | Clearance Between Clapper and Slot | TT | | |
| | | | in Cover (10 & 11 Type Bells only) | | | |
| | | 2.04 | Electrical Requirements | TT | | |
| 028-102-701 | 4 | | BELLS & SIGNALS—SOLENOID TYPE | | | |
| | | Part 2 | 2.01-2.11 | TT | | |
| 028-110-701 | 1 | | 1-TYPE BUZZERS | | | |
| | | 2.01 | Armature Air Gap | TT | | |
| | | 2.02 | Armature Movement | TT | | |
| | | 2.03 | Operation Test | TT | | |
| | | 2.04 | Tightness of Nuts & Screws | TT | | |
| 028-111-701 | 2 | | 2-TYPE BUZZERS | | | |
| | | 2.01 | Cleaning | TT | | |
| | | 2.02 | Gap Between Armature & Core | TT | | |
| | | 2.03 | Armature Movement | TT | | |
| | | 2.04 | Tightness of Adjusting Screw and | TT | | |
| | | | Pivot Screw Locknut | | | |
| | | 2.05 | Operation | TT | | |
| 028-112-701 | 2 | | 4-TYPE BUZZERS | | | |
| | | 2.01 | Cleaning | TT | | |
| | | 2.02 | Tightness of Screws & Locknuts | TT | | |
| | | 2.03 | Electrical Requirements | TT | | |
| 028-113-701 | 6 | | 8-TYPE BUZZERS | TT | | |
| 028-120-701 | 1 | | BUZZERS—NOS. 12092 & 12093 | TT | | |
| 028-130-701 | 4 | | RINGERS MOUNTED IN SUBSCRIBER'S SETS | TT | | |
| 028-131-701 | 1 | | RINGERS—C4 & C5 TYPES | TT | | |
| 028-140-701 | 1 | | 3-TYPE SOUNDERS & 12521 SOUNDERS | TT | | |
| 028-141-701 | 1 | | 7-A POLARIZED SOUNDER | | | |
| | | Part 2 | Test Requirements | TT | | |
| 028-3 | | | DIALS, DIAL ADAPTERS & MOUNTINGS; HEAD | | | |
| | | | TELEPHONE SETS & HEADSETS | | | |
| 028-300-501 | 4 | | 2-, 4-, 5-, & 6-TYPE DIALS | | | |
| | | 1.03(a) | Speed Test Using Local Test Desk | TT | | |
| | | | Dial Testing Circuit | | | |
| | | 1.03(b) | Speed Test Using Ringer & Dial | TT | | |
| | | | Testing Circuit | | | |

| EQUIPMENT TEST LIST | | | | | | |
|---------------------|-------------|---------------------|---|-------|-------|------------|
| B.S.P. | I S S | TEST OR REQT. | EQUIPMENT AND WORK DESCRIPTION | CLASS | FREQ. | JOB NO. |
| 028-300-501 | 4 | | (Cont) | | | |
| | | 1.03(c) | Speed Test Using Stroboscope | TT | | |
| | | 1.03(d) | Test for Percent Drk of Pulsing Sprigs | TT | | |
| 028-300-701 | 10 | | DIALS 2, 4, 5, & 6 TYPES | TT | | |
| 028-350-501 | 2 | | HEAD TELEPHONE SETS KS-19796 | | | |
| | | Part 3 | Visual Inspection | TT | | |
| | | Part 4 | Electrical Test | TT | | |
| 028-360-501 | 7 | | 52 TYPE HEAD TELEPHONE SETS | TT | | |
| 028-361-501 | 2 | | 53 TYPE HEAD TELEPHONE SETS | | | |
| | | Part 3 | Method (A through F) | TT | | |
| 028-362-501 | 1 | | 60-TYPE HEAD TELEPHONE SETS | TT | | |
| | | | VISUAL INSPECTION AND | | | |
| | | | ELECTRICAL TESTS | | | |
| 028-363-501 | 1 | | 61-TYPE HEAD TELEPHONE SETS | TT | | |
| | | | VISUAL INSPECTION AND | | | |
| | | | ELECTRICAL TESTS | | | |
| 028-370-501 | 3 | | 1020-TYPE HEADSETS | | | |
| | | 3.02 | Cords & Plugs | TT | | |
| | | 3.06 | Receivers | TT | | |
| | | 3.10 | Headband | TT | | |
| | | 3.15 | Electrical Tests | TT | | |
| 028-7 | | | AUTO TRANSFORMERS, POTENTIOMETERS AND | | | |
| | | | RHEOSTATS | | | |
| 028-705-701 | 4 | | AUTO TRS CONTSY TAPPED TYPE MAN. OPR | | | |
| ADDENDUM | 1 | | KS-5657, KS-15594, KS-15646, KS-15814, | TT | | |
| | | | KS-15831, KS-15843, & KS-15955 | | | |
| 028-706-701 | 9 | | AUTO TRS CONTINUOUSLY TAPPED TYPE | | | |
| | | | MOTOR DRIVEN | | | |
| | | Part 2 | 2.02-2.12 | TT | | |
| 028-720-701 | 3 | | RHEOSTATS, SWITCH RHEOSTATS & POTS | | | |
| | | | MANUALLY OPERATED MISC TYPES | | | |
| | | Part 2 | 2.03-2.09 | TT | | |
| 028-721-701 | 3 | | MANUALLY OPERATED RHEOSTATS—STEEL PLATE & | TT | | |
| ADDENDUM | 1 | | CARBON PILE TYPE | | | |
| 028-722-701 | 3 | | MOTOR DRIVEN RHEOSTATS | | | |
| ADDENDUM | 1 | Part2 | 2.01 and 2.03-2.15 | TT | | |