

SECTION 030-000-000

| Section Number | Issue | Subject | Section Number | Issue | Subject |
|--|--------------|--|-----------------------|--------------|---|
| 030-140-702 | 4 | Coin Timers No. 1B, D-99006, and D-159938 and Associated Nos. 51A, 51C, 52A, D-99004, and D-179538 Drives — Requirements and Adjusting Procedures | Add030-301-301 | 1 | |
| | | | 030-301-301 | 4 | Photographing Message Registers — Using KS-14593, L1 Message Register Camera and KS-14778 Photo Processor |
| 030-140-703 | 4 | Nonzone Test Timers No. 1C and D-99325 — Coin Test Timers No. 1D and D-99326 and Associated Nos. 51B, 51D, 52B, D-156125 and D-179539 Drives — Requirements and Adjusting Procedures | Add030-301-701 | 1 | |
| | | | 030-301-701 | 2 | KS-14593, List 1 — Message Register Camera — Requirements and Adjusting Procedures |
| | | | 030-301-801 | 3 | KS-14593, List 1 — Message Register Camera — Piece-Part Data and Replacement Procedures |
| 030-140-801 | 2 | 1-Type Timers and Associated 51- and 52-Type Drives — Piece-Part Data and Replacement Procedures | 030-302-301 | 4 | Photographing Traffic Registers — Using Electrically Operated KS-14776 Camera |
| 030-140-811 | 1 | 1-Type Timers — Conversion of Associated 51- and 52-Type Drives From 5- to 4-Minute Operation — Piece-Part Data and Replacement Procedures | 030-302-701 | 4 | KS-14776 L1 and L2 — Requirements and Adjusting Procedures |
| | | | 030-302-801 | 5 | Cameras — KS-14776 L1 and L2 — (Traffic Register Cameras) — Piece-Part Data and Replacement Procedures |
| 030-141-701 | 5 | Timers — 2-Type, No. 4A, and D-171689 — Requirements and Adjusting Procedures | 030-310-701 | 3 | KS-7495 and KS-14359 Magnetic Counters — Requirements and Adjusting Procedures |
| 030-141-801 | 4 | Timers — 2-Type, No. 4A, and D-171689 — Piece-Part Data and Replacement Procedures | 030-311-811 | 1 | Method of Mounting KS-16493 Magnetic Counter — In Place of KS-14359 Magnetic Counter |
| 030-142-701 | 2 | Timers — 3-Type — Requirements and Adjusting Procedures | 030-312-701 | 2 | 3-Type Counter — Requirements and Adjusting Procedures |
| 030-142-801 | 1 | Timers — 3-Type — Piece-Part Data and Replacement Procedures | 030-313-101 | 2 | Magnetic Counters — Description |
| 030-150-701 | 2 | Nonzone Timer D-159823 and Associated No. 51A Drive — Requirements and Adjusting Procedures | 030-320-701 | 2 | Photo Processor KS-14778 — Requirements and Adjusting Procedures |
| 030-155-801 | 1 | KS-Specification Timers — General Replacement Information | 030-320-801 | 1 | KS-14778 Photo Processor — Piece-Part Data and Replacement Procedures |
| 030-156-701 | 1 | Timers KS-8543 and KS-8564 — Requirements and Adjusting Procedures | 030-330-701 | 7 | Line Message Registers 5-Type — Requirements and Adjusting Procedures |
| 030-157-701 | 5 | KS-14741 Program Timers — Requirements and Adjusting Procedures | 030-330-702 | 5 | Traffic and Plant Registers 5- and 12-Types — Requirements and Adjusting Procedures |
| 030-157-801 | 4 | KS-14741 Program Timers — Piece-Part Data and Replacement Procedures | 030-331-701 | 4 | Registers — 14 Type — Line Message — Requirements |
| 030-159-701 | 3 | Timers — KS-16329, L1 and L2 — Requirements and Adjusting Procedures | 030-331-702 | 4 | 14-Type Traffic and Plant Registers — Requirements and Adjusting Procedures |
| 030-159-801 | 2 | Timers — KS-16329, L1 and L2 — Piece-Part Data and Replacement Procedures | 030-331-801 | 3 | 14-Type Registers — Piece-Part Data and Replacement Procedures |
| 030-170-701 | 1 | KS-5464 Call Timing Switch — Requirements and Adjusting Procedures | 030-332-501 | 2 | Traffic Register 100-Operation Tests — Using Message Register Test Set SD-30490-01 or ES-360006 |
| 030-176-701 | 2 | Stromberg Time Stamp — Requirements and Adjusting Procedures | 030-332-502 | 1 | Traffic Register Tests — Using Test Set SD-32150-01 |
| 030-3 CAMERAS, COUNTERS, PHOTO PROCESSORS, REGISTERS, TAPE PRINTERS AND TICKETERS | | | Add030-333-701 | 1 | |
| 030-300-301 | 2 | Photographing Message Registers — Using Electrically Operated KS-7703 and KS-8320 Cameras | 030-333-701 | 1 | Line-Message Registers — 15 Type — Requirements |
| 030-300-701 | 2 | Message Register Cameras KS-7703 and KS-8320 — Requirements and Adjusting Procedures | 030-340-701 | 2 | Bunnell Ink Writing Register — (Pen Register) — Requirements and Adjusting Procedures |

| Section Number | Issue | Subject | Section Number | Issue | Subject |
|--|-------|---|----------------|-------|---|
| 030-341-701 | 4 | 20-Pulse Pen Registers — KS-3106 (Single Pen) and KS-3107 (Double Pen) and Similar Pen Registers Manufactured by Foote-Pierson Co. or J. H. Bunnell Co. — Requirements and Adjusting Procedures | 030-705-803 | 8 | Switches — 197 and 198 Types — Contact Spring Assemblies, Test Jack Assemblies, and Normal Post Cams — Piece-Part Data and Replacement Procedures |
| 030-342-301 | 2 | KS-19717 Tape Printer — Operating Procedures | Add030-705-804 | 1 | |
| 030-342-701 | 1 | KS-19717 Tape Printer — Requirements and Adjusting Procedures | 030-705-804 | 6 | 197- and 198-Type Switches — Cords, Cord Holders, Commutators, Wiper Springs, and Parts Associated with the Coverplate — Piece-Part Data and Replacement Procedures |
| 030-342-801 | 1 | KS-19717 Tape Printer — Piece-Part Data and Replacement Procedures | 030-705-805 | 5 | 197- and 198-Type Switches — Pawls and Pawl Pins — Piece-Part Data and Replacement Procedures |
| 030-360-701 | 5 | 1-Type Message Ticketer — Requirements and Adjusting Procedures | 030-705-806 | 9 | 197- and 198-Type Switch Banks — Piece-Part Data and Replacement Procedures |
| 030-360-801 | 1 | 1-Type Message Ticketer — Piece-Part Data and Replacement Procedures | 030-705-807 | 1 | 197- and 198-Type Switches — Procedures for the Replacement Supply Bank Insulators Where Banks have Silver Plate Bank Contacts |
| 030-7 SELECTOR MULTIPLE DESIGNATION CARDS, SWITCHES | | | | | |
| 030-700-701 | 3 | 188- and 189-Type Switches — Requirements and Adjusting Procedures | 030-705-820 | 3 | 197- and 198-Type Switches — Methods of Mounting Capacitors and Networks on Shelf Angles |
| 030-705-301 | 3 | Designation Cards for Selector Multiple — Method of Using — Step-by-Step Systems | 030-705-821 | 2 | Step-by-Step Switch Covers — Removal of Felt Seals and Installing Fibre Strips |
| 030-705-501 | 8 | 197- and 198-Type Switches and Line Switches — Equipment Insulation and Bank Ground Test | 030-710-701 | 2 | 202-Type Switches — Requirements and Adjusting Procedures |
| 030-705-502 | 1 | 197- and Similar Type Switches — Insulation Resistance of Banks and Bank Multiple — Tests | 030-711-701 | 2 | 211- and 212-Type Switches — Requirements and Adjusting Procedures |
| 030-705-701 | 5 | 197- and 198-Type Switches — Requirements and Adjusting Procedures | 030-711-801 | 1 | 211- and 212-Type Switches — Piece-Part Data and Replacement Procedures |
| Add030-705-702 | 2 | | 030-712-701 | 3 | 216- and 217-Type Switches — Requirements and Adjusting Procedures |
| 030-705-702 | 9 | 197- and 198-Type Switches — Rotary, Vertical and Release Mechanisms — Requirements and Adjusting Procedures | 030-712-801 | 3 | Nos. 216A and 217A Switches — Piece-Part Data and Replacement Procedures |
| Add030-705-703 | 2 | | 030-713-701 | 1 | 223-Type Coaxial Switches — Requirements |
| 030-705-703 | 9 | 197- and 198-Type Switches — Contact Spring Assemblies — Requirement and Adjusting Procedures | 030-715-701 | 7 | Switches — 300, 301, 302 and 303 Types — Requirements and Adjusting Procedures |
| Add030-705-704 | 1 | | 030-715-801 | 5 | Switches — 300, 301, 302, and 303 Types — Piece-Part Data and Replacement Procedures |
| 030-705-704 | 8 | 197- and 198- Type Switches — Banks, Commutators, Wipers, Jack Springs and Switch Operation — Requirements and Adjusting Procedures | 030-717-701 | 6 | Switches — 304, 305, 306, 307, 308, 314, 315, and 318 Types — Requirements and Adjusting Procedures |
| Add030-705-706 | 1 | | 030-717-801 | 5 | Switches — 304-, 305-, 306-, 307-, 308-, 314-, 315-, and 318-Type — Piece-Part Data and Replacement Procedures |
| 030-705-706 | 10 | Switches — 197- and 198-Types — Lubrication — Requirements and Procedures | 030-720-701 | 8 | Switches — 324, 325, 328, 334, and 338 Types — Requirements and Adjusting Procedures |
| 030-705-711 | 2 | Side Switch — (Part of Earlier 197-Type Switches) — Requirements and Adjusting Procedures | Add030-720-801 | 1 | |
| 030-705-801 | 4 | 197- and 198-Type Switches — Associated Banks and Commutators — Piece-Part Data and Replacement Procedures | 030-720-801 | 5 | Switches — 324, 325, 328, 334, and 338 Types — Piece-Part Data and Replacement Procedures |
| 030-705-802 | 6 | 197- and 198-Type Switches — Parts Mounted Above Cover Plate Except Pawls, Pawl Pins, and Contact Spring Assemblies — Piece-Part Data and Replacement Procedures | 030-721-701 | 1 | Small Crossbar Switch — Requirements and Adjusting Procedures |

SECTION 030-000-000

| Section Number | Issue | Subject | Section Number | Issue | Subject |
|----------------|-------|---|--------------------------------|-------|---|
| 030-721-801 | 1 | Small Crossbar Switch — Piece-Part Data and Replacement Procedures | 030-766-701 | 5 | Rotary Switch — Automatic Electric Company 25 Point — Heavy-Duty Type — (Used in Secondary Line Switch Allotter Circuits) — Requirements and Adjusting Procedures |
| 030-740-701 | 7 | Knife Switches — Requirements and Adjusting Procedures | 030-766-702 | 4 | Rotary Switch — Automatic Electric Company 25 Point — Light-Duty Type — Requirements and Adjusting Procedures |
| 030-741-701 | 3 | Palmer Master Switches — Contactor Type — Requirements and Adjusting Procedures | 030-766-801 | 3 | Automatic Electric Company 25-Point Rotary Switches and Associated Banks — Piece-Part Data and Replacement Procedures |
| 030-741-801 | 1 | Palmer Master Switches — Contactor Type — Piece-Part Data and Replacement Procedures | Add030-767-701 | 1 | |
| 030-742-701 | 2 | Emergency Lighting Relay Switches — KS-5189, KS-5189-01, KS-5189-02, and KS-5189-03 — Requirements and Adjusting Procedures | 030-767-701 | 6 | Switch per D-159393 and Associated Motor Generator for A3 and A5 Privacy Systems — Requirements and Adjusting Procedures |
| 030-742-801 | 2 | Emergency Lighting Relay Switches — KS-5189, KS-5189-01, KS-5189-02, and KS-5189-03 — Piece-Part Data and Replacement Procedures | 030-780-301 | 1 | Automatic Electric Company's — 25-Ampere and 80-Ampere Automatic Voltage Regulator Switches — Operation |
| 030-743-701 | 1 | Palmer Master Switches — Requirements and Adjusting Procedures | 030-780-701 | 2 | Automatic Electric Company's — 25-Ampere and 80-Ampere Counter EMF Cell Switches — Requirements and Adjusting Procedures |
| 030-744-701 | 9 | Manually Operated Rotary Switches | 030-785-701 | 6 | Switch Panels — Single Motor-Driven Type — KS-15610 and KS-15624 — Requirements and Adjusting Procedures |
| Add030-760-701 | 1 | | 030-785-801 | 2 | Switch Panels — Single Motor-Driven Type — KS-15610 and KS-15624 — Replacement Parts and Procedures |
| 030-760-701 | 3 | 4-Type Foot Switches — Requirements and Adjusting Procedures (Condensed Section: 030-970-701) | 030-786-701 | 3 | Motor-Driven Switches KS-15847 Type — Requirements and Adjusting Procedures |
| Add030-761-701 | 1 | | 030-786-801 | 3 | Motor-Driven Switches — KS-15847 Type — Replacement Parts and Procedures |
| 030-761-701 | 2 | Plunger Type Switches — Primary and Secondary Line Switches and Out Trunk Switches — Requirements and Adjusting Procedures | 030-787-701 | 6 | Motor-Driven Switches — KS-5502 and KS-15836 Type — Requirements and Adjusting Procedures |
| 030-761-801 | 3 | Plunger Type Switches and Banks — Primary and Secondary Line Switches and Out Trunk Switches — Piece-Part Data and Replacement Procedures | 030-787-801 | 3 | Motor-Driven Switches — KS-5502 and KS-15836 Type — Replacement Parts and Procedures |
| 030-762-701 | 2 | Solenoid Type Master Switch | 030-789-701 | 1 | Emergency Cell Switches — Motor-Driven Rotary Type — Requirement and Adjusting Procedures |
| 030-762-801 | 2 | Solenoid Type Master Switches — Piece-Part Data and Replacement Procedures | Add030-790-701 | 1 | |
| 030-765-701 | 1 | Stud Type Rotary Switches — 34- and 37-Type Potentiometers, Certain Artificial Lines and Attenuators — Requirements and Adjusting Procedures | 030-790-701 | 1 | KS-5312 Emergency Cell Switch and Automatic Switch Company Transfer Switches Having No KS Designations — Requirements and Adjusting Procedures |
| 030-765-702 | 2 | Stud Type Rotary Switches — 212 Type Input Transformers — Requirements and Adjusting Procedures | | | |
| 030-765-703 | 1 | Stud Type Rotary Switches — D-95522 — Rheostats — D-88790, D88791, D88792, D88793, D-91283, D91378 — Potentiometers — 20A, 22A, 22B, 25A, 25B, 26A, 30A, and 30B Types — D-81127, D-81157, D-81158, D-81228, D-81236, D-81238, D-81284, D-81312, D-85675, D-85738, D-86118, D-88204, D-88205, D-88206, D-88207, D-88328, D-88702, D-88733, D-90329, D-90330, D-90331, D-91381, D-92146, D-92147, D-92515, D-93385, D-95140, D-95415 — Requirements and Adjusting Procedures | 030-8 SEQUENCE SWITCHES | | |
| | | | 030-801-501 | 2 | Test for Slipping Drives |
| | | | 030-801-701 | 6 | A and B Types — Requirements and Adjusting Procedures |
| | | | 030-801-801 | 6 | A and B Types — Piece-Part Data and Replacement Procedures |
| | | | 030-801-811 | 1 | Repair of Magnet Coils |
| | | | 030-801-812 | 7 | Procedure for Replacing Tips of Worn Contact Springs |

| Section Number | Issue | Subject |
|----------------|-------|---|
| 030-801-813 | 4 | Procedure for Shortening Springs |
| 030-801-814 | 4 | Procedure for Splitting Springs |
| 030-802-701 | 2 | Spring Driven — Requirements and Adjusting Procedures |

| Section Number | Issue | Subject |
|---------------------------------|-------|--|
| 030-9 CONDENSED SECTIONS | | |
| 030-970-701 | 1 | 4-Type Foot Switches — Requirements — (Condensed Section for 030-760-701) |