

PATCHING CORD ASSEMBLIES

3-CONDUCTOR CORDS

3P1A THROUGH 3P16B

DESCRIPTION

1. GENERAL

1.01 This section lists and illustrates the 3P1A through 3P16B 3-conductor cords.

1.02 This section is reissued to:

- Revise the format
- Rate the 3P9A cord Mfr Disc.


Revision arrows have been used to emphasize the more significant changes. The Equipment Test List is not affected.

1.03 For general information on these cords, refer to Section 032-313-100.

2. DESCRIPTION OF CORDS

3P1A


One P3A cord, 3 feet long, equipped with four 310 plugs with black shells



Res 0.16 Ω/ft


3P2A

One P3H cord, 10 feet long, equipped with one 310 plug and one 240A plug.



3P2B

One P3H cord, 5 feet long, equipped with one 310 plug and one 240F plug.



*The E1 lamp must be ordered separately.


NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

SECTION 032-313-102

3P2C

One P3H cord, 10 feet long, equipped with one 310 plug with a black shell and one 240A plug.



The 3P2C cord was intended initially for use with test sets and line finder switches, SD-66073-01, SD-90416-01, and SD-65901-01 in 701B and 711B PBX Systems.

3P3A—(Replaces the 3P26A cord)

One P3D cord, 6 feet long, equipped with two 309 plugs.

3P3B


One P3D cord, 8 feet long, equipped with two 309 plugs.

3P3C

One P3D cord, 3 feet long, equipped with two 309 plugs.

3P3D

One P3D cord, 9 inches long, equipped with two 309 plugs.




For red-green cord, 8 feet long.

3P4A

One P3D cord, 6 feet long, equipped with one 309 plug, one 113B gauge, and one 121A cord weight.

3P5A

One P3D cord, 6 feet long, equipped with one 309 plug and one 115B gauge.



3P6A

One P3E slate cord, 1 foot long, equipped with two 310 plugs.

3P6B—MFR DISC.

Replaced by the 3P7A cord.

3P6C

One P3E slate cord, 6 feet long, equipped with two 310 plugs with gray shells.

3P6D

One P3E slate cord, 6 feet long, equipped with two 310 plugs with black shells.

3P6E

One P3E slate cord, 8 feet long, equipped with two 310 plugs.

3P6F

One P3E slate cord, 10 feet long, equipped with two 310 plugs.

3P6G

One P3E slate cord, 12 feet long, equipped with two 310 plugs.

3P6H

One P3E slate cord, 15 feet long, equipped with two 310 plugs.

3P6J

One P3E slate cord, 20 feet long, equipped with two 310 plugs.

3P6K

One P3E slate cord, 25 feet long, equipped with two 310 plugs.

3P7A

One P3E slate cord, 6 feet long, equipped with two 310 plugs.

3P7B

One P3E slate cord, 3 feet long, equipped with two 310 plugs.

3P7C


One P3E green cord, 8 feet long, equipped with two 310 plugs with black shells.

3P7D

One P3E slate cord, 2 feet long, equipped with two 310 plugs with black shells.


3P7E

One P3E slate cord, 4 feet long, equipped with two 310 plugs.



3P8A

One P3E cord, 6 feet long, equipped with one 310 plug, and 123B gauge, and one 121A cord weight.



3P8B


One P3E cord, 6 feet long, equipped with one 310 plug and one 123B gauge.

3P9A—MFR DISC.

No replacement.

3P10A

One P3E cord, 6 feet long, equipped with one 310 plug and one 257A plug.



3P11A—MFR DISC.

No replacement.

3P12A

One P3F slate cord, 4 feet long, equipped with one 309 plug and one 310 plug.

3P12B

One P3F red cord, 4 feet long, equipped with one 309 plug and one 310 plug.

SECTION 032-313-102

3P12C

One P3F green cord, 4 feet long, equipped with one 309 plug and one 310 plug.

3P12D

One P3F black cord, 4 feet long, equipped with one 309 plug and one 310 plug.

3P12E—(Replaces the 3P25A cord)

One P3F slate cord, 6 feet long, equipped with one 309 plug and one 310 plug.

3P12F

One P3F slate cord, 6 feet long, equipped with one 309 plug with a gray shell and one 310 plug with a gray shell.

3P12G


One P3F slate cord, 6 feet long, equipped with one 309 plug with a black shell and one 310 plug with a black shell.

3P12H

One P3F slate cord, 8 feet long, equipped with one 309 plug and one 310 plug.

3P12J

One P3F slate cord, 2 feet long, equipped with one 309 plug and one 310 plug.



3P13A


One P3J cord, 3 feet long, equipped with two 241A plugs.

3P14A

One P3J cord, 3 feet long, equipped with two 241B plugs.

3P14B

One P3J cord, 6 feet long, equipped with two 241B plugs.




3P15A

One P3K cord, 6 feet long, equipped with two 310 plugs.

Res 0.04 Ω /ft

3P15B

One P3K cord, 12 feet long, equipped with two 310 plugs.



Res 0.04 Ω /ft


3P16A

One P3L cord, 6 feet long, equipped with one 309 plug and one 310 plug.

Res 0.04 Ω /ft

3P16B

One P3L cord, 12 feet long, equipped with one 309 plug and one 310 plug.



Res 0.04 Ω /ft