


TOOLS

CASES, CARRYING I - DESCRIPTION

1. GENERAL


- 1.01 This section covers coded and noncoded Bell System carrying cases.
- 1.02 When this section is reissued, the reason for reissue will be listed in this paragraph.
- 1.03 The information contained in this section supersedes the corresponding information in Sections 074-560-101 and 074-560-102.
- 1.04 See tool index for other Carrying Case practices.

13A



A black-finished wooden case with a hinged cover held closed by a latch. For housing and carrying the 121A gauge.

14A




A black-finished sheet metal case with a hinged cover held closed by a latch. The interior is divided into three compartments. For housing and carrying multiple marking tools and materials.

NOTICE


Not for use or disclosure outside the Bell System except under written agreement

15A




A black-finished wooden case with a hinged cover held closed by a latch. Part of the 1000A tool kit and used for housing the tools of that kit.

16A




A black-finished wooden case with a hinged cover held closed by a latch. Part of the 1001A tool kit and used for housing tools and gauges of that kit.

17A



A black-finished wooden case with a hinged cover held closed by a latch. Part of the 1002A tool kit and used for housing tools of that kit.

18A




A black-finished wooden case with a hinged cover held closed by a latch. Part of the 1003A tool kit and used for housing tools of that kit.

19A MFR DISC

20A MFR DISC

Replaced by the 20B carrying case.

20B




A gray-finished wooden case with a hinged cover held closed by a latch. Part of the 1014B tool kit and used for housing the tools of that kit.

- KS-5205
- KS-5206
- KS-5207
- KS-5208
- KS-5209 L1, L2, L3

CASE	USE	INSIDE DIMENSIONS WITHOUT PADS
KS-5205	For hand-size test sets	5-1/2" x 8" x 9-1/4"
KS-5206	For small ladder-size test sets	9" x 9-5/8" x 11-3/4"
KS-5207	For medium ladder-size test sets	9-5/8" x 11" x 17"
KS-5208	For large ladder-size test sets	9-5/8" x 13" x 21-3/4"
KS-5209 L1, L2	For table-size test sets	11-5/8" x 14-1/4" x 24-1/2"
KS-5209 L3	For 128D2 TTY station test set	11-1/2" x 14-1/4" x 21-1/4"

These cases consist of black fiber trunk material riveted together with edges bound in angle fiber. All corners on the outside are protected by metal corner pieces riveted to the fiber trunk material. A hinged cover is provided and arranged for fastening on the front by means of a lock in the center and a draw bolt catch on each side. A leather handle is furnished. The inside of the case is sufficiently padded to secure a snug fit and has a clamping effect when the cover is closed.


KS-5672 (Specify list number.)



LIST NUMBER	USED FOR CARRYING
1	Amplifiers
2	Automatic Regulators
3	Two-Circuit Manual Gain Control Unit
4	6077A Test Set

These are wood-lined, black vulcanized fibre cases with hinged covers and wooden interior compartments mounted on shock absorbent pads. Each case includes a canvas adjustable shoulder strap. For use in carrying plug-in units of Type L1 Carrier System.


KS-6526  
KS-8349



CASE	DIMENSIONS (INCHES)		
	A	B	C
KS-6526	5-17/32	7/16	1-3/4
KS-8349	7-19/32	15/16	2-5/16

Metal cases with a black finish.  
KS-6526 is for housing and carrying gauges for 207- and 213-type relays.  
KS-8349 is for carrying clutch gauges.

KS-14131



**KS-14131 (CONT)**

Consists of an inner case in an outer case with shock absorbent padding between the cases. Both cases have wood frames covered with black vulcanized fibre and hinged lids. The key to the lock on the outer lid of all KS-14131 carrying cases now manufactured is the same as that used on KS-14253 carrying cases. For use in conjunction with a 649A tool for transporting an AMA KS-13882 perforator between a central office and a maintenance center. The 649A tool must be ordered separately.