

**NUMERICAL INDEX — DIVISION 155**

**ALTERNATORS, ENGINE-ALTERNATORS, GAS TURBINE ALTERNATORS, TONE ALTERNATORS, TONE MACHINES,  
RINGING AND COIN CONTROL GENERATORS, CHARGING GENERATORS AND MOTOR-GENERATORS**

**1. GENERAL**

- 1.01** This section provides an index of System-issued sections in Division 155.
- 1.02** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.03** A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.
- 1.04** "Add" is the abbreviation for Addendum and "App" is the abbreviation for Appendix.

**2. LAYERS**

- 2.01** This division is arranged in layers as follows:  
155-0 Indexes, Equipment Test Lists, Operating Instruction Charts, and Automatic Control Units
- 1 Alternators and Engine-Alternators
  - 2 Gas Turbine Alternators
  - 3 Tone Alternators and Tone Machines
  - 4 Ringing and Coin Control Generators
  - 5 Charging Generators
  - 6 Motor-Generators

**3. INDEX**

| Section Number  | Issue | Subject                                                                                                                                                                                                   |
|-----------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>155-0</b>    |       | <b>INDEXES, EQUIPMENT TEST LISTS, OPERATING LOG, OPERATING INSTRUCTION CHARTS, AND AUTOMATIC CONTROL UNITS</b>                                                                                            |
| ● 155-000-000   | 28    | Numerical Index — Division 155 — Alternators, Engine-Alternators, Gas Turbine Alternators, Tone Alternators, Tone Machines, Ringing and Coin Control Generators, Charging Generators and Motor-Generators |
| <b>155-001</b>  |       | <b>Equipment Test Lists (ETL)</b>                                                                                                                                                                         |
| 155-001-010     | 2     | Instructions                                                                                                                                                                                              |
| 155-001-011     | 1     | Apparatus and Miscellaneous Equipment — Associated With — Alternator and Engine-Alternator — Power Plants                                                                                                 |
| Sup 155-001-012 | 1     |                                                                                                                                                                                                           |
| 155-001-012     | 1     | Alternators and Engine-Alternators                                                                                                                                                                        |
| Sup 155-001-013 | 1     |                                                                                                                                                                                                           |
| 155-001-013     | 1     | Gas Turbine Alternators                                                                                                                                                                                   |
| 155-001-015     | 1     | Tone Alternators and Tone Machines — and — Ringing and Coin Control Generators                                                                                                                            |
| 155-001-016     | 1     | Charging Generators                                                                                                                                                                                       |

| Section Number | Issue | Subject                                                                                                                          |
|----------------|-------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>155-002</b> |       | <b>Operating Log</b>                                                                                                             |
| 155-002-010    | 1     | Log of Operations for Emergency Engine Sets                                                                                      |
| <b>155-010</b> |       | <b>Operating Instructions Charts</b>                                                                                             |
| ● 155-010-300  | 3     | Engine-Alternator — Operating Instructions Charts                                                                                |
| <b>155-020</b> |       | <b>Automatic Control Units</b>                                                                                                   |
| 155-020-501    | 1     | Tests and Inspection                                                                                                             |
| 155-020-701    | 1     | Automatic Solid-State Control (J86634A) — For Reserve Diesel Engine-Alternator Plants — Requirements and Adjusting Procedures    |
| <b>155-021</b> |       | <b>Automatic Control Units</b>                                                                                                   |
| 155-021-501    | 1     | J86638A — Automatic Solid-State Control — For Reserve Gas Turbine Engine-Alternator Plants — Inspection and Test                 |
| 155-021-701    | 1     | J86638A — Automatic Solid-State Control For Reserve Gas Turbine Engine-Alternator Plants — Requirements and Adjusting Procedures |
| <b>155-1</b>   |       | <b>ALTERNATORS AND ENGINE-ALTERNATORS</b>                                                                                        |
| 155-105-101    | 2     | Commercial Type — Description                                                                                                    |
| 155-105-301    | 5     | Commercial Type — Operating Methods                                                                                              |
| 155-105-701    | 6     | Commercial Type — Requirements and Adjusting Procedures                                                                          |
| 155-105-801    | 3     | Commercial Type — Replacement Parts and Procedures                                                                               |
| 155-107-701    | 1     | Motor-Alternator — KS-15993 — Requirements and Adjusting Procedures                                                              |
| 155-107-801    | 2     | Motor-Alternator — KS-15993 — Replacement Parts and Procedures                                                                   |
| 155-108-701    | 2     | KS-5654 and KS-5654-01 AC-DC — Requirements and Adjusting Procedures                                                             |
| 155-108-801    | 1     | KS-5654-01 AC-DC — Replacement Parts and Procedures                                                                              |
| 155-109-701    | 1     | Motor Alternator KS-15994 — Requirements and Adjusting Procedures                                                                |
| 155-109-801    | 2     | Motor-Alternator — KS-15994 — Replacement Parts and Procedures                                                                   |
| 155-110-701    | 2     | KS-5715 Motor-Driven Emergency-Requirements and Adjusting Procedures                                                             |

**SECTION 155-000-000**

| Section Number  | Issue | Subject                                                                                                                               |
|-----------------|-------|---------------------------------------------------------------------------------------------------------------------------------------|
| 155-110-801     | 1     | KS-5715 Motor-Driven Emergency-Replacement Parts and Procedures                                                                       |
| Add 155-112-701 | 1     |                                                                                                                                       |
| 155-112-701     | 4     | Motor-Alternators — KS-15520 and KS-15626 — Requirements and Adjusting Procedures                                                     |
| 155-112-801     | 3     | KS-15520 and KS-15626 — Replacement Parts and Procedures                                                                              |
| 155-113-701     | 1     | KS-15823 — With Compensating and Gap Circuits — Requirements and Adjusting Procedures                                                 |
| 155-113-801     | 1     | KS-15823 — With Compensating and Gap Circuits — Replacement Parts and Procedures                                                      |
| 155-115-301     | 2     | KS-15844 and Associated Voltage Regulator — Operating Methods                                                                         |
| Add 155-115-701 | 1     |                                                                                                                                       |
| 155-115-701     | 1     | KS-15844 — Requirements and Adjusting Procedures                                                                                      |
| 155-115-801     | 2     | KS-15844 and Associated Voltage Regulator — Replacement Parts and Procedures                                                          |
| 155-117-301     | 1     | KS-15949 — Operating Methods                                                                                                          |
| Add 155-117-701 | 1     |                                                                                                                                       |
| 155-117-701     | 2     | Alternator and Voltage Regulator — KS-15949 — Requirements and Adjusting Procedures                                                   |
| 155-117-801     | 1     | KS-15949 — Replacement Parts and Procedures                                                                                           |
| 155-118-701     | 2     | Motor-Alternator — KS-15986 — Requirements and Adjusting Procedures                                                                   |
| 155-118-801     | 1     | Motor-Alternator — KS-15986 — Replacement Parts and Procedures                                                                        |
| 155-119-701     | 2     | KS-15991 L1 and L2 — Requirement and Adjusting Procedures                                                                             |
| 155-119-801     | 1     | KS-15991 — Replacement Parts and Procedures                                                                                           |
| 155-120-301     | 1     | High Speed Gasoline Engine Driving Alternators — "BTU" Type, KS-5467 and KS5508 — Operating Methods                                   |
| 155-120-701     | 2     | High Speed Gasoline Engine Driving Alternators — "BTU", WXL3, L525 Type — KS-5467 and KS-5508 — Requirements and Adjusting Procedures |
| 155-120-801     | 1     | High Speed Gasoline Engine Driving Alternators — "BTU", L525, WXL3 Type — KS-5467 and KS-5508 — Replacement Parts and Procedures      |
| 155-122-301     | 2     | Gasoline Sets — Schramm Types — KS-5518 — Operating Methods                                                                           |
| 155-122-701     | 2     | Gasoline Sets — Schramm Types — KS-5518 — Requirements and Adjusting Procedures                                                       |
| 155-122-801     | 1     | Gasoline Sets — Schramm Type — KS5518 — Replacement Parts and Procedures                                                              |

| Section Number  | Issue | Subject                                                                                                                     |
|-----------------|-------|-----------------------------------------------------------------------------------------------------------------------------|
| 155-124-301     | 1     | KS-5565 — Portable, 10 KW AC for Trailer Mounting — U.S. Motors Corp. — Operating Method                                    |
| 155-124-701     | 1     | KS-5565 — Portable, 10 KW AC for Trailer Mounting — U.S. Motor Corp. — Requirements and Adjusting Procedures                |
| 155-124-801     | 1     | KS-5565 — Portable, 10 KW AC for Trailer Mounting — U.S. Motors Corp. — Replacement Parts and Procedures                    |
| 155-126-301     | 1     | KS-5565 — Gasoline — 10 KW — D.W. Onan & Sons, Incorporated — Operating Methods                                             |
| 155-126-701     | 1     | KS-5565 — Gasoline — 10 KW — D.W. Onan & Sons, Incorporated — Requirements and Adjusting Procedures                         |
| 155-126-801     | 1     | KS-5565 — Gasoline — 10 KW — D.W. Onan & Sons, Incorporated — Replacement Parts and Procedures                              |
| 155-128-101     | 2     | Diesel — General Motors — Series 71 Sets — KS-5574 — Description                                                            |
| 155-128-301     | 6     | Diesel — General Motors — Series 71 Sets — KS-5574 — Operating Methods                                                      |
| 155-128-302     | 2     | Diesel — KS-5574-01, 20 KW — Stationary and Portable — Operating Methods                                                    |
| 155-128-303     | 3     | Diesel — KS-5574-01, 30, 40, and 60 KW — Stationary and Portable — Operating Methods                                        |
| 155-128-701     | 3     | Diesel — General Motors — Series 71 Sets — KS-5574 — Requirements and Adjusting Procedures                                  |
| 155-128-702     | 2     | Diesel — KS-5574-01, 20 KW — Stationary and Portable — Requirements and Adjusting Procedures                                |
| Add 155-128-703 | 1     |                                                                                                                             |
| 155-128-703     | 3     | Engine-Alternators — Diesel KS-5574-01 — 30, 40 and 60 KW — Stationary and Portable — Requirements and Adjusting Procedures |
| 155-128-801     | 4     | Diesel — General Motors — Series 71 — KS-5574 — Replacement Parts and Procedures                                            |
| 155-128-802     | 1     | Diesel — KS-5574-01, 20 KW — Stationary and Portable — Replacement Parts and Procedures                                     |
| 155-128-803     | 1     | Diesel — KS-5574-01 — 30, 40, and 60 KW — Stationary Portable — Replacement Parts and Procedures                            |
| 155-132-301     | 1     | 5 KVA — 4 KW — Onan KS-5602, List 01 — Operating Methods                                                                    |
| 155-132-701     | 1     | 5 KVA — 4 KW — Onan KS-5602, List 01 — Requirements and Adjusting Procedures                                                |
| 155-132-801     | 2     | 5 KVA — 4 KW — Onan KS-5602, List 01 — Replacement Parts and Procedures                                                     |

| Section Number | Issue | Subject                                                                                                                                                                                                   | Section Number | Issue | Subject                                                                                                                                                  |
|----------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 155-134-301    | 1     | Gasoline — Automatically Controlled — KS-5636, List 1 — 20 KW AC — Single Phase — Operating Methods                                                                                                       | 155-141-703    | 2     | Gasoline — KS-5667-01, 2.8, 4, and 8 KW — Automatically or Manually Controlled — Requirements and Adjusting Procedures                                   |
| 155-134-302    | 3     | Gasoline — Automatically Controlled — KS-5636 — 20, 30, 40, 50, and 60 KW AC Three Phase and 20 KW Single Phase Using 32-Volt Battery for Starting and Control — Operating Methods                        | 155-141-704    | 1     | Gasoline — KS-5667-01, Lists 6 and 7 — 5 KW — Single Phase — 60 Cycle — Automatically Controlled — Requirements and Adjusting Procedures                 |
| 155-134-701    | 2     | Gasoline — Automatically Controlled — KS-5636, List 1 — 20 KW AC — Single Phase Using 16-Volt Battery for Starting and Control — Requirements and Adjusting Procedures                                    | 155-145-301    | 2     | Diesel — KS-5750 — 20 KW, AC — Automatically Controlled — Operating Methods                                                                              |
| 155-134-702    | 3     | Gasoline — Automatically Controlled — KS-5636, 20-, 30-, 40-, 50-, and 60-KW AC Three Phase and 20-KW Single Phase Using 32-Volt Battery for Starting and Control — Requirements and Adjusting Procedures | 155-145-302    | 3     | Diesel — KS-5750 — 30, 40, and 60 KW, AC — Automatically Controlled — Operating Methods                                                                  |
| 155-134-801    | 1     | Gasoline — Automatically Controlled — KS-5636, List 1 — 20 KW AC — Single Phase Using 16-Volt Battery for Starting and Control — Replacement Parts and Procedures                                         | 155-145-311    | 2     | KS-5750, KS-15521, KS-15522, and KS-15890 — 20- to 100-KW Automatic — J86621 Main Control Cabinet — Operating Methods                                    |
| 155-136-301    | 1     | KS-5664 — 15 KW — Automatically Controlled — Operating Methods                                                                                                                                            | 155-145-701    | 2     | Diesel — KS-5750, 20 KW, AC — Automatically Controlled — Requirements and Adjusting Procedures                                                           |
| 155-136-701    | 1     | KS-5664 — 15 KW — Automatically Controlled — Requirements and Adjusting Procedures                                                                                                                        | 155-145-702    | 2     | Diesel — KS-5750 — 30, 40, and 60 KW, AC — Automatically Controlled — Requirements and Adjusting Procedures                                              |
| 155-138-301    | 3     | KS-5665 — 150, 200, and 300 KW — Operating Methods                                                                                                                                                        | 155-161-301    | 2     | Diesel — Automatically Controlled — KS-15521, List 1, List 2, List 3, and List 4 — 20 KW — Operating Methods                                             |
| 155-138-701    | 3     | KS-5665 — 150, 200, and 300 KW — Requirements and Adjusting Procedures                                                                                                                                    | 155-161-302    | 2     | Diesel — Two Automatically Controlled — Alternately Operated 20-KW Sets — KS-15521, List 10, List 11 and List 12 — Operating Methods                     |
| 155-139-301    | 1     | Diesel — KS-5666, Lists 1 and 2 — Manually Controlled — Operating Methods                                                                                                                                 | 155-161-701    | 3     | Diesel — KS-15521, L1, L2, L3, and L4 — 20 KW — Automatically Controlled — Intermittent Operation — Requirements and Adjusting Procedures                |
| 155-139-302    | 1     | Diesel — KS-5666-01, 10 KW AC — Manually Controlled — Operating Methods                                                                                                                                   | 155-161-702    | 2     | Diesel — Two Automatically Controlled — Alternately Operated 20-KW Sets — KS-15521, List 10, List 11 and List 12 — Requirements and Adjusting Procedures |
| 155-139-701    | 2     | Diesel — KS-5666, 10 KW Commercial Type — Requirements and Adjusting Procedures                                                                                                                           | 155-165-301    | 4     | Diesel KS-15622 — 120 and 170 KW — Manually and Automatically Controlled — Operating Methods                                                             |
| 155-139-702    | 1     | Diesel — KS-5666-01, 10 KW AC — Manually Controlled — Requirements and Adjusting Procedures                                                                                                               | 155-165-311    | 2     | Automatic Diesel — 30- to 60-KW, KS5750 — 120- and 170-KW, KS-15622 — 30- to 100-KW, KS15890 — J86624 Main Control Cabinet — Operating Methods           |
| 155-141-301    | 1     | Gasoline — KS-5667 — 3, 5, and 8 KW — Automatically Controlled — Operating Methods                                                                                                                        | 155-165-701    | 4     | Diesel — KS-15622 — 120 to 170 KW — Manually and Automatically Controlled — Requirements and Adjusting Procedures                                        |
| 155-141-302    | 4     | Automatic — 2.8, 4 and 8 KW — KS-5667-01, Lists 1 to 5 Inclusive and 10 KW — KS-15717, List 1 and Lists 4 to 9 Inclusive — J86622 Main Control Cabinet — Operating Methods                                | 155-167-301    | 3     | KS-15650 — Gasoline — 5 KW — Portable — Onan Type — Operating Methods                                                                                    |
| 155-141-303    | 2     | Gasoline — KS-5667-01 — 2.8, 4 and 8 KW — Automatically or Manually Controlled — Operating Methods                                                                                                        | 155-167-701    | 2     | KS-15650 — Gasoline — 5 KW — Portable — Onan Type — Requirements and Adjusting Procedures                                                                |
| 155-141-304    | 1     | Gasoline — KS-5667-01 — 5 KW — Single Phase — 60 Cycle — Automatically Controlled — Operating Methods                                                                                                     | 155-167-801    | 1     | KS-15650 — Gasoline — 5 KW — Portable — Onan Type — Replacement Parts and Procedures                                                                     |
| 155-141-701    | 2     | Gasoline — KS-5667 — 3, 5, and 8 KW — Automatically Controlled — Requirements and Adjusting Procedures                                                                                                    |                |       |                                                                                                                                                          |

**SECTION 155-000-000**

| <b>Section Number</b> | <b>Issue</b> | <b>Subject</b>                                                                                                        | <b>Section Number</b> | <b>Issue</b> | <b>Subject</b>                                                                                                 |
|-----------------------|--------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------|--------------|----------------------------------------------------------------------------------------------------------------|
| 155-168-301           | 1            | KS-19989 — Gasoline 5KW — Portable — Onan Type — Operating Methods                                                    | 155-176-301           | 1            | Diesel — KS-15884 — 30 KW — Manually Controlled — Operating Methods                                            |
| 155-168-701           | 1            | KS-19989 — Gasoline 5KW — Portable — Onan Type — Requirements and Adjusting Procedures                                | 155-176-302           | 1            | Diesel — KS-15884 — 45, 60, and 100 KW — Manually Controlled — Operating Methods                               |
| 155-170-301           | 1            | Gasoline — Automatically Controlled — KS-15700 — 1.3 KW — Stationary — Operating Methods                              | 155-176-701           | 3            | Diesel — KS-15884 — 30, 45, 60 and 100KW — Manually Controlled — Requirements and Adjusting Procedures         |
| 155-170-701           | 1            | Gasoline — Automatically Controlled — KS-15700 — 1.3 KW — Stationary — Requirements and Adjusting Procedures          | 155-176-801           | 1            | Diesel — KS-15884 — 30 KW — Manually Controlled — Replacement Parts and Procedures                             |
| 155-172-300           | 3            | Diesel — KS-15717, L4, L5, L6, L7, L8, and L9 — 10 KW — Manually Controlled — Operating Methods                       | 155-176-802           | 1            | Diesel — KS-15884 — 45, 60, and 100 KW — Manually Controlled — Replacement Parts and Procedures                |
| 155-172-301           | 1            | Diesel — KS-15717 L1 — 10 KW — Automatically Controlled — Operating Methods                                           | 155-178-301           | 2            | Diesel — KS-15890 — 30 KW — Automatically Controlled — Operating Methods                                       |
| 155-172-302           | 2            | Diesel — KS-15717, L11 — 10 KW — Automatically Controlled — Operating Methods                                         | 155-178-302           | 2            | Diesel — KS-15890 — 45, 60, and 100 KW — Automatically Controlled — Operating Methods                          |
| 155-172-700           | 3            | Diesel — KS-15717, L4 Through L9 — 10 KW — Manually Controlled — Requirements and Adjusting Procedures                | 155-178-701           | 2            | Diesel — KS-15890 — 30, 45, 60 and 100 KW — Automatically Controlled — Requirements and Adjusting Procedures   |
| 155-172-701           | 1            | Diesel — KS-15717, L1 — 10 KW — Automatically Controlled — Requirements and Adjusting Procedures                      | 155-178-801           | 1            | Diesel — KS-15890 — 30 KW — Automatically Controlled — Replacement Parts and Procedures                        |
| 155-172-702           | 2            | Diesel — KS-15717, L11 — 10 KW — Automatically Controlled — Requirements and Adjusting Procedures                     | 155-178-802           | 1            | Diesel — KS-15890 — 45, 60, and 100 KW — Automatically Controlled — Replacement Parts and Procedures           |
| 155-172-800           | 3            | Diesel — KS-15717, L4, L5, L6, L7, L8, and L9 — 10 KW — Manually Controlled — Replacement Parts and Procedures        | 155-180-301           | 2            | Diesel — KS-15899 L1, L2, L11, and L12 — 350 KW — Manually Controlled — Operating Methods                      |
| 155-172-801           | 1            | Engine-Alternators — Diesel — KS-15717, L1 — 10 KW — Automatically Controlled — Replacement Parts and Procedures      | 155-180-302           | 2            | Diesel KS-15899, L3, L4, L13, and L14 — 350 KW — Automatically Controlled — Operating Methods                  |
| 155-172-802           | 1            | Diesel — KS-15717 L11 — 10KW — Automatically Controlled — Replacement Parts and Procedures                            | 155-180-701           | 2            | Diesel — KS-15899 — 350 KW — Automatically and Manually Controlled — Requirements and Adjusting Procedures     |
| 155-174-301           | 2            | Diesel — KS-15777, L21, L22, L31, and L32 — 500 KW — Manually Controlled — Operating Methods                          | 155-180-801           | 1            | Diesel — KS-15899, L1, L2, L11, and L12 — 350 KW — Manually Controlled — Replacement Parts and Procedures      |
| 155-174-302           | 2            | Diesel — KS-15777, L23, L24, L33, and L34 — 500 KW — Automatically Controlled — Operating Methods                     | 155-180-802           | 1            | Diesel — KS-15899, L3, L4, L13, and L14 — 350 KW — Automatically Controlled — Replacement Parts and Procedures |
| 155-174-701           | 2            | Diesel — KS-15777 — 500KW — Automatically and Manually Controlled — Requirements and Adjusting Procedures             | 155-185-301           | 2            | Diesel KS-15929, L1 and L11 — 225 KW — Manually Controlled — Operating Methods                                 |
| 155-174-702           | 1            | Diesel — KS-15777, L23, L24, L33, and L34 — 500 KW — Automatically Controlled — Requirements and Adjusting Procedures | 155-185-302           | 2            | Diesel KS-15929 L2 and L12 — 225 KW — Automatically Controlled — Operating Methods                             |
| 155-174-801           | 1            | Diesel — Manually Controlled — KS-15777, L21, L22, L31, L32 — 500 KW — Replacement Parts and Procedures               | Add 155-185-701       | 1            |                                                                                                                |
| 155-174-802           | 1            | Diesel — Automatically Controlled — KS-15777 L23, L24, L33, and L34 — 500 KW — Replacement Parts and Procedures       | 155-185-701           | 2            | Diesel — KS-15929 — 225 KW — Automatically and Manually Controlled Requirements and Adjusting Procedures       |
|                       |              |                                                                                                                       | 155-185-801           | 1            | Diesel — KS-15929 L1 and L11 — 225 KW — Manually Controlled — Replacement Parts and Procedures                 |

| Section Number                       | Issue | Subject                                                                                                                       | Section Number                                   | Issue | Subject                                                                                                                                   |
|--------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 155-185-802                          | 1     | Diesel — KS-15929 L2 and L12 — 225 KW — Automatically Controlled — Replacement Parts and Procedures                           | Add 155-202-301                                  | 1     |                                                                                                                                           |
| 155-187-301                          | 2     | Diesel — KS-15954 L1, L2, L11, and L12 — 350 KW — Manually Controlled — Operating Methods                                     | 155-202-301                                      | 1     | KS-15992, L1, L2, L3, L4, L7, L8, L9 and L10 — 750 KW — Automatic, Automatic/Manually Controlled — Operating Methods                      |
| 155-187-302                          | 2     | Diesel — KS-15954, L3, L4, L13, and L14 — 350 KW — Automatically Controlled — Operating Methods                               | 155-202-701                                      | 1     | KS-15992, L1, L2, L3, L4, L7, L8, L9, and L10 — 750 KW — Automatic, Automatic/Manually Controlled — Requirements and Adjusting Procedures |
| 155-187-701                          | 2     | Diesel — KS-15954 — 350 KW — Automatically and Manually Controlled — Requirements and Adjusting Procedures                    | Add 155-205-301                                  | 1     |                                                                                                                                           |
| 155-187-801                          | 1     | Diesel — KS-15954, L1, L2, L11, and L12 — 350 KW — Manually Controlled — Replacement Parts and Procedures                     | 155-205-301                                      | 1     | KS-19896 L1 through L4, L15, and L16 200-KW Automatically or Manually Controlled — Operating Methods                                      |
| 155-187-802                          | 1     | Diesel — KS-15954 L3, L4, L13, and L14 — 350 KW — Automatically Controlled — Replacement Parts and Procedures                 | 155-205-701                                      | 1     | KS-19896 L1 through L4, L15, and L16 200-KW Automatically or Manually Controlled — Requirements and Adjusting Procedures                  |
| 155-188-701                          | 1     | Motor-Alternator — KS-19203 — Requirements and Adjusting Procedures                                                           | <b>155-3 TONE ALTERNATORS AND TONE MACHINES</b>  |       |                                                                                                                                           |
| 155-188-801                          | 1     | Motor-Alternators — KS-19203 — Replacement Parts and Procedures                                                               | 155-307-101                                      | 2     | KS-5286 — Description                                                                                                                     |
| Add 155-189-301                      | 1     |                                                                                                                               | 155-307-701                                      | 4     | KS-5286 — Requirements and Adjusting Procedures                                                                                           |
| 155-189-301                          | 1     | Diesel — KS-19587 L1 and L2 — 115 KW — Automatically and Manually Controlled — Operating Methods                              | 155-307-801                                      | 5     | KS-5286 — Replacement Parts and Procedures                                                                                                |
| 155-189-701                          | 1     | Diesel — KS-19587 L1 and L2 — 115 KW — Automatically and Manually Controlled — Requirements and Adjusting Procedures          | 155-310-701                                      | 2     | A. E. Inc. Class Of Service Tone Machines — Requirements and Adjusting Procedures                                                         |
| 155-190-701                          | 1     | Battery Motor-Driven — Control Equipment — Requirements and Adjusting Procedures                                              | 155-320-301                                      | 1     | Audible Ring Tone Generator 404F — Operating Procedures                                                                                   |
| 155-191-301                          | 1     | Diesel — KS-19583, 30KW and KS-19584, 45 KW — Automatically and Manually Controlled — Operating Methods                       | 155-321-301                                      | 1     | Preempt Tone Generator 404G — Operating Procedures                                                                                        |
| 155-191-701                          | 1     | Diesel — KS-19583, 30 KW and KS-19584, 45 KW — Automatically and Manually Controlled — Requirements and Adjusting Procedures  | <b>155-4 RINGING AND COIN CONTROL GENERATORS</b> |       |                                                                                                                                           |
| 155-192-301                          | 1     | Diesel — KS-19585, 75 KW and KS-19586, 115 KW — Automatically and Manually Controlled — Operating Methods                     | 155-405-101                                      | 1     | P Type — Description                                                                                                                      |
| 155-192-701                          | 1     | Diesel — KS-19585, 75 KW and KS-19586, 115 KW — Automatically and Manually Controlled — Requirements and Adjusting Procedures | 155-405-301                                      | 1     | P Type — Operating Methods                                                                                                                |
| <b>155-2 GAS TURBINE ALTERNATORS</b> |       |                                                                                                                               | 155-405-701                                      | 3     | P Type — Requirements and Adjusting Procedures                                                                                            |
| Add 155-201-301                      | 1     |                                                                                                                               | 155-405-801                                      | 4     | P Type — Replacement Parts and Procedures                                                                                                 |
| 155-201-301                          | 1     | KS-15992, L1, L2, L3, L4, L7, L8, L9, and L10 — 750 KW — Manually Controlled — Operating Methods                              | 155-410-101                                      | 2     | Commercial Type — Description                                                                                                             |
| 155-201-701                          | 1     | KS-15992, L1, L2, L3, L4, L7, L8, L9, and L10 — 750-KW Manually Controlled — Requirements and Adjusting Procedures            | Add 155-410-701                                  | 2     |                                                                                                                                           |
|                                      |       |                                                                                                                               | 155-410-701                                      | 5     | Motor-Driven — Commercial Type — Requirements and Adjusting Procedures                                                                    |
|                                      |       |                                                                                                                               | 155-410-801                                      | 4     | Motor-Driven — Commercial Type — Replacement Parts and Procedures                                                                         |
|                                      |       |                                                                                                                               | Add 155-415-701                                  | 1     |                                                                                                                                           |
|                                      |       |                                                                                                                               | 155-415-701                                      | 6     | Static — Requirements and Adjusting Procedures                                                                                            |
|                                      |       |                                                                                                                               | 155-420-701                                      | 2     | Vibrator-Type — KS-5815 — Requirements and Adjusting Procedures                                                                           |
|                                      |       |                                                                                                                               | Add 155-425-701                                  | 1     |                                                                                                                                           |
|                                      |       |                                                                                                                               | 155-425-701                                      | 1     | Motor-Driven — KS-15816 — Requirements and Adjusting Procedures                                                                           |
|                                      |       |                                                                                                                               | 155-425-801                                      | 1     | Motor-Driven — KS-15816 — Replacement Parts and Procedures                                                                                |

**SECTION 155-000-000**

| Section Number                   | Issue | Subject                                                                                                           |
|----------------------------------|-------|-------------------------------------------------------------------------------------------------------------------|
| <b>155-5 CHARGING GENERATORS</b> |       |                                                                                                                   |
| 155-505-701                      | 3     | Type "M" — Requirements and Adjusting Procedures                                                                  |
| 155-505-801                      | 2     | Type "M" — Replacement Parts and Procedures                                                                       |
| 155-508-301                      | 1     | .850 KW and 2.5 KW Delco Sets — Per KS-5042 — Operating Methods                                                   |
| 155-508-701                      | 2     | .850 and 2.5 KW Delco Sets — Per KS-5042 — Requirements and Adjusting Procedures                                  |
| 155-510-701                      | 2     | 22-40 Volt and 125-135 Volt; 1.25 KW Delco Sets — Per KS-5115 and KS-5116 — Requirements and Adjusting Procedures |
| 155-512-101                      | 1     | Commercial Type — Per KS-5123 and KS-5137 — Description                                                           |
| Add 155-512-701                  | 1     |                                                                                                                   |
| 155-512-701                      | 7     | Motor-Driven — Requirements and Adjusting Procedures                                                              |
| 155-512-801                      | 5     | Motor-Driven — Replacement Parts and Procedures                                                                   |
| 155-514-301                      | 2     | Buffalo Type "BA" — Operating Methods                                                                             |
| 155-514-701                      | 3     | Buffalo Type "BA" — Requirements and Adjusting Procedures                                                         |
| 155-514-801                      | 2     | Buffalo Type "BA" — Replacement Parts and Procedures                                                              |
| 155-516-101                      | 1     | KS-5142 — 1.5 KW Westinghouse — Kerosene — Description                                                            |
| 155-516-301                      | 2     | KS-5142 — 1.5 KW Westinghouse — Kerosene — Operating Methods                                                      |
| 155-516-701                      | 2     | KS-5142 — 1.5 KW Westinghouse — Kerosene — Requirements and Adjusting Procedures                                  |
| 155-516-801                      | 2     | KS-5142 — 1.5 KW Westinghouse — Kerosene — Replacement Parts and Procedures                                       |
| 155-520-301                      | 2     | KS-5530 — 1.5 KW — Delco — Operating Methods                                                                      |
| 155-520-701                      | 3     | KS-5530 — 1.5 KW — Delco — Requirements and Adjusting Procedures                                                  |
| 155-520-801                      | 1     | KS-5530 — 1.5 KW — Delco — Replacement Parts and Procedures                                                       |
| 155-522-301                      | 1     | KS-5542 — 6 KW Delco — Operating Methods                                                                          |
| 155-522-701                      | 2     | KS-5542 — 6 KW Delco — Requirements and Adjusting Procedures                                                      |

| Section Number                | Issue | Subject                                                                                  |
|-------------------------------|-------|------------------------------------------------------------------------------------------|
| 155-525-301                   | 1     | KS-5630 — 1.5 KW — Kerosene — Operating Methods                                          |
| 155-525-701                   | 1     | KS-5630 — 1.5 KW — Kerosene — Requirements and Adjusting Procedures                      |
| 155-525-801                   | 1     | KS-5630 — 1.5 KW Kerosene — Replacement Parts and Procedures                             |
| <b>155-6 MOTOR-GENERATORS</b> |       |                                                                                          |
| 155-605-101                   | 2     | 135-Cycle Signaling, 10.5 and 40 Watt — Description                                      |
| 155-605-701                   | 4     | 135-Cycle Signaling, 10.5 and 40 Watt — Requirements and Adjusting Procedures            |
| 155-605-801                   | 4     | 135-Cycle Signaling, 10.5 and 40 Watt — Replacement Parts and Procedures                 |
| 155-608-101                   | 2     | 1000-Cycle Signaling — Description                                                       |
| 155-608-701                   | 6     | 1000-Cycle Signaling — Requirements and Adjusting Procedures                             |
| 155-608-801                   | 5     | 1000-Cycle Signaling — Replacement Parts and Procedures                                  |
| 155-609-101                   | 4     | 1000-Cycle Machines — KS-5472-01 and KS-5472 — Description                               |
| 155-609-701                   | 2     | 1000-Cycle Machines — KS-5472 and KS-5472-01 — Requirements and Adjusting Procedures     |
| 155-609-801                   | 2     | 1000-Cycle Machines — KS-5472 and KS-5472-01 — Replacement Parts and Procedures          |
| 155-612-701                   | 4     | Charging Sets — Diverter Pole Type — Requirements and Adjusting Procedures               |
| 155-612-801                   | 2     | Charging Sets — Diverter Pole Type — Replacement Parts and Procedures                    |
| 155-614-701                   | 3     | KS-5668-02 and KS-15834 — Requirements and Adjusting Procedures                          |
| 155-614-801                   | 2     | KS-5668-02 and KS-15834 — Replacement Parts and Procedures                               |
| 155-625-701                   | 4     | KS-15839 and KS-15842 — Requirements and Adjusting Procedures                            |
| 155-625-801                   | 1     | KS-15839 and KS-15842 — Replacement Parts and Procedures                                 |
| 155-650-701                   | 2     | Multi-Frequency — Requirements and Adjusting Procedures                                  |
| 155-651-701                   | 1     | Multi-Frequency with Vacuum Tube Speed Regulator — Requirements and Adjusting Procedures |