

**NUMERICAL INDEX — DIVISION 201  
SUPPLEMENTAL INFORMATION — CENTRAL OFFICES**

**1. GENERAL**

- 1.01** This section provides an index of System-issued sections in Division 201.
- 1.02** This section reverted to Issue 1 in December 1976. Prior to that date there had been 99 issues of the section.
- 1.03** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.04** A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.
- 1.05** A star (★) indicates an item rated AT&T SPCS which contains trade secret information and which is available to authorized addressees only.
- 1.06** A heart (♥) indicates a new or reissued item which, because of its limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.07** A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy BSPs. In some cases, the microfiche BSP will reflect the next higher issue as a result of the reduced distribution interval.
- 1.08** "Add" is the abbreviation for Addendum.

**2. LAYERS**

**2.01** This division is arranged in layers as follows:

- 201-0 Indexes and Equipment Test Lists
  - 1 Administrative Sections
  - 2 Distributing Frames
  - 3 Civil Air Defense Warning Systems
  - 5 Announcement Systems, Timing Circuits, Tone Supply Circuits
  - 6 Alarm Systems and Order Wires, Miscellaneous Fuse Alarms, Emergency Line and Trunk Transfer Circuits, Alerting Systems, and Telemetry
  - 7 Operator Training Equipment and Common Switchboard Sections
  - 8 Miscellaneous Common System Circuits
  - 9 Billing Systems

**3. INDEX**

Section Number	Issue	Subject
-------------------	-------	---------

**201-0 INDEXES AND EQUIPMENT TEST LISTS**

- ♠ 201-000-000 54 Numerical Index — Division 201 — Supplemental Information — Central Offices
- 201-000-005 2 Alphabetical Index for Division 201
- 201-001-011 13 Distributing Frames
- 201-001-012 1 Sequence Signal Circuit — Miscellaneous Equipment
- 201-001-013 3 Alarms — Miscellaneous Equipment
- 201-001-014 5 Recorded Announcement Systems
- 201-001-015 3 Dial Long Line Circuit

Section Number	Issue	Subject
201-001-016	5	Coin Station Test Line
201-001-017	1	Video Supervisor Signal Supply — Miscellaneous Equipment
201-001-018	3	PBX AIOD
201-001-020	5	Billing Systems
201-001-021	2	Order Wire Circuits
201-001-022	1	Group Alternating System — Miscellaneous Equipment
201-001-023	1	Emergency Line Circuit — Miscellaneous Equipment
201-001-024	1	Operator Training Equipment — Miscellaneous Equipment
201-001-025	4	Miscellaneous Common System Circuits
201-001-026	4	Tone Supply Circuits
201-001-027	3	No. 1 Trunk Concentrator
201-001-028	2	Local Test Desks
201-020-001	1	Prevention of Service Interruptions and of Abnormal Maintenance Effort During Periods of Installation Activity in Central Offices
201-020-002	1	Prevention of Service Interruptions — General Installation Requirements — Attachment Section 800-614-150
201-020-003	1	Prevention of Service Interruptions Power Plant Bus Bar and Wiring General Equipment Requirements — Power Systems — Attachment Section 802-005-180
201-020-010	1	Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 10
201-020-011	1	Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 11
201-020-012	1	Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 12
201-020-013	1	Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 13
201-020-014	1	Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 14
201-020-015	1	Prevention of Service Interruptions — Personal Injuries — Damage to Building Equipment — Attachment WECO Handbook 22, Section 10
201-020-020	1	Prevention of Abnormal Maintenance — Attachment WECO Handbook 3, Section 13

**NOTICE**

Not for use or disclosure outside the Bell System except under written agreement

## SECTION 201-000-000

Section Number	Issue	Subject	Section Number	Issue	Subject
201-020-025	1	Transition Method of Procedure — Attachment WECO Handbook 22, Section 40	201-206-301	1	C-, E-, and Similar Type Protectors — Maintaining Protectors
201-020-026	1	Power Transitions — Attachment WECO Handbook 22, Section 1	201-206-501	2	Protectors and Protector Mountings — C-, E- and Similar Type — Heat Coil and Protector Spring Contact Tests
201-020-052	1	WATS Billing Quality Measurement Plan — Network Operations Methods — Common Methods	201-206-701	1	444-Type Jacks — Requirements and Adjusting Procedures
Add 201-020-510	1		201-206-801	3	C-, E-, and Similar Type Protectors Including 444-Type Jacks — Piece Part Data and Replacement Procedures
201-020-510	1	Controlled Maintenance Plan for Switching Systems — General	201-207-101	2	300-Type Connectors and Associated Protectors — Description
201-020-511	1	Central Office and Switching Control — Center Operational Reviews — General — Network Operations Methods	201-207-102	2	Cords, Plugs, and C Test Connector Used With 300-Type Connectors and 121-Type Protectors — Description — Conventional Main Distributing Frames
201-021-001	1	Heat Stress Tests — Description and Methods — Stored Program Controlled Systems (SPCS)	201-207-301	1	300-Type Connectors and Associated Protectors — Maintaining Protectors
<b>201-1 ADMINISTRATIVE SECTIONS</b>			201-207-801	2	300-Type Connectors and Associated Protectors and 121-Type Protectors — Repair Procedures
201-102-001	5	Dial Central Office Service Index Plan — General	201-208-100	2	3-, 4-, and 5-Type Protector Units — Description — Conventional Main Distributing Frames and Protector Frames
201-102-002	4	Dial Central Office Service Index Plan — Tables	201-208-101	5	302- and 308-Type Connectors — Description — Protector Frames
201-110-001	1	Central Office Work Scheduling	201-208-102	4	302-, and 308-Type Connectors — Associated Test Connectors and Cords—Description
201-114-001	6	Record of Equipment Out of Service — Administrative Sections — Supplemental Information — Central Offices	201-208-105	2	303- and 305-, and 310-Type Connectors — Including Warning Markers, Guards, Insulators, and Indicators — Description — Conventional Distributing Frames
<b>201-2 DISTRIBUTING FRAMES</b>			201-208-106	2	303- and 305-, and 310-Type Connectors — Associated Cords, Plugs, and Test Connectors — Description — Conventional Distributing Frames
201-200-001	3	Distributing Frames and Associated Equipment Alphabetical Index	201-208-110	1	307-Type Connectors — Description
201-200-002	1	Cross-Connection Studies for Equipment Account Investment — Instructions and Methods	201-208-301	3	3-, 4-, and 5-Type Protector Units and Associated 302-, 303-, 305-, 308-, and 310-Type Connectors — Maintaining Protector Units — Distributing and Protector Frames
201-200-005	2	Frame Performance Measurement Plan	Add 201-208-501	1	
Add 201-200-010	1		201-208-501	4	3-, 4-, and 5-Type Protector Units — Test Procedures Using KS-20100 and 182A Test Sets
201-200-010	3	Frame Force Management	201-208-802	7	302- and 308-Type Connectors — Repair Procedures — Protector Frames
201-200-012	1	Conventional Distributing Frame — Frame Rehabilitation Guide	201-208-803	1	KS-20100, L2 Test Set — Piece Part Replacement
• Add 201-200-013	2		201-208-805	2	303-, 305-, and 310-Type Connectors — Repair Procedures — Conventional Main Distributing Frames
201-200-013	2	Controlled Maintenance Plan — Description	201-208-810	1	307-Type Connectors—Repair Procedures— "COSMIC*" II Main Distributing Frame System
201-200-014	2	Frameworker Performance Plan — Supplemental Information — Central Offices	<i>*Trademark of Western Electric</i>		
♥ 201-200-015	2	Operational Review — Evaluations — Distributing Frames			
201-200-101	1	Incoming and Outgoing Trunk Distribution Centers in the No. 4A Toll Switching System — Description			
201-206-101	2	C-, E-, and Similar Type Protectors Including 444-Type Jacks (301-Type Connector) — Description			
201-206-102	1	C-, E-, and Similar Type Protectors Including 444-Type Jacks (301-Type Connector) Associated Cords and Plugs			

Section Number	Issue	Subject	Section Number	Issue	Subject
201-210-101	1	Wideband Distributing Frame — "PICTUREPHONE®" Central Office — General Description	201-222-101	2	"COSMIC*" I Distributing Frame System — Description <i>*Trademark of Western Electric</i>
201-211-101	2	Central Office Terminating Unit for Integrated Protection System — Description, Installation, and Maintenance	201-222-102	2	Types of Protection — Description — "COSMIC*" I Main Distributing Frame System <i>*Trademark of Western Electric</i>
201-215-501	2	2A Range Extender — Miscellaneous Tests	201-222-103	1	Common Systems Main Interconnecting Frame (COSMIC) — Warning Markers and Guards
201-216-101	1	Miniature Test/Talk System — Description — Distributing and Protector Frames	201-222-105	1	Common Systems Main Interconnecting (COSMIC) Frame — Connecting Blocks — 78C-Type — Description
201-216-801	1	Miniature Test/Talk System — Piece Parts and Replacement Procedures	201-222-110	1	Common Systems Main Interconnecting Frame System — Cosmic II — Description
201-219-101	1	Protector Frames — Description	201-222-112	1	"COSMIC*" II — Main Distributing Frame System — Types of Protection <i>*Trademark of Western Electric</i>
201-219-501	1	Protector Frames — Inspections	201-222-115	1	Connecting Blocks — Description — "COSMIC*" II Main Distributing Frame System <i>*Trademark of Western Electric</i>
201-220-101	4	Conventional Distributing Frames — Description	201-222-120	1	"COSMIC*" II Main Combined Distributing Frame — Description <i>*Trademark of Western Electric</i>
201-220-102	4	Conventional Distributing Frames — Types of Protection on A-Type Frames	201-222-122	1	Types of Protection — Description — "COSMIC*" II Combined Distributing Frame <i>*Trademark of Western Electric</i>
201-220-103	4	Types of Protection — Description — B-Type Conventional and Double-Sided Protector Frames	201-222-125	1	Connecting Blocks — Description — "COSMIC*" II Combined Distributing Frame <i>*Trademark of Western Electric</i>
201-220-105	1	Conventional Distributing Frames — Terminal Strips — Description	201-222-301	2	Connecting Blocks — Method of Making Connections — "COSMIC*" I Main Distributing Frame System <i>*Trademark of Western Electric</i>
201-220-106	1	Conventional Distributing Frames — Connecting Blocks — Description	201-222-310	1	78- and 112-Type Connecting Blocks — Method of Making Connections — "COSMIC*" II Main Distributing Frame System <i>*Trademark of Western Electric</i>
201-220-301	3	Conventional Distributing Frames — Method of Making Connections	201-222-320	1	112-Type Connecting Blocks — Method of Making Connections — "COSMIC*" II Mini Combined Distributing Frame <i>*Trademark of Western Electric</i>
201-220-302	1	Conventional Distributing Frames — 93-Type Connecting Blocks — Description, Methods of Cross-Connecting, and Repair Procedures	201-222-501	1	"COSMIC*" I — Main Distributing Frame System — Inspections <i>*Trademark of Western Electric</i>
201-220-501	2	Conventional Distributing Frames — Inspections	201-222-510	1	Inspections — "COSMIC*" II Main Distributing Frame System
201-220-801	2	Conventional Distribution Frames — Terminal Strips — Repair Procedures	201-222-520	1	Distributing Frame Equipment — Inspection Procedures — "COSMIC*" II Mini Combined Distributing Frame <i>*Trademark of Western Electric</i>
201-220-802	1	Conventional Distributing Frames — Connecting Blocks — Repair Procedures	201-222-801	1	Connecting Block—Repair and Replacement Procedures—"COSMIC*" I Main Distributing Frame System <i>*Trademark of Western Electric</i>
201-221-101	2	ESS-Type Modular Distributing Frames — Description			
201-221-102	2	ESS-Type Modular Distributing Frame — Types of Protection			
201-221-103	2	ESS-Type Modular Distributing Frames — Warning Markers and Guards			
201-221-105	1	ESS-Type Modular Distributing Frames — Connecting Block — Description			
201-221-301	1	ESS Modular Distributing Frames — Method of Making Connections			
201-221-501	1	ESS-Type Modular Distributing Frames — Inspections			
201-221-801	1	ESS Modular Distributing Frame — Connecting Blocks — Piece Parts and Replacement Procedures			

**SECTION 201-000-000**

Section Number	Issue	Subject	Section Number	Issue	Subject
201-222-810	1	78- and 112-Type Connecting Blocks — Repair and Replacement Procedures — "COSMIC*" II Main Distributing Frame System	201-505-504	2	No. 1 and 1B Announcement Systems — Time of Day Service — Announcement Trunk Circuits — Tests
201-222-820	1	112-Type Connecting Blocks — Repair and Replacement Procedures — "COSMIC*" II Mini Combined Distributing Frame <i>*Trademark of Western Electric</i>	201-507-501	1	No. 3A Announcement System — Control, Volume Limit Indicator and Tape Amplifier Circuits — Tests
201-224-100	2	J86334A DC Power Distributing Frame — Operating Methods	201-507-502	1	No. 3A Announcement System — Control Circuit — Subcenter — Tests
201-224-101	1	J86334B and J86334C DC Power Distributing Frames—Description and Operation	201-507-503	1	No. 3A Announcement System — Trunk Circuits and Associated Distributing Circuits — Tests
<b>201-3 CIVIL AIR DEFENSE WARNING SYSTEMS</b>			201-508-501	2	No. 4A, 6A, and 9A Announcement System Subcenter — Distributing and Alarm Circuits — Tests
201-301-301	2	SD-95332-01 — Procedures in Case of Alarm	201-509-501	2	No. 4A Announcement System — Distributing and Alarm Circuits — Tests — Common Systems
201-301-501	2	SD-95332-01 — Tests	201-509-502	1	No. 4A Announcement System — Announcement Trunks — Tests
201-302-501	9	Dial Pulse Receiving and Control Circuit SD-95685-01 — Maximum Five Lines and Public Signal Control Circuit SD-95688-01 — Tests	201-511-101	1	5A Announcement System — General Description
201-303-501	7	Dial Pulse Receiving and Control Circuit SD-95743-01 — Maximum Eight Lines and Public Signal Control Circuit SD-95688-01 — Tests	201-511-301	1	5A Announcement System — Operation
Add 201-304-501	1		201-511-501	4	5A Announcement System — Tests
201-304-501	9	Dial Pulse Receiving and Code Distributing Circuit SD-95678-01 — Maximum 200 Lines and Public Signal Control Circuit SD-95688-01 — Tests	201-513-501	3	No. 6A Announcement System — Machine Intercepting — Control Circuit — Tests
201-305-501	1	System Dialing and Pulsing Tests — Branch Circuit Dialing Test	201-513-502	1	No. 6A Announcement System — Machine Intercepting — Distributing and Alarm Circuit — Tests
201-306-501	2	Two-Way Signaling Repeaters — Tests	201-515-501	2	8A and 9A Announcement Systems — Tests
201-307-501	4	Station Line Test Using Test Circuit SD-95746-01	201-517-501	1	11A Announcement System — Tests
<b>201-5 ANNOUNCEMENT SYSTEMS, TIMING CIRCUITS, TONE SUPPLY CIRCUITS</b>			201-518-101	2	12A Announcement System SD-26435-01 — Description, Operation, and Maintenance — Common Systems
201-501-501	1	Subscriber Operated Time Announcement Service — Control and Distributing Circuit — Tests	201-519-101	2	13A Announcement System SD-97753-01 — Description — Common Systems
201-501-502	1	Subscriber Operated Time Announcement Service — Announcement Trunk Circuits — Tests	201-519-301	2	13A Announcement System SD-97753-01 — Operating, Testing, and Trouble Analysis Procedures — Common Systems
201-505-101	1	No. 1 and 1B Announcement Systems — Time of Day Service — Description	201-520-101	4	Common Systems — Recorded Announcement Frame (CSRA) — SD-97725-01, SD-97725-02, SD-97725-03, and SD-97725-04
201-505-301	1	No. 1 and 1B Announcement Systems — Time of Day Service — Method of Tracing Alarms	201-520-301	3	Common Systems Recorded Announcement Frame (CSRA) — SD-97725-01 and SD-97725-02 and SD-97725-03 — Operating Procedures
201-505-302	1	No. 1 and 1B Announcement Systems — Time of Day Service — Method of Taking Equipment Out of Service	201-520-501	3	Common Systems — Recorded Announcement Frame (CSRA) — SD-97725-01 and SD-97725-02 — Tests and Trouble Analysis
201-505-501	2	No. 1 and 1B Announcement Systems — Time of Day Service — Desk Circuits — Tests	Add 201-520-701	1	
201-505-502	4	No. 1 and 1B Announcement Systems — Time of Day Service — Incoming Distributing Circuits — Tests	201-520-701	3	Common Systems Recorded Announcement Frame (CSRA) — SD-97725-01, SD-97725-02, SD-97725-03, and SD-97725-04 — Requirements and Adjusting Procedures
201-505-503	1	No. 1 and 1B Announcement Systems — Time of Day Service — Outgoing Distributing Circuits — Tests			

Section Number	Issue	Subject	Section Number	Issue	Subject
201-520-801	4	Common Systems Recorded Announcement Frame (CSRA) — SD-97725-01, SD-97725-02, and SD-97725-03 — Piece-Part Data and Replacement Procedures	201-610-302	1	Cable Pressure Telemetry — Central Control and Cable/Transducers — Trouble Locating Procedures
201-570-501	1	5A Timer — Tests	201-610-311	2	Cable Pressure Telemetry — Moduprinter for Central Control Circuit — Method of Operation
201-576-501	3	400A Tone Generator — (Receiver Off-Hook Tone) — Tests	201-610-501	5	Cable Pressure Telemetry — Central Control — Test and Trouble Analysis Procedures
Add 201-578-501	1		201-611-501	3	Cable Gas Pressure Alarm Circuit SD-90412-01 — Cable Protection Alarm Circuit SD-95025-01 and Calling-In Signal — Tests
201-578-501	6	Tone Detector Circuit SD-94800-01 — Tests and Adjustments	201-612-101	3	Cable Pressure Monitoring System (CPMS) — Remote and Satellite Terminals (SD-7C000-01, SD-2P035-01) — Description
201-578-502	3	8A and 8B Tone Detectors (J94008A) (J94008B) — SD-99551-01 Tests and Adjustments — Common Systems	201-612-301	4	Remote Terminal (SD-7C000-01) — Trouble Locating and Alignment Procedure — Cable Pressure Monitoring System (CPMS)
201-579-501	3	Test Progress Tone Circuit SD-96603-01 — 2225-Hz Supply and Distributing Circuit — Tests	201-612-302	3	Cable Pressure Monitoring System (CPMS) — Remote Terminal SD-7C000-01 — Cross-Connections
201-580-301	1	No-Such-Number Tone Supply Alarm Procedures, Manual Transfer and Trouble Clearing Procedures	201-612-311	4	Cable Pressure Monitoring System — Satellite Terminal SD-2P035-01 — Trouble Locating Procedures
201-580-501	1	No-Such-Number Tone Supply Circuits — Tests	201-612-312	2	Cable Pressure Monitoring System (CPMS) — Satellite Terminal SD-2P035-01 — Cross-Connections
<b>201-6</b>		<b>ALARM SYSTEMS AND ORDER WIRES, MISCELLANEOUS FUSE ALARMS, EMERGENCY LINE AND TRUNK TRANSFER CIRCUITS, ALERTING SYSTEMS, AND TELEMTRY</b>	201-612-313	1	Cable Pressure Monitoring System (CPMS) — Remote Terminal Test Set (J1C013AD, L1) — Description and Operations
201-601-101	3	Emergency Alarm Circuits — Description	201-613-501	2	Cable Protection Alarm and Calling-In Signal Circuit SD-55211-01 — Tests
201-601-501	2	Emergency Alarm System SD-90642-01 — Separate Incoming Alarm From Distant Office — Tests	201-614-501	1	60 I.P.M. Interrupter Alarm and Distribution Circuit SD-63899-01 or SD-63899-02 for Teletypewriter Equipment — Tests
201-601-502	4	Emergency Alarm Circuit SD-90641-01 or SD-96052-01 Arranged for Automatic Fire Detection — Single Zone — Tests	201-615-301	1	Alarm Receiving Circuit SD-95418-01 — Taking Equipment Out of Service
201-601-503	6	Emergency Alarm Circuit SD-90560-01 or SD-96049-01 Arranged for Zone Indicating Lamps and Automatic Fire Detection — Multi-Zone — Tests	201-615-501	1	Alarm Receiving Circuit SD-95418-01 — Tests
201-601-504	3	Emergency Alarm Circuit SD-90437-01 — Arranged for Code Signaling and Automatic Fire Detection — Tests	201-616-101	1	Centralized Status, Alarm and Control System — Description
201-603-501	1	Fire Drill Alarm Circuit SD-90086-01 Tests	201-620-301	2	Audible and Visual Maintenance Alarm Equipment NS-01046-01 — Operating Methods, Alarm Procedures, Adjustment Procedures, and Trouble Locating Procedures
201-604-501	3	Fuse Alarms for Miscellaneous Circuits — Tests	201-620-501	2	Central Office Audible and Visual — Maintenance Alarm Equipment NS-01046-01 — Tests
201-605-501	1	Major Audible Alarm Circuit SD-95798-01 Arranged for Coded Signaling — Miscellaneous Tests	201-625-101	2	Telephone Order Wire Circuit SD-62476-011 — Selective Signaling — Description
201-607-301	2	Cable Insulation Alarm Circuit SD-96348-01 — Method of Operation and Alarm Procedures	201-626-101	1	Telephone Order Wire Circuit SD-55320-01 — 600-1500 Cycle Selective Signaling — Description
201-607-501	2	Cable Insulation Alarm Circuit SD-96348-01 — Tests	201-626-501	2	Telephone Order Wire Circuit SD-55320-01 and ES-55572-01 — 600-1500 Cycle Selective Signaling — Tests
201-609-501	2	Low Insulation Alarm Circuit SD-62489-01 — Tests			
201-610-301	2	Cable Pressure Telemetry — Central Control — Description and Operation — Toll Cable Pressure Transducer System			

**SECTION 201-000-000**

<b>Section Number</b>	<b>Issue</b>	<b>Subject</b>	<b>Section Number</b>	<b>Issue</b>	<b>Subject</b>
201-627-101	1	600-1500 Cycle Selective Signaling Systems — Description	201-640-501	2	Television Order Circuits and Associated Equipment — Tests
201-628-101	1	Alarm Trunk Circuit SD-64542-01 for Use Between Main and Auxiliary Repeater Stations Description	201-641-101	1	L4 Order Circuit (L4OC) and Express Order Circuit (XOC) — Description
201-629-501	2	Alarm Trunk Circuit SD-64542-01 — Alarm Trunk Control Circuit SD-55055-01 — Alarm Trunk Switching Circuit SD-55859-01 — Alarm Trunk Station Selecting Circuit SD-55860-01 — Tests	201-642-101	1	Local Order Circuit (LOC) — Cablemans Order Circuit (COC) — Description
201-630-010	2	B1 Alarm Indicator Record Forms — Description	201-643-101	2	Description — Status Assembling System
201-630-101	1	B1 Alarm and Control System — Description	201-643-301	2	Maintenance and Trouble Procedures — Status Assembling System
201-630-301	4	B1 Alarm and Control System — Method of Operation	201-643-501	1	Tests and Inspection — Status Assembling System — SD-5G144, SD-5G143, and SD-5G139
201-631-010	1	C1 Alarm and Control System — Forms and Records	Add 201-644-100	1	
201-631-101	4	C1 Alarm and Control Circuit and Order-Wire Circuit — Description	201-644-100	4	E2 Status Reporting and Control System — Description — Overall System
201-631-501	4	C1 Alarm and Control System — Tests	201-644-110	2	E2 Status Reporting and Control System — Multidirectional Data Regenerator — Description
201-632-010	1	Alarm Indication Log — Form E-3870 — Description	201-644-111	2	E2 Status Reporting and Control System — Alarm Reporting Remote — Description
201-633-301	1	D1 Alarm and Control Circuit and Order Wire Circuit — Substation and Main Station Units — Analysis and Clearance of Trouble	201-644-112	3	Manual Alarm Central — Description — E2 Status Reporting and Control System
201-633-501	1	D1 Alarm and Control System — Out-of-Service Tests	201-644-113	1	E2 Status Reporting and Control System — Status Polling Central — Description
201-634-501	2	D2 Alarm and Control Circuit and Order Wire Circuit — Out-of-Service Tests	201-644-114	1	E2 Status Reporting and Control System — Status Reporting Remote — Description
Add 201-635-501	1		201-644-142	1	E2 Status Reporting and Control System — Remote Call-up Test Set — Description, Operation, and Maintenance
201-635-501	3	Sequence Signaling and Order Circuits Associated With TD/TH Radio Relay System — Tests	201-644-312	4	E2 Status Reporting and Control System — Manual Alarm Central Operating Procedures
Add 201-636-501	1		201-644-501	3	E2 Status Reporting and Control System — Initial Trouble Diagnoses
201-636-501	2	Remote Control Sending and Receiving Directors and Associated Sequence Signaling Circuits for Use With TD/TH Radio Relay Systems — Tests	201-644-503	5	E2 Status Reporting and Control System — Manual Alarm Central — Troubleshooting Procedures
Add 201-637-501	1		201-644-504	6	E2 Status Reporting and Control System — Alarm Reporting Remote — Troubleshooting Procedures
201-637-501	1	Distribution Fuse, Individual, Audible, and Visual Alarm Circuit SD-56230-01 for Use With TD Radio Systems	201-644-510	1	E2 Status Reporting and Control System — Troubleshooting Procedures — Multidirectional Data Regenerator
201-639-100	1	E1 Status Reporting and Control System — General Description	201-644-511	1	E2 Status Reporting and Control System — Troubleshooting Procedures — Status Reporting Remote
201-639-300	1	E1 Status Reporting and Control System — Operation	201-644-513	1	E2 Status Reporting and Control System — Troubleshooting Procedures — Status Polling Central
201-639-501	1	E1 Status Reporting and Control System — Initial Trouble Diagnoses — Central Station	201-644-550	1	E2 Status Reporting and Control System — Remote Station Connections and Central Station Display — Overall System — Tests — Interconnection and Display
201-639-503	3	E1 Status Reporting and Control System — Troubleshooting Procedures — Central Station			
201-639-504	4	E1 Status Reporting and Control System — Troubleshooting Procedures — Remote Station (J92615B1 and J92615B2)			

Section Number	Issue	Subject	Section Number	Issue	Subject
201-645-501	2	Group Alerting System J95421 (SD-95883-01 and SD-95884-01) — Tests	201-653-505	1	E2A Telemetry — SCOTS-C1 Interface Remote and TCT — Maintenance
201-646-101	4	4-Wire Order Circuit — General Purpose (SD-1C245-01) — Description	201-653-506	1	E2A Telemetry — No. 4 ESS Network Management Central and Remote Maintenance
201-646-501	4	4-Wire Order Circuit — General Purpose SD-1C245-01 — Tests	201-653-508	1	E2A Telemetry No. 4 ESS — Combined Maintenance Operations Center (CMOC) — Maintenance
Add 201-647-100	1		201-653-522	3	E2A Telemetry — Alarm Processing Remote (APR) — Maintenance
201-647-100	1	E3 Alarm System — Description			
201-647-101	2	E3 Alarm System — E3 Alarm Central — Description	<b>201-7 OPERATOR TRAINING EQUIPMENT AND COMMON SWITCHBOARD SECTIONS</b>		
201-647-301	2	E3 Alarm System — E3 Central (J1P030A) Operation	201-701-501	1	Operator Key pulsing Drill Circuit — Tests
201-647-500	3	E3 Alarm System — Initial Trouble Diagnosis	201-702-501	1	Operator Training Circuit — CAMA Training Equipment — Tests
201-647-501	2	E3 Alarm System — E3 Central — Maintenance	201-705-501	3	Key Monitoring Circuit SD-96314-01 — MF and DC Key pulsing — DSA, Toll and CAMA Switchboards — Tests
201-650-501	1	Emergency Line or Trunk Transfer Circuit SD-95690-01 — Tests	201-710-301	1	Location of Crosses and Grounds in Switchboard Multiple
201-651-501	1	Lines Arranged for Manual Completion of Emergency Calls — Operation Test	201-711-301	1	Removing Foreign Materials From Switchboard Jacks Using Tool Kit Per KS-6527
201-652-501	1	Emergency Line Circuit SD-95336-01 — Tests	201-712-501	3	Idle Trunk Indicating, Group Busy, and Answering Lamp Circuits — Tests
201-653-100	2	E2A Telemetry — Electromagnetic Interference Warnings	201-715-501	3	MF Keyset Circuit No. 13C, 13D, 14C, 15C and 15D Switchboards — Output Level — 0 DBM Per Frequency — Tests
201-653-102	3	E2A Telemetry — Switching Control Center System — Description	201-715-502	1	MF Keyset Circuit No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level — 3 DBM Per Frequency — Tests
201-653-103	1	E2A Telemetry — Cable Pressure Monitoring System (ICPMS) — Description	201-715-503	1	MF Keyset Circuit No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level — 8 DBM Per Frequency — Tests
201-653-104	3	E2A Telemetry — Status and Command Remote Applications — Description	201-715-504	1	MF Keyset Circuits No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level — 6 DBM Per Frequency — Test
201-653-105	1	E2A Telemetry — SCOTS-C1 Interface Remote — Description	201-720-501	1	Coin Zone Operator Trunk Circuit SD-95851-01 — Tests Using Trunk Test Circuit SD-95875-01
201-653-106	1	E2A Telemetry — No. 4 ESS Network Management Central and Remote — Description	<b>201-8 MISCELLANEOUS COMMON SYSTEM CIRCUITS</b>		
201-653-107	1	E2A Telemetry — CDO Satellite Remote — Description and Maintenance	201-819-501	2	Speed Test Circuit for TOUCH-TONE® Automatic Dialers — SD-1C402-01 — Tests and Adjustments
201-653-108	1	E2A Telemetry — No. 4 ESS — Combined Maintenance Operations — Center Description	201-820-301	1	TOUCH-TONE® Calling Receiving Circuit (J99266) — Trouble-Location
201-653-109	1	Digital Alarm Scanner (IDAS) — Description — E2A Telemetry	201-821-301	2	"TOUCH-TONE®" Calling-Receiving Circuit J99289 — SD-98148-01 — Trouble Location
201-653-122	3	E2A Telemetry Alarm Processing Remote (APR) — System Description	201-822-301	2	Use of Compensating Resistance — Revertive and PCI Pulsing Circuits
201-653-502	3	E2A Telemetry Switching Control Center — Central and Remote Maintenance	201-825-501	1	Private Line Conference Circuits With or Without Amplifiers — Tests
201-653-503	1	E2A Telemetry — Cable Pressure Monitoring System — Telemetry-to-Computer Translator and Remote Maintenance			
201-653-504	3	E2A Telemetry — Status and Command Remote and Telemetry-to-Computer Translator — Tests			

**SECTION 201-000-000**

Section Number	Issue	Subject
201-825-502	2	Private Line Conference Circuit SD-96391-01 — Transmission Tests
201-826-501	4	Auxiliary Line Circuit SD-99439-01 — Arranged for Measured Rate INWATS Service — Operation Tests
201-828-501	3	Remote Testing Features SD-99308-01, SD-99311-01 — Far-End and Extended Remote Tests From Far-End — Tests and Trouble Locating Procedures — No. 14 and No. 16 Local Test Desk
201-828-502	4	Remote Testing Features and Circuits — SD-99309-01 and SD-99310-01 Near-End and SD-97559-01 Near to Far-End Tests and Trouble Locating Procedures — No. 14 Local Test Desk and No. 16 Local Test Desk
201-828-503	2	Local Test Desk (LTD) No. 14 — Test and Trouble Locating Procedures
201-828-504	1	Local Test Desk (LTD) No. 16 — Tests and Trouble Locating Procedures
201-828-505	2	Local Test Cabinet No. 3 — Tests and Trouble Locating Procedures
201-829-501	1	U1 Carrier SD-1C151-01 — Central Office Unit — Test
201-830-301	1	Automatic Identified Outward Dialing Equipment — General Maintenance Procedures
201-830-501	3	Alarms — Operation Tests — PBX Automatic Identified Outward Dialing Type A1 Equipment
201-831-501	4	Automatic Identified Outward Dialing, Type A2 — Alarm Tests and Operation Tests Using Station Identification Test Circuit SD-1C235-01
201-832-501	1	Dial Long Line Circuit SD-96588-01 — Test
201-832-502	5	Dial Long Line Circuits — SD-96589-01 — 96590-01 — 96591-01 — Tests Using Test Position SD-96594-01
201-833-501	7	Coin Station Test Line SD-1C297-01 — Tests and Trouble Locating Procedures
201-836-501	1	Video Supervisory Signal Supply Circuit SD-27909-01 Associated With Wideband Remote Switch Circuit SD-27900-01 — Tests
201-838-101	1	ROTL Control Panel — Description and Operation — Common Systems
201-838-701	1	Remote Office Test Line (ROTL) Control Panel — E6 Repeater Adjustment
Add 201-840-501	1	
201-840-501	2	Apartment Door Answering Service (ADAS) — ST-596038 — Central Office Tests
201-840-502	1	Apartment Door — Answering Service (ADAS) — NS-02506-01 — Central Office Tests
201-841-301	1	Calendar and Clock Circuit SD-68591-01 — Clock Setting

Section Number	Issue	Subject
Add 201-842-100	1	
201-842-100	1	Common Systems Message Printer SD-94865-01 — Description, Operating Procedures, and Maintenance
201-843-501	1	Busy Line Verification Limiting — Amplifier SD-97761-01 — Transmission Tests — Common Systems
<b>201-850 No. 1 Trunk Concentrator</b>		
201-850-101	3	No. 1 Trunk Concentrator — Description
201-850-501	1	No. 1 Trunk Concentrator Circuit SD-97569-01 — Tests
201-850-502	2	Outgoing Trunk Circuit to AIC SD-97570-01 — Transmission Tests — No. 1 Trunk Concentrator
201-850-503	3	Outgoing Trunk Circuit to ACD SD-97578-01 — Direct Trunk or Via No. 1 TSPS — Transmission Tests — No. 1 Trunk Concentrator
201-850-504	1	Trunks Terminating on No. 1 Trunk Concentrator — Incoming Trunk Frame — Trunk Transmission Tests
201-850-505	2	Outgoing Trunk Circuit to No. 23-Desk SD-97578-01 — Direct Trunk or Via No. 1 TSPS — Transmission Tests — No. 1 Trunk Concentrator
201-850-506	1	Outgoing Trunk Circuit SD-97578-01 to No. 1 ESS With CAMA — Transmission Sets — No. 1 Trunk Concentrator
201-850-511	3	Outgoing Trunk Circuit SD-97570-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator
201-850-512	2	Incoming Intercept ANI Trunk Circuit SD-97571-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator
201-850-513	2	Incoming Intercept ONI-1 Trunk Circuit SD-97572-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator
201-850-514	4	Incoming Intercept ONI-3 Loop Signaling Trunk Circuit SD-97573-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator
201-850-515	4	Incoming Intercept ONI-3 E and M Lead Signaling Trunk Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator
201-850-521	3	Incoming Trunk Circuit SD-97577-01 for Directory Assistance Traffic — Tests Using Portable Test Set SD-97576-01 (J94747A) — No. 1 Trunk Concentrator
201-850-522	3	Outgoing Trunk SD-97578-01 — Tests Using Portable Test Set SD-97576-01 (J94747A) — No. 1 Trunk Concentrator

**201-9 BILLING SYSTEMS**

**201-900 AMARC**

201-900-010	2	No. 1 Automatic Message Accounting Recording Center (AMARC) — Operation, Maintenance, and Management
-------------	---	--

Section Number	Issue	Subject	Section Number	Issue	Subject
♥ 201-900-030	1	Introduction to Nongeneric Parameter Data (NPD) and Instruction for Preparation of NPD Forms Required for No. 1A AMARC — Generic 3	♥ 201-900-071	1	Physical Description of the No. 1A AMARC-Generic 2 — Supplemental Information — Central Offices
♥ 201-900-031	1	Reproducible Nongeneric Parameter Data (NPD) Forms — No. 1A — Generic 3	♥ 201-900-072	1	Description of Nongeneric Parameter Data (NPD) Tables — No. 1A AMARC — Generic 2
♥ 201-900-032	1	Call Data Accumulator (CDA) Translations for No. 1A AMARC, Generic 3	♥ 201-900-073	1	Call Data Accumulator (CDA) Translations for No. 1A AMARC
♥ 201-900-033	1	Billing Data Transmitter (BDT) Translations for No. 1A AMARC, Generic 3	♥ 201-900-074	1	Billing Data Transmitter (BDT) Translations for No. 1A AMARC
♥ 201-900-034	1	No. 3 ESS Sensor Translations for No. 1A AMARC, Generic 3 — Supplementary Information — Central Offices	♥ 201-900-075	1	Preparation of Nongeneric Parameter Data (NPD) Forms — No. 1A AMARC — General
♥ 201-900-035	1	Call Data Transmitter (CDT) Translations for No. 1A AMARC, Generic 3	♥ 201-900-076	1	Preparation of Nongeneric Parameter Data (NPD) Forms — Common Parameters — Generic 2 — Supplemental Information — Central Offices
♥ 201-900-036	1	No. 5 ETS and VSS Translations for No. 1A AMARC, Generic 3	♥ 201-900-077	1	Preparation of Nongeneric Parameter Data (NPD) Entity Parameters — No. 1A AMARC — Generic 2
♥ 201-900-050	2	Introduction to Nongeneric Parameter Data (NPD) — Required for No. 1 and 1A AMARC	♥ 201-900-078	1	Preparation of Nongeneric Parameter Data (NPD) Forms — Channel Parameters — No. 1A AMARC
♥ 201-900-051	2	Physical Description of No. 1 AMARC	♥ 201-900-079	1	Preparation of Nongeneric Parameter Data (NPD) Forms — Special Number Parameters — No. 1 AMARC
♥ 201-900-052	2	Description of Nongeneric Parameter Data (NPD) Tables — No. 1 AMARC	♥ 201-900-080	1	Reproducible Nongeneric Parameter Data (NPD) Forms — No. 1A Automatic Message Accounting Recording Center — Generic 2
♥ 201-900-053	2	Call Data Accumulator (CDA) Translations for No. 1 AMARC	♥ 201-900-081	1	Nongeneric Parameter Data — No. 1A AMARC Dump Messages
♥ 201-900-054	2	Billing Data Transmitter (BDT) Translations for No. 1 AMARC	♥ 201-900-082	1	Nongeneric Parameter Data (NPD) — Other No. 1A AMARC Administrative Records
♥ 201-900-055	2	Preparation of Nongeneric Parameter Data (NPD) Forms — No. 1 AMARC — General	♥ 201-900-083	1	Administrative Considerations for Growth and Rearrangements
♥ 201-900-056	2	Preparation of Nongeneric Parameter Data (NPD) Forms — Common Parameters — No. 1 AMARC	♥ 201-900-084	1	No. 3 ESS Terminal Translations for No. 1A AMARC
♥ 201-900-057	2	Preparation of Nongeneric Parameter Data (NPD) Entity Parameters — No. 1 AMARC	201-900-101	2	No. 1 Automatic Message Accounting Recording Center (AMARC) — Description
♥ 201-900-058	2	Preparation of Nongeneric Parameter Data (NPD) Forms — Channel Parameters — No. 1 AMARC	201-900-102	2	230A Repeater SD-5P001-01 — No. 1 and No. 1A Automatic Message Accounting Recording Center (AMARC)
♥ 201-900-059	2	Preparation of Nongeneric Parameter Data (NPD) Forms — Special Number Parameters — No. 1 — AMARC	201-900-103	2	Description — Generics 1, 2, and 3
♥ 201-900-060	2	Reproducible Nongeneric Parameter Data (NPD) Forms — No. 1 Automatic Message Accounting Recording Center	201-900-300	2	Software Growth Procedures — No. 1 Automatic Message Accounting — Recording Center (AMARC)
♥ 201-900-061	2	Nongeneric Parameter Data — No. 1 AMARC Dump Messages	201-900-301	2	Routine Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)
♥ 201-900-062	2	Nongeneric Parameter Data (NPD) — Other No. 1 AMARC Administrative Records	201-900-302	2	Operating Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC) — Generic 3, 4, and 5
♥ 201-900-063	2	No. 1 Automatic Message Accounting Recording Center Administrative Considerations for Growth and Rearrangements	201-900-303	2	Emergency Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)
♥ 201-900-070	1	Introduction to Nongeneric Parameter Data (NPD) — Required for No. 1A AMARC-Generic 2 — Billing Systems — Supplementary Information — Central Offices			

**SECTION 201-000-000**

Section Number	Issue	Subject
201-900-304	2	Fault Isolation Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)
201-900-305	3	Date and Time Change Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)
201-900-306	3	Data Set Interface and Auxiliary Functions (DSIAF) Diagnostics — Loading Procedure and Interpretation — No. 1 Automatic Message Accounting Recording Center (AMARC)
201-900-307	3	Nongeneric Parameter Data Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)
201-900-308	1	Operator Analysis of System Related Trouble Messages — No. 1 AMARC
201-900-309	2	Operator Analysis of Step-by-Step Channel Troubles — No. 1 and No. 1A Automatic Message Accounting Recording Center (AMARC)
201-900-310	2	Operator Analysis of BDT Channel Troubles — No. 1 and No. 1A Automatic Message Accounting Recording Center (AMARC)
201-900-313	1	Operator Analysis of the No. 5 Crossbar Electronic Translator System (ETS) and Local Automatic Message Accounting — Computer (LAMA-C) — Channel Troubles No. 1 and No. 1A Automatic Message Accounting Recording Center (AMARC)
201-900-314	1	Operator Analysis of No. 3 Electronic Switching System (ESS) Channel Troubles — No. 1 and No. 1A AMARC
201-900-315	1	Call Data Transmitter (CDT) — Operator Analysis of Channel Troubles — No. 1A Automatic Message Accounting Recording Center (AMARC)
201-900-321	2	Routine Procedures for Generics 2 and 3 — No. 1A Automatic Message Accounting Recording Center (AMARC)
201-900-322	2	Operating Procedures for Generics 2 and 3 — No. 1A Automatic Message Accounting Recording Center (AMARC)
201-900-323	1	Emergency Procedures — No. 1A AMARC — Generics 1, 2, and 3
201-900-324	1	No. 1A AMARC — Fault Isolation Procedures — Generics 1, 2, and 3
201-900-325	1	Date and Time Change Procedures — No. 1A AMARC — Generics 1, 2, and 3
201-900-326	1	Data Set Interface and Auxiliary Functions (DSIAF) Diagnostics — Loading Procedure and Interpretation — No. 1A AMARC — Generics 1 and 2
201-900-327	1	Nongeneric Parameter Data Procedures — No. 1A AMARC — Generics 1, 2, and 3
201-900-328	1	Operator Analysis of System Related Trouble Messages — No. 1 AMARC

Section Number	Issue	Subject
Add 201-900-330	1	
201-900-330	1	RP06 Disk — Description and Operating Procedures — No. 1A Automatic Message Accounting Recording Center (AMARC)
Add 201-900-331	1	
201-900-331	1	Diagnostic Loading Procedure — No. 1A Automatic Message Accounting Recording Center (AMARC) Generic 3
201-900-340	1	No. 1 AMARC — Acceptance Tests — Generic 3
♥ 201-900-610	1	Network Switching Engineering — No. 1A Automatic Message Accounting Recording Center (Generic 2) — Common Systems

**201-901 BDT**

Add 201-901-101	1	
201-901-101	3	Billing Data Transmitter (BDT) — Description
201-901-301	4	Billing Data Transmitter (BDT) — Trouble Sectionalizing
201-901-302	3	Central Office AMA Equipment With Billing Data Transmitter (BDT) — Precautionary Measures — Common Systems
Add 201-901-501	2	
201-901-501	2	Recorder and Recorder Connector Circuit SD-25872-01 — Operation Tests for Offices Equipped With Billing Data Transmitters
201-901-502	4	Billing Data Transmitter (BDT) — Acceptance Tests

**201-902 CAMA-C**

201-902-010	2	Centralized Automatic Message Accounting - Computerized (ICAMA-C) — Operation, Maintenance, and Management — No. 4 Crossbar and Crossbar Tandem Offices
201-902-101	2	Centralized Automatic Message Accounting — Computerized (ICAMA-C) — Description Information — 4A, 4M Toll, and Crossbar Tandem Offices
♥ 201-902-200	1	Centralized Automatic Accounting — Computerized (ICAMA-C) Line and Trunk Administration 4A, 4M, and Crossbar Tandem Offices
Add 201-902-301	1	
201-902-301	2	Centralized Automatic Message Accounting — Computerized (ICAMA-C) — Emergency Action Procedures — 4A, 4M Toll, and Crossbar Tandem Offices
201-902-302	2	Centralized Automatic Message Accounting — Computerized (CAMA-C) — Multiplexor/Scanner Trouble Locating and Test
201-902-303	2	Centralized Automatic Message Accounting (CAMA-C) — Recent Change Procedures — 4A, 4M Toll and Crossbar Tandem Offices
201-902-304	2	Centralized Automatic Message Accounting — Computerized (CAMA-C) Hourly and Daily Maintenance Reports — Procedures and Message Interpretation — 4A, 4M Toll and Crossbar Tandem Offices

Section Number	Issue	Subject	Section Number	Issue	Subject
201-902-305	2	Centralized Automatic Message Accounting-Computerized (CAMA-C) — Time Change Procedures	201-902-503	2	Centralized Automatic Message Accounting-Computerized (CAMA-C) — Equipped With ANIS or MECCA Feature Tests — 4A, 4M Toll and Crossbar Tandem Offices
201-902-306	3	Centralized Automatic Message Accounting (CAMA-C) — Generic Program Overwrites and Application of Broadcast Warning Change Notices — 4A, 4M Toll and Crossbar Tandem Offices	<b>201-903 HOBIS</b>		
201-902-307	2	Centralized Automatic Message Accounting — Computerized (CAMA-C) — Disk Handling Procedures	Add 201-903-101	1	
201-902-308	2	Centralized Automatic Message Accounting-Computerized (CAMA-C) — Remote Teletypewriter — Description, Operation, and Maintenance — 4A, 4M Toll and Crossbar Tandem Offices	201-903-101	2	Hotel Billing Information System (HOBIS) — Description for Generic 1
201-902-309	3	Centralized Automatic Message Accounting-Computerized (CAMA-C) — Monitoring Tests — 4A, 4M Toll, and Crossbar Tandem Offices	201-903-102	1	Hotel Billing Information System/Centralized Credit — Refund System (HOBIS/CCRS) — Description for Generic 2
Add 201-902-310	1		201-903-301	4	Hotel Billing Information System/Centralized Credit Refund System (HOBIS/CCRS) — Emergency Action and Restoration Procedures for Generics 1 and 2
201-902-310	2	Centralized Automatic Message Accounting (CAMA-C) — Program Loading Procedures — 4A, 4M Toll and Crossbar Tandem Offices	201-903-302	4	Hotel Billing Information System/Centralized Credit Refund System (HOBIS/CCRS) — Routine Operating Procedures for Generics 1 and 2
201-902-501	3	Centralized Automatic Message Accounting — Computerized (CAMA-C) Tape Loading and Unloading Procedures, TTY Paper and Ribbon Changing Procedures, and Routine Maintenance Tests — 4A, 4M Toll and Crossbar Tandem Offices	201-903-303	2	Hotel Billing Information System/Centralized Credit — Refund System (HOBIS/CCRS) — Trouble Sectionalizing for Generics 1 and 2
201-902-502	2	Centralized Automatic Message Accounting — Computerized (CAMA-C) Recorder and Recorder Connection Circuit SD-25872-01 Tests — 4A, 4M Toll and Crossbar Tandem	201-903-501	1	No. 1 Hotel Billing Information System (HOBIS) — Maintenance Test Procedures
			201-903-503	2	Hotel Billing Information System/Centralized Credit — Refund System (HOBIS/CCRS) — Acceptance Tests for Generic 2