

DIAL CENTRAL OFFICE SERVICE INDEX PLAN TABLES

CONTENTS	PAGE
GENERAL	1
INDEX POINT TABLES	
Table 1 No. 1 — No. 5 Crossbar	2
Table 2 Step-by-Step	3
Table 3 Battery Cut-off Panel	4
Table 4 Ground Cut-off Panel	5

1. GENERAL

1.01 This section provides tables to be used in computing the Dial Central Office Index as described in Section 201-102-001.

DIAL CENTRAL OFFICE SERVICE INDEX
TABLE OF INDEX POINTS

TABLE 1
NO. 1 - NO. 5 CROSSBAR

TABLE 1A CENTRAL OFFICE CODES AND FOUND O.K.-IN (CODES 5 AND 8)			TABLE 1B TEST O.K.'S (CODE 7)			TABLE 1C EQUIPMENT IRREGULARITIES EXCLUDING OVERFLOWS		
REPORTS	COMPONENT INDEX	INDEX POINTS	REPORTS	COMPONENT INDEX	INDEX POINTS	PERCENT	COMPONENT INDEX	INDEX POINTS
.20	100.0	40.0	1.70	100.0	30.0	0	100.0	30.0
.36	99.5	39.8	2.27	99.5	29.9	.05	99.5	29.9
.51	99.0	39.6	2.78	99.0	29.7	.10	99.0	29.7
.66	98.5	39.4	3.26	98.5	29.6	.15	98.5	29.6
.81	98.0	39.2	3.69	98.0	29.4	.20	98.0	29.4
.95	97.5	39.0	4.11	97.5	29.3	.25	97.5	29.3
1.12	97.0	38.8	4.50	97.0	29.1	.30	97.0	29.1
1.24	96.5	38.6	4.88	96.5	29.0	.35	96.5	29.0
1.39	96.0	38.4	5.23	96.0	28.8	.40	96.0	28.8
1.53	95.5	38.2	5.57	95.5	28.7	.45	95.5	28.7
1.67	95.0	38.0	5.90	95.0	28.5	.50	95.0	28.5
1.81	94.5	37.8	6.22	94.5	28.4	.54	94.5	28.4
1.94	94.0	37.6	6.52	94.0	28.2	.58	94.0	28.2
2.08	93.5	37.4	6.82	93.5	28.1	.62	93.5	28.1
2.22	93.0	37.2	7.11	93.0	27.9	.66	93.0	27.9
2.40	92.5	37.0	7.59	92.5	27.8	.70	92.5	27.8
2.48	92.0	36.8	7.67	92.0	27.6	.74	92.0	27.6
2.61	91.5	36.6	7.93	91.5	27.5	.78	91.5	27.5
2.74	91.0	36.4	8.20	91.0	27.3	.82	91.0	27.3
2.87	90.5	36.2	8.45	90.5	27.2	.86	90.5	27.2
3.00	90.0	36.0	8.75	90.0	27.0	.90	90.0	27.0
3.21	89.0	35.6	9.14	89.0	26.7	.96	89.0	26.7
3.38	88.0	35.2	9.51	88.0	26.4	1.02	88.0	26.4
3.51	87.0	34.8	9.84	87.0	26.1	1.06	87.0	26.1
3.64	86.0	34.4	10.14	86.0	25.8	1.10	86.0	25.8
3.75	85.0	34.0	10.41	85.0	25.5	1.14	85.0	25.5
3.85	84.0	33.6	10.66	84.0	25.2	1.17	84.0	25.2
4.02	83.0	33.2	10.90	83.0	24.9	1.20	83.0	24.9
4.06	82.0	32.8	11.22	82.0	24.6	1.23	82.0	24.6
4.12	81.0	32.4	11.34	81.0	24.3	1.26	81.0	24.3
4.20	80.0	32.0	11.54	80.0	24.0	1.29	80.0	24.0
4.27	79.0	31.6	11.73	79.0	23.7	1.32	79.0	23.7
4.35	78.0	31.2	11.92	78.0	23.4	1.35	78.0	23.4
4.42	77.0	30.8	12.10	77.0	23.1	1.38	77.0	23.1
4.49	76.0	30.4	12.28	76.0	22.8	1.40	76.0	22.8
4.55	75.0	30.0	12.45	75.0	22.5	1.42	75.0	22.5
4.62	74.0	29.6	12.61	74.0	22.2	1.44	74.0	22.2
4.68	73.0	29.2	12.77	73.0	21.9	1.46	73.0	21.9
4.74	72.0	28.8	12.93	72.0	21.6	1.48	72.0	21.6
4.80	71.0	28.4	13.08	71.0	21.3	1.50	71.0	21.3
4.85	70.0	28.0	13.23	70.0	21.0	1.52	70.0	21.0
4.97	68.0	27.2	13.52	68.0	20.4	1.56	68.0	20.4
5.07	66.0	26.4	13.80	66.0	19.8	1.59	66.0	19.8
5.17	64.0	25.6	14.06	64.0	19.2	1.62	64.0	19.2
5.27	62.0	24.8	14.32	62.0	18.6	1.65	62.0	18.6
5.37	60.0	24.0	14.56	60.0	18.0	1.68	60.0	18.0
5.46	58.0	23.2	14.80	58.0	17.4	1.71	58.0	17.4
5.55	56.0	22.4	15.04	56.0	16.8	1.74	56.0	16.8
5.63	54.0	21.6	15.26	54.0	16.2	1.76	54.0	16.2
5.72	52.0	20.8	15.49	52.0	15.6	1.78	52.0	15.6
5.80	50.0	20.0	15.70	50.0	15.0	1.80	50.0	15.0
6.01	45.0	18.0	16.25	45.0	13.5	1.85	45.0	13.5
6.24	40.0	16.0	16.84	40.0	12.0	1.93	40.0	12.0
6.48	35.0	14.0	17.47	35.0	10.5	2.01	35.0	10.5
6.75	30.0	12.0	18.17	30.0	9.0	2.09	30.0	9.0
7.05	25.0	10.0	18.95	25.0	7.5	2.17	25.0	7.5
7.40	20.0	8.0	19.86	20.0	6.0	2.27	20.0	6.0
7.85	15.0	6.0	20.99	15.0	4.5	2.40	15.0	4.5
8.60	10.0	4.0	22.70	10.0	3.0	2.63	10.0	3.0
9.93	5.0	2.0	25.50	5.0	1.5	3.04	5.0	1.5
11.40 OR MORE	0.0	0.0	29.70 OR MORE	0.0	0.0	3.60 OR MORE	0.0	0.0

IF A RESULT FALLS ANYWHERE BETWEEN TWO FIGURES IN THE "PERCENT" OR "REPORTS" COLUMN, USE THE NUMBER OF INDEX POINTS FOR THE POORER RESULTS, I.E., THE LOWER NUMBER OF INDEX POINTS.

PRINTED IN U.S.A.

DIAL CENTRAL OFFICE SERVICE INDEX
TABLE OF INDEX POINTS

TABLE 2
STEP - BY - STEP

TABLE 2A CENTRAL OFFICE CODES AND FOUND O.K.-IN (CODES 5 AND 8)			TABLE 2B TEST O.K.'S (CODE 7)			TABLE 2C EQUIPMENT IRREGULARITIES EXCLUDING OVERFLOWS		
REPORTS	COMPONENT INDEX	INDEX POINTS	REPORTS	COMPONENT INDEX	INDEX POINTS	PERCENT	COMPONENT INDEX	INDEX POINTS
0.76	100.0	40.0	2.20	100.0	30.0	0	100.0	30.0
1.17	99.5	39.8	2.95	99.5	29.9	.05	99.5	29.9
1.55	99.0	39.6	3.71	99.0	29.7	.10	99.0	29.7
1.89	98.5	39.4	4.42	98.5	29.6	.15	98.5	29.6
2.21	98.0	39.2	5.09	98.0	29.4	.20	98.0	29.4
2.51	97.5	39.0	5.72	97.5	29.3	.25	97.5	29.3
2.75	97.0	38.8	6.30	97.0	29.1	.30	97.0	29.1
3.08	96.5	38.6	6.87	96.5	29.0	.35	96.5	29.0
3.34	96.0	38.4	7.41	96.0	28.8	.40	96.0	28.8
3.60	95.5	38.2	7.92	95.5	28.7	.45	95.5	28.7
3.85	95.0	38.0	8.42	95.0	28.5	.50	95.0	28.5
4.09	94.5	37.8	8.91	94.5	28.4	.54	94.5	28.4
4.33	94.0	37.6	9.38	94.0	28.2	.58	94.0	28.2
4.56	93.5	37.4	9.83	93.5	28.1	.62	93.5	28.1
4.77	93.0	37.2	10.27	93.0	27.9	.66	93.0	27.9
4.99	92.5	37.0	10.70	92.5	27.8	.70	92.5	27.8
5.20	92.0	36.8	11.12	92.0	27.6	.74	92.0	27.6
5.41	91.5	36.6	11.53	91.5	27.5	.78	91.5	27.5
5.61	91.0	36.4	11.93	91.0	27.3	.82	91.0	27.3
5.81	90.5	36.2	12.32	90.5	27.2	.86	90.5	27.2
6.00	90.0	36.0	12.75	90.0	27.0	.90	90.0	27.0
6.34	89.0	35.6	13.37	89.0	26.7	.96	89.0	26.7
6.62	88.0	35.2	13.93	88.0	26.4	1.02	88.0	26.4
6.87	87.0	34.8	14.44	87.0	26.1	1.06	87.0	26.1
7.09	86.0	34.4	14.89	86.0	25.8	1.10	86.0	25.8
7.29	85.0	34.0	15.30	85.0	25.5	1.14	85.0	25.5
7.48	84.0	33.6	15.68	84.0	25.2	1.17	84.0	25.2
7.65	83.0	33.2	16.04	83.0	24.9	1.20	83.0	24.9
7.82	82.0	32.8	16.38	82.0	24.6	1.23	82.0	24.6
7.98	81.0	32.4	16.70	81.0	24.3	1.26	81.0	24.3
8.13	80.0	32.0	17.01	80.0	24.0	1.29	80.0	24.0
8.28	79.0	31.6	17.31	79.0	23.7	1.32	79.0	23.7
8.42	78.0	31.2	17.59	78.0	23.4	1.35	78.0	23.4
8.55	77.0	30.8	17.87	77.0	23.1	1.38	77.0	23.1
8.68	76.0	30.4	18.13	76.0	22.8	1.40	76.0	22.8
8.80	75.0	30.0	18.39	75.0	22.5	1.42	75.0	22.5
8.92	74.0	29.6	18.64	74.0	22.2	1.44	74.0	22.2
9.04	73.0	29.2	18.79	73.0	21.9	1.46	73.0	21.9
9.16	72.0	28.8	19.11	72.0	21.6	1.48	72.0	21.6
9.27	71.0	28.4	19.34	71.0	21.3	1.50	71.0	21.3
9.38	70.0	28.0	19.57	70.0	21.0	1.52	70.0	21.0
9.59	68.0	27.2	20.00	68.0	20.4	1.56	68.0	20.4
9.80	66.0	26.4	20.42	66.0	19.8	1.59	66.0	19.8
9.99	64.0	25.6	20.82	64.0	19.2	1.62	64.0	19.2
10.18	62.0	24.8	21.20	62.0	18.6	1.65	62.0	18.6
10.36	60.0	24.0	21.58	60.0	18.0	1.68	60.0	18.0
10.54	58.0	23.2	21.95	58.0	17.4	1.71	58.0	17.4
10.71	56.0	22.4	22.30	56.0	16.8	1.74	56.0	16.8
10.88	54.0	21.6	22.64	54.0	16.2	1.76	54.0	16.2
11.04	52.0	20.8	22.97	52.0	15.6	1.78	52.0	15.6
11.20	50.0	20.0	23.30	50.0	15.0	1.80	50.0	15.0
11.60	45.0	18.0	24.13	45.0	13.5	1.85	45.0	13.5
12.04	40.0	16.0	25.02	40.0	12.0	1.93	40.0	12.0
12.51	35.0	14.0	25.98	35.0	10.5	2.01	35.0	10.5
13.02	30.0	12.0	27.03	30.0	9.0	2.09	30.0	9.0
13.60	25.0	10.0	28.21	25.0	7.5	2.17	25.0	7.5
14.27	20.0	8.0	29.59	20.0	6.0	2.27	20.0	6.0
15.11	15.0	6.0	30.30	15.0	4.5	2.40	15.0	4.5
16.40	10.0	4.0	35.90	10.0	3.0	2.63	10.0	3.0
18.55	5.0	2.0	38.18	5.0	1.5	3.04	5.0	1.5
21.60 OR MORE	0.0	0.0	44.50 OR MORE	0.0	0.0	3.60 OR MORE	0.0	0.0

IF A RESULT FALLS ANYWHERE BETWEEN TWO FIGURES IN THE "PERCENT" OR "REPORTS" COLUMN, USE THE NUMBER OF INDEX POINTS FOR THE POORER RESULTS, I.E., THE LOWER NUMBER OF INDEX POINTS.

DIAL CENTRAL OFFICE SERVICE INDEX
TABLE OF INDEX POINTS

TABLE 3
BATTERY C.O. - PANEL

TABLE 3A CENTRAL OFFICE CODES AND FOUND O.K.-IN (CODES 5 AND 8)			TABLE 3B TEST O.K.'S (CODE 7)			TABLE 3C EQUIPMENT IRREGULARITIES EXCLUDING OVERFLOWS		
REPORTS	COMPONENT INDEX	INDEX POINTS	REPORTS	COMPONENT INDEX	INDEX POINTS	PERCENT	COMPONENT INDEX	INDEX POINTS
0.76	100.0	40.0	2.20	100.0	30.0	.00	100.0	30.0
1.17	99.5	39.8	2.95	99.5	29.9	.09	99.5	29.9
1.55	99.0	39.6	3.71	99.0	29.7	.18	99.0	29.7
1.89	98.5	39.4	4.42	98.5	29.6	.26	98.5	29.6
2.21	98.0	39.2	5.09	98.0	29.4	.34	98.0	29.4
2.51	97.5	39.0	5.72	97.5	29.3	.42	97.5	29.3
2.75	97.0	38.8	6.30	97.0	29.1	.50	97.0	29.1
3.08	96.5	38.6	6.87	96.5	29.0	.57	96.5	29.0
3.34	96.0	38.4	7.41	96.0	28.8	.64	96.0	28.8
3.60	95.5	38.2	7.92	95.5	28.7	.71	95.5	28.7
3.85	95.0	38.0	8.42	95.0	28.5	.78	95.0	28.5
4.09	94.5	37.8	8.91	94.5	28.4	.85	94.5	28.4
4.33	94.0	37.6	9.38	94.0	28.2	.92	94.0	28.2
4.56	93.5	37.4	9.83	93.5	28.1	.98	93.5	28.1
4.77	93.0	37.2	10.27	93.0	27.9	1.04	93.0	27.9
4.99	92.5	37.0	10.70	92.5	27.8	1.10	92.5	27.8
5.20	92.0	36.8	11.12	92.0	27.6	1.16	92.0	27.6
5.41	91.5	36.6	11.53	91.5	27.5	1.22	91.5	27.5
5.61	91.0	36.4	11.93	91.0	27.3	1.28	91.0	27.3
5.81	90.5	36.2	12.32	90.5	27.2	1.34	90.5	27.2
6.00	90.0	36.0	12.75	90.0	27.0	1.40	90.0	27.0
6.34	89.0	35.6	13.37	89.0	26.7	1.49	89.0	26.7
6.62	88.0	35.2	13.93	88.0	26.4	1.58	88.0	26.4
6.87	87.0	34.8	14.44	87.0	26.1	1.64	87.0	26.1
7.09	86.0	34.4	14.89	86.0	25.8	1.70	86.0	25.8
7.29	85.0	34.0	15.30	85.0	25.5	1.75	85.0	25.5
7.48	84.0	33.6	15.68	84.0	25.2	1.80	84.0	25.2
7.65	83.0	33.2	16.04	83.0	24.9	1.85	83.0	24.9
7.82	82.0	32.8	16.38	82.0	24.6	1.90	82.0	24.6
7.98	81.0	32.4	16.70	81.0	24.3	1.95	81.0	24.3
8.13	80.0	32.0	17.01	80.0	24.0	1.99	80.0	24.0
8.28	79.0	31.6	17.31	79.0	23.7	2.03	79.0	23.7
8.42	78.0	31.2	17.59	78.0	23.4	2.07	78.0	23.4
8.55	77.0	30.8	17.87	77.0	23.1	2.11	77.0	23.1
8.68	76.0	30.4	18.13	76.0	22.8	2.14	76.0	22.8
8.80	75.0	30.0	18.39	75.0	22.5	2.17	75.0	22.5
8.92	74.0	29.6	18.64	74.0	22.2	2.20	74.0	22.2
9.04	73.0	29.2	18.79	73.0	21.9	2.23	73.0	21.9
9.16	72.0	28.8	19.11	72.0	21.6	2.26	72.0	21.6
9.27	71.0	28.4	19.34	71.0	21.3	2.29	71.0	21.3
9.38	70.0	28.0	19.57	70.0	21.0	2.32	70.0	21.0
9.59	68.0	27.2	20.00	68.0	20.4	2.37	68.0	20.4
9.80	66.0	26.4	20.42	66.0	19.8	2.42	66.0	19.8
9.99	64.0	25.6	20.82	64.0	19.2	2.47	64.0	19.2
10.18	62.0	24.8	21.20	62.0	18.6	2.52	62.0	18.6
10.36	60.0	24.0	21.58	60.0	18.0	2.57	60.0	18.0
10.54	58.0	23.2	21.95	58.0	17.4	2.62	58.0	17.4
10.71	56.0	22.4	22.30	56.0	16.8	2.67	56.0	16.8
10.88	54.0	21.6	22.64	54.0	16.2	2.71	54.0	16.2
11.04	52.0	20.8	22.97	52.0	15.6	2.75	52.0	15.6
11.20	50.0	20.0	23.30	50.0	15.0	2.79	50.0	15.0
11.60	45.0	18.0	24.13	45.0	13.5	2.89	45.0	13.5
12.04	40.0	16.0	25.02	40.0	12.0	3.00	40.0	12.0
12.51	35.0	14.0	25.96	35.0	10.5	3.15	35.0	10.5
13.02	30.0	12.0	27.03	30.0	9.0	3.30	30.0	9.0
13.60	25.0	10.0	28.21	25.0	7.5	3.50	25.0	7.5
14.27	20.0	8.0	29.59	20.0	6.0	3.75	20.0	6.0
15.11	15.0	6.0	30.30	15.0	4.5	4.00	15.0	4.5
16.40	10.0	4.0	33.90	10.0	3.0	4.50	10.0	3.0
18.55	5.0	2.0	38.18	5.0	1.5	5.00	5.0	1.5
21.60 OR MORE	0.0	0.0	44.50 OR MORE	0.0	0.0	5.60 OR MORE	0.0	0.0

IF A RESULT FALLS ANYWHERE BETWEEN TWO FIGURES IN THE "PERCENT" OR "REPORTS" COLUMN, USE THE NUMBER OF INDEX POINTS FOR THE POORER RESULTS, I.E., THE LOWER NUMBER OF INDEX POINTS.

DIAL CENTRAL OFFICE SERVICE INDEX
TABLE OF INDEX POINTS

TABLE 4
GROUND C.O. - PANEL

TABLE 4A CENTRAL OFFICE CODES AND FOUND O.K.'-IN (CODES 5 AND 8)			TABLE 4B TEST O.K.'S (CODE 7)			TABLE 4C EQUIPMENT IRREGULARITIES EXCLUDING OVERFLOWS		
REPORTS	COMPONENT INDEX	INDEX POINTS	REPORTS	COMPONENT INDEX	INDEX POINTS	PERCENT	COMPONENT INDEX	INDEX POINTS
1.01	100.0	40.0	4.51	100.0	30.0	0	100.0	30.0
1.49	99.5	39.8	5.52	99.5	29.9	.09	99.5	29.9
1.90	99.0	39.6	6.48	99.0	29.7	.18	99.0	29.7
2.29	98.5	39.4	7.40	98.5	29.6	.26	98.5	29.6
2.68	98.0	39.2	8.27	98.0	29.4	.34	98.0	29.4
3.05	97.5	39.0	9.10	97.5	29.3	.42	97.5	29.3
3.46	97.0	38.8	9.86	97.0	29.1	.50	97.0	29.1
3.72	96.5	38.6	10.67	96.5	29.0	.57	96.5	29.0
4.05	96.0	38.4	11.41	96.0	28.8	.64	96.0	28.8
4.35	95.5	38.2	12.13	95.5	28.7	.71	95.5	28.7
4.66	95.0	38.0	12.82	95.0	28.5	.78	95.0	28.5
4.95	94.5	37.8	13.50	94.5	28.4	.85	94.5	28.4
5.22	94.0	37.6	14.15	94.0	28.2	.92	94.0	28.2
5.48	93.5	37.4	14.80	93.5	28.1	.98	93.5	28.1
5.75	93.0	37.2	15.43	93.0	27.9	1.04	93.0	27.9
5.99	92.5	37.0	16.04	92.5	27.8	1.10	92.5	27.8
6.25	92.0	36.8	16.63	92.0	27.6	1.16	92.0	27.6
6.49	91.5	36.6	17.22	91.5	27.5	1.22	91.5	27.5
6.73	91.0	36.4	17.79	91.0	27.3	1.28	91.0	27.3
6.97	90.5	36.2	18.34	90.5	27.2	1.34	90.5	27.2
7.25	90.0	36.0	19.00	90.0	27.0	1.40	90.0	27.0
7.59	89.0	35.6	19.86	89.0	26.7	1.49	89.0	26.7
7.93	88.0	35.2	20.65	88.0	26.4	1.58	88.0	26.4
8.23	87.0	34.8	21.34	87.0	26.1	1.64	87.0	26.1
8.49	86.0	34.4	21.95	86.0	25.8	1.70	86.0	25.8
8.73	85.0	34.0	22.51	85.0	25.5	1.75	85.0	25.5
8.95	84.0	33.6	23.04	84.0	25.2	1.80	84.0	25.2
9.16	83.0	33.2	23.52	83.0	24.9	1.85	83.0	24.9
9.36	82.0	32.8	23.98	82.0	24.6	1.90	82.0	24.6
9.56	81.0	32.4	24.42	81.0	24.3	1.95	81.0	24.3
9.74	80.0	32.0	24.84	80.0	24.0	1.99	80.0	24.0
9.91	79.0	31.6	25.24	79.0	23.7	2.03	79.0	23.7
10.07	78.0	31.2	25.62	78.0	23.4	2.07	78.0	23.4
10.23	77.0	30.8	25.99	77.0	23.1	2.11	77.0	23.1
10.39	76.0	30.4	26.35	76.0	22.8	2.14	76.0	22.8
10.54	75.0	30.0	26.70	75.0	22.5	2.17	75.0	22.5
10.68	74.0	29.6	27.03	74.0	22.2	2.20	74.0	22.2
10.83	73.0	29.2	27.36	73.0	21.9	2.23	73.0	21.9
10.96	72.0	28.8	27.68	72.0	21.6	2.26	72.0	21.6
11.10	71.0	28.4	27.99	71.0	21.3	2.29	71.0	21.3
11.23	70.0	28.0	28.29	70.0	21.0	2.32	70.0	21.0
11.48	68.0	27.2	28.87	68.0	20.4	2.37	68.0	20.4
11.72	66.0	26.4	29.44	66.0	19.8	2.42	66.0	19.8
11.96	64.0	25.6	29.97	64.0	19.2	2.47	64.0	19.2
12.18	62.0	24.8	30.49	62.0	18.6	2.52	62.0	18.6
12.40	60.0	24.0	31.00	60.0	18.0	2.57	60.0	18.0
12.63	58.0	23.2	31.48	58.0	17.4	2.62	58.0	17.4
12.82	56.0	22.4	31.96	56.0	16.8	2.67	56.0	16.8
13.02	54.0	21.6	32.42	54.0	16.2	2.71	54.0	16.2
13.21	52.0	20.8	32.86	52.0	15.6	2.75	52.0	15.6
13.40	50.0	20.0	33.30	50.0	15.0	2.79	50.0	15.0
13.88	45.0	18.0	34.41	45.0	13.5	2.89	45.0	13.5
14.39	40.0	16.0	35.61	40.0	12.0	3.00	40.0	12.0
14.96	35.0	14.0	36.89	35.0	10.5	3.15	35.0	10.5
15.57	30.0	12.0	38.31	30.0	9.0	3.30	30.0	9.0
16.26	25.0	10.0	39.90	25.0	7.5	3.50	25.0	7.5
16.97	20.0	8.0	41.76	20.0	6.0	3.75	20.0	6.0
18.07	15.0	6.0	44.09	15.0	4.5	4.00	15.0	4.5
19.60	10.0	4.0	47.70	10.0	3.0	4.50	10.0	3.0
22.18	5.0	2.0	53.78	5.0	1.5	5.00	5.0	1.5
25.80 OR MORE	0.0	0.0	62.10 OR MORE	0.0	0.0	5.60 OR MORE	0.0	0.0

IF A RESULT FALLS ANYWHERE BETWEEN TWO FIGURES IN THE "PERCENT" OR "REPORTS" COLUMN, USE THE NUMBER OF INDEX POINTS FOR THE POORER RESULTS, I.E., THE LOWER NUMBER OF INDEX POINTS.