

ALPHABETICAL INDEX
NO. 5A CROSSBAR OFFICES

1. GENERAL

1.01 This index lists sections applying to No. 5A Crossbar Offices.

1.02 Included in this section is a schematic drawing to Bell System Practices cross reference.

1.03 For reference to miscellaneous apparatus and methods, such as relay adjusting, etc, see the Master Alphabetical Index for all divisions, BSP 000-000-001.

1.04 In the schematic drawing to Bell System Practices cross reference, a schematic drawing number followed by a -1 or -2 indicates

that the schematic drawing is tested by two different Bell System Practices. For instance, a 2-way trunk circuit is tested in the incoming mode by the incoming trunk circuits practice, and in the outgoing mode by the outgoing trunk and junctor circuits practice.

1.05 In the schematic drawing to Bell System Practices cross reference section of this index, schematic drawings for which a specific practice has not been prepared are not listed. Tests of such circuits are usually covered in practices provided for associated circuits. For example, SD-26080-05, Ringing Selection Switch, is tested when tests of incoming and intraoffice trunk circuits are performed.

SECTION 218-000-002

+ 48 VOLT DC-TO-DC CONVERTER (J29183A-50, 5 AMPERES, SD-26354-05) <i>Operating Methods</i>	161-294-301	CONNECTOR, OUTSENDER LINK, AND STUCK (Cont) SENDER TRUNK IDENTIFIER; OUTSENDER—SEE OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER TRUNK IDENTIFIER
-48 VOLTS POWER PLANT (400 AMPERES, SD-26337-05, SD-81999-01) <i>Operating Methods</i>	167-789-302	CONNECTORS; PREFERENCE CONTROL AND MAKE-BUSY CIRCUIT FOR—SEE PREFERENCE CONTROL AND MAKE-BUSY CIRCUIT FOR CONNECTORS
ALARM AND CONTROL CIRCUIT (FOR USE WITH 7A ANNOUNCEMENT SYSTEM SD-27980-01); VOICE—SEE VOICE ALARM AND CONTROL CIRCUIT (FOR USE WITH 7A ANNOUNCEMENT SYSTEM SD-27980-01)		CONTACTS; METHOD OF BLOCKING APPARATUS AND INSULATING —SEE METHOD OF BLOCKING APPARATUS AND INSULATING CONTACTS;
ALARM SENDING CIRCUIT (SD-26344-05) <i>Tests</i>	218-979-511	CONTROL (SD-26332-05); LINE LOAD—SEE LINE LOAD CONTROL (SD-26332-05)
ALARM SENDING CIRCUIT (SD-27594-05) <i>Tests</i>	218-979-510	CONTROL (SD-27820-01); IMMEDIATE RING—SEE IMMEDIATE RING CONTROL (SD-27820-01)
ALARMS; FUSE—SEE FUSE ALARMS		CONTROL AND MAKE-BUSY CIRCUIT FOR CONNECTORS; PREFERENCE—SEE PREFERENCE CONTROL AND MAKE-BUSY CIRCUIT FOR CONNECTORS
ANI TRANSLATOR (SD-26019-05) <i>Tests</i>	218-970-501	CONTROL CIRCUIT (FOR USE WITH 7A ANNOUNCEMENT SYSTEM SD-27980-01); VOICE ALARM AND—SEE VOICE ALARM AND CONTROL CIRCUIT (FOR USE WITH 7A ANNOUNCEMENT SYSTEM SD-27980-01)
ANI TRANSLATOR LINE VERIFICATION, (USING PORTABLE ATLV CIRCUIT SD-27632-01) <i>Tests</i>	218-971-502	CONTROL CIRCUIT (SD-26020-05); MASTER TRAFFIC—SEE MASTER TRAFFIC CONTROL CIRCUIT (SD-26020-05)
ANI TRANSVERTER AND CONNECTOR CIRCUIT SD-26325-05 <i>Tests</i>	218-971-501	CONTROL CIRCUITS; LINE LINK MARKER CONNECTOR AND—SEE LINE LINK MARKER CONNECTOR AND CONTROL CIRCUITS
APPARATUS AND INSULATING CONTACTS; METHOD OF BLOCKING —SEE METHOD OF BLOCKING APPARATUS AND INSULATING CONTACTS;		CONTROL CIRCUITS; ORIGINATING AND INCOMING REGISTER MARKER CONNECTOR AND—SEE ORIGINATING AND INCOMING REGISTER MARKER CONNECTOR AND CONTROL CIRCUITS
ASSOCIATED CIRCUITS; PERMANENT SIGNAL HOLDING TRUNK AND—SEE PERMANENT SIGNAL HOLDING TRUNK AND ASSOCIATED CIRCUITS		CONTROLLED MAINTENANCE PLAN CONVERTER (J29183A-50, 5 AMPERES, SD-26354-05); + 48 VOLT DC-TO-DC—SEE + 48 VOLT DC-TO-DC CONVERTER (J29183A-50, 5 AMPERES, SD-26354-05)
BELL SYSTEM PRACTICES CROSS REFERENCE; SCHEMATIC DRAWING TO—SEE SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES CROSS REFERENCE		CROSS REFERENCE; SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES—SEE SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES CROSS REFERENCE
BLOCKING APPARATUS AND INSULATING CONTACTS; METHOD OF —SEE METHOD OF BLOCKING APPARATUS AND INSULATING CONTACTS;		CUSTOMER LINES AND OUTGOING TRUNK CONDUCTORS <i>Tests</i>
CHANNEL RECEIVER (SD-26348-05); DUAL—SEE DUAL CHANNEL RECEIVER (SD-26348-05)		218-979-530
COIN SUPERVISORY LINK CIRCUIT (SD-26343-05) <i>Tests</i>	218-975-504	CUSTOMER LINES; DENYING AND RESTORING SERVICE ON—SEE DENYING AND RESTORING SERVICE ON CUSTOMER LINES
COIN-SUPERVISORY AND RELEASE CIRCUITS SD-25736-05, SD-25859-05 <i>Tests</i>	218-965-521	DC-TO-DC CONVERTER (J29183A-50, 5 AMPERES, SD-26354-05); + 48 VOLT—SEE + 48 VOLT DC-TO-DC CONVERTER (J29183A-50, 5 AMPERES, SD-26354-05)
CONDUCTORS; CUSTOMER LINES AND OUTGOING TRUNK—SEE CUSTOMER LINES AND OUTGOING TRUNK CONDUCTORS		DENYING AND RESTORING SERVICE ON CUSTOMER LINES <i>Methods</i>
CONNECTOR AND CONTROL CIRCUITS; LINE LINK MARKER—SEE LINE LINK MARKER CONNECTOR AND CONTROL CIRCUITS		218-701-301
CONNECTOR AND CONTROL CIRCUITS; ORIGINATING AND INCOMING REGISTER MARKER—SEE ORIGINATING AND INCOMING REGISTER MARKER CONNECTOR AND CONTROL CIRCUITS		DRAWING TO BELL SYSTEM PRACTICES CROSS REFERENCE; SCHEMATIC—SEE SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES CROSS REFERENCE
CONNECTOR CIRCUIT; ANI TRANSVERTER AND—SEE ANI TRANSVERTER AND CONNECTOR CIRCUIT		DUAL CHANNEL RECEIVER (SD-26348-05) <i>Tests</i>
CONNECTOR, OUTSENDER LINK, AND STUCK		179-615-505

EMERGENCY LINE CIRCUITS			
SD-26128-05, SD-26138-05		218-961-501	
<i>Tests</i>			
ETL			
Automatic Number Identification	218-003-017		
Connectors and Links	218-003-012		
Markers	218-003-013		
Miscellaneous Circuits	218-003-016		
Registers and Senders	218-003-014		
Trunks	218-003-015		
FACILITIES; LOCAL AND REMOTE TROUBLE RECORDING AND MAKE-BUSY—SEE LOCAL AND REMOTE TROUBLE RECORDING AND MAKE-BUSY FACILITIES			
FUSE ALARMS			
<i>Tests</i>		218-752-501	
GENERATOR (SD-95867-01); MULTIFREQUENCY SIGNAL—SEE MULTIFREQUENCY SIGNAL GENERATOR (SD-95867-01)			
GENERATOR (SOLID STATE, J29182A-50, SD-26353-05); RINGING—SEE RINGING GENERATOR (SOLID STATE, J29182A-50, SD-26353-05)			
GENERATOR-400A (SD-99303-01); TONE—SEE TONE GENERATOR-400A (SD-99303-01)			
GROUP CIRCUITS (SD-26034-05); NUMBER—SEE NUMBER GROUP CIRCUITS (SD-26034-05)			
GROUP-BUSY CIRCUIT FOR ORIGINATING AND INCOMING REGISTERS (SD-25795-05)			
<i>Tests</i>		218-972-502	
HOLDING TRUNK AND ASSOCIATED CIRCUITS; PERMANENT SIGNAL—SEE PERMANENT SIGNAL HOLDING TRUNK AND ASSOCIATED CIRCUITS IDENTIFIER; OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER TRUNK—SEE OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER TRUNK IDENTIFIER			
IMMEDIATE RING CONTROL (SD-27820-01)			
<i>Tests</i>		218-749-501	
INCOMING REGISTER (SD-26323-05)			
<i>Tests</i>		218-968-501	
INCOMING REGISTER LINK CIRCUIT (SD-26330-05)			
<i>Tests</i>		218-975-503	
INCOMING REGISTER MARKER CONNECTOR AND CONTROL CIRCUITS; ORIGINATING AND—SEE ORIGINATING AND INCOMING REGISTER MARKER CONNECTOR AND CONTROL CIRCUITS INCOMING REGISTERS (SD-25795-05); GROUP-BUSY CIRCUIT FOR ORIGINATING AND—SEE GROUP-BUSY CIRCUIT FOR ORIGINATING AND INCOMING REGISTERS (SD-25795-05)			
INCOMING TRUNK CIRCUITS			
SD-26070-05, SD-26071-05, SD-26076-05, SD-26077-05, SD-26123-05, SD-26136-05, SD-26346-05			
<i>Tests</i>		218-965-503	
INDEX; MARKER TESTS, —SEE MARKER TESTS, INDEX;			
INDEX; TRAFFIC REGISTER LEAD TEST —SEE TRAFFIC REGISTER LEAD TEST INDEX;			
INSULATING CONTACTS; METHOD OF BLOCKING APPARATUS AND —SEE METHOD OF BLOCKING APPARATUS AND INSULATING CONTACTS;			
INTERCEPT TRUNK CIRCUIT (SD-26121-05)			218-965-505
<i>Tests</i>			
INTERRUPTER CIRCUIT (60 IPM AND 120 IPM)			
SD-25814-05			218-979-512
<i>Tests</i>			
INTRAOFFICE TRUNK CIRCUITS			
SD-26060-05, SD-26062-05, SD-26064-01			218-965-501
<i>Tests</i>			
JUNCTOR CIRCUITS; OUTGOING TRUNK AND—SEE OUTGOING TRUNK AND JUNCTOR CIRCUITS			
LEAD TEST INDEX; TRAFFIC REGISTER —SEE TRAFFIC REGISTER LEAD TEST INDEX;			
LF TERMINATED TRUNKS; TRUNK TRANSMISSION-TESTS—L—SEE TRUNK TRANSMISSION-TESTS—LLF TERMINATED TRUNKS;			
LINE CIRCUITS; EMERGENCY—SEE EMERGENCY LINE CIRCUITS			
LINE LINK CIRCUIT (SD-26030-05)			
<i>Tests</i>			218-960-501
LINE LINK MARKER CONNECTOR AND CONTROL CIRCUITS			
SD-26022-05, SD-26029-05			218-974-501
<i>Tests</i>			
LINE LOAD CONTROL (SD-26332-05)			
<i>Application</i>			218-710-301
<i>Tests</i>			218-710-501
LINE OR TRUNK (SD-98100-01); TRANSMISSION TEST—SEE TRANSMISSION TEST OF LINE OR TRUNK (SD-98100-01)			
LINE VERIFICATION			
<i>Tests</i>			218-960-502
LINE VERIFICATION, (USING PORTABLE ATLV CIRCUIT SD-27632-01); ANI TRANSLATOR—SEE ANI TRANSLATOR LINE VERIFICATION, (USING PORTABLE ATLV CIRCUIT SD-27632-01)			
LINES AND OUTGOING TRUNK CONDUCTORS; CUSTOMER—SEE CUSTOMER LINES AND OUTGOING TRUNK CONDUCTORS			
LINES; DENYING AND RESTORING SERVICE ON CUSTOMER—SEE DENYING AND RESTORING SERVICE ON CUSTOMER LINES			
LINK CIRCUIT (SD-26030-05); LINE—SEE LINE LINK CIRCUIT (SD-26030-05)			
LINK CIRCUIT (SD-26330-05); INCOMING REGISTER—SEE INCOMING REGISTER LINK CIRCUIT (SD-26330-05)			
LINK CIRCUIT (SD-26343-05); COIN SUPERVISORY—SEE COIN SUPERVISORY LINK CIRCUIT (SD-26343-05)			
LINK CIRCUITS (SD-26032-05); TRUNK—SEE TRUNK LINK CIRCUITS (SD-26032-05)			
LINK MARKER CONNECTOR AND CONTROL CIRCUITS; LINE—SEE LINE LINK MARKER CONNECTOR AND CONTROL CIRCUITS			
LINK, AND STUCK SENDER TRUNK IDENTIFIER; OUTSENDER CONNECTOR,			

SECTION 218-000-002

LINK, AND STUCK SENDER TRUNK (Cont)		
OUTSENDER—SEE OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER TRUNK IDENTIFIER		
LOAD CONTROL (SD-26332-05); LINE—SEE LINE LOAD CONTROL (SD-26332-05)		
LOCAL AND REMOTE TROUBLE RECORDING AND MAKE-BUSY FACILITIES		
Methods of Procedure	218-977-100	
MAINTENANCE PLAN; CONTROLLED —SEE CONTROLLED MAINTENANCE PLAN; MAINTENANCE; TRANSMISSION—SEE TRANSMISSION MAINTENANCE		
MAKE-BUSY CIRCUIT FOR CONNECTORS; PREFERENCE CONTROL AND—SEE PREFERENCE CONTROL AND MAKE-BUSY CIRCUIT FOR CONNECTORS		
MAKE-BUSY FACILITIES; LOCAL AND REMOTE TROUBLE RECORDING AND—SEE LOCAL AND REMOTE TROUBLE RECORDING AND MAKE-BUSY FACILITIES		
CONNECTOR AND CONTROL CIRCUITS; MARKETING AND INCOMING REGISTER—SEE ORIGINATING AND INCOMING REGISTER ORIGINATING AND INCOMING REGISTER MARKER CONNECTOR AND CONTROL CIRCUITS	218-973-001	
MARKER TESTS, INDEX		
MASTER TRAFFIC CONTROL CIRCUIT (SD-26020-05)		
Tests	218-974-504	
MEASUREMENT OF TRAFFIC USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER	252-121-301	
MEASUREMENTS ON MESSAGE TRUNKS; MESSAGE CIRCUIT NOISE—SEE MESSAGE CIRCUIT NOISE MEASUREMENTS ON MESSAGE TRUNKS		
MESSAGE CIRCUIT NOISE MEASUREMENTS ON MESSAGE TRUNKS		
Requirements	660-403-30	
MESSAGE REGISTER POWER-SUPPLY (SD-25770-05); SUBSCRIBER—SEE SUBSCRIBER MESSAGE REGISTER POWER-SUPPLY (SD-25770-05)		
MESSAGE REGISTER; SUBSCRIBER—SEE SUBSCRIBER MESSAGE REGISTER		
MESSAGE TRUNKS; MESSAGE CIRCUIT NOISE MEASUREMENTS ON—SEE MESSAGE CIRCUIT NOISE MEASUREMENTS ON MESSAGE TRUNKS		
METHOD OF BLOCKING APPARATUS AND INSULATING CONTACTS	069-020-801	
MISCELLANEOUS TESTS; NO. 1 PORTABLE TRAFFIC USAGE RECORDER, —SEE NO. 1 PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS;		
MULTIFREQUENCY SIGNAL GENERATOR (SD-95867-01)		
Tests	179-608-501	
NO. 1 PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS	252-121-501	
NO. 1; OUTGOING TRUNK TO TSP OR TSPS—SEE OUTGOING TRUNK TO TSP OR TSPS NO. 1		
NOISE MEASUREMENTS ON MESSAGE TRUNKS; MESSAGE CIRCUIT—SEE MESSAGE CIRCUIT NOISE MEASUREMENTS ON MESSAGE TRUNKS		
NUMBER GROUP CIRCUITS (SD-26034-05)		
Tests	218-967-501	
OPERATOR-OFFICE TRUNK CIRCUIT (SD-27593-05); TWO-WAY—SEE TWO-WAY OPERATOR-OFFICE TRUNK CIRCUIT (SD-27593-05)		
ORIGINATING AND INCOMING REGISTER MARKER CONNECTOR AND CONTROL CIRCUITS (SD-26023-05, SD-26025-05, SD-26029-05)		218-974-502
Tests		
ORIGINATING AND INCOMING REGISTERS (SD-25795-05); GROUP-BUSY CIRCUIT FOR—SEE GROUP-BUSY CIRCUIT FOR ORIGINATING AND INCOMING REGISTERS (SD-25795-05)		
ORIGINATING REGISTERS (DP OR TT CALLING)		
SD-26040-05		218-972-501
Tests		
OUTGOING TRUNK AND JUNCTOR CIRCUITS (SD-26085-05, SD-26086-05, SD-26087-05, SD-26345-05, SD-26373-05)		218-965-506
Tests		
OUTGOING TRUNK CONDUCTORS; CUSTOMER LINES AND—SEE CUSTOMER LINES AND OUTGOING TRUNK CONDUCTORS		
OUTGOING TRUNK TO TSP OR TSPS NO. 1 (SD-27546-05, SD-27547-05, SD-27550-05, SD-27551-05)		218-965-508
Tests		
OUTSENDER (SD-26322-05)		218-969-501
Tests		
OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER TRUNK IDENTIFIER (SD-26059-05, SD-26329-05)		218-975-501
Tests		
OUTSENDER LINK, AND STUCK SENDER TRUNK IDENTIFIER; OUTSENDER CONNECTOR,—SEE OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER TRUNK IDENTIFIER		
PERFORMANCE REQUIREMENTS, ON SITE TESTS		819-900-180
PERMANENT SIGNAL HOLDING TRUNK AND ASSOCIATED CIRCUITS (SD-25870-05, SD-26134-05, SD-26135-05, SD-26339-05, SD-26340-05, SD-26342-05)		218-961-505
Tests		
PLAN; CONTROLLED MAINTENANCE —SEE CONTROLLED MAINTENANCE PLAN;		
PLANT (J29179A-50, SD-26352-05, SD-26355-05); RINGING AND TONE POWER—SEE RINGING AND TONE POWER PLANT (J29179A-50, SD-26352-05, SD-26355-05)		
PLANT (15 AMPERES, SD-26351-05, SD-81822-01); 130 VOLTS POWER—SEE 130 VOLTS POWER PLANT (15 AMPERES, SD-26351-05, SD-81822-01)		
PLANT (400 AMPERES, SD-26337-05, SD-81999-01); 48 VOLTS POWER—SEE 48 VOLTS POWER PLANT (400 AMPERES, SD-26337-05, SD-81999-01)		
PLANT REGISTERS (SD-25793-05)		218-979-520
Tests		
PORTABLE TRAFFIC USAGE RECORDER; MEASUREMENT OF TRAFFIC USAGE USING NO.		

- PORTABLE TRAFFIC USAGE RECORDER; (Cont)
1 —SEE MEASUREMENT OF TRAFFIC USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER;
- PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS; NO. 1 —SEE NO. 1 PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS;
- PORTABLE.; TRAFFIC USAGE RECORDER—NO. 1 —SEE TRAFFIC USAGE RECORDER—NO. 1 PORTABLE.;
- POWER PLANT (J29179A-50, SD-26352-05, SD-26355-05); RINGING AND TONE—SEE RINGING AND TONE POWER PLANT (J29179A-50, SD-26352-05, SD-26355-05)
- POWER PLANT (15 AMPERES, SD-26351-05, SD-81822-01); 130 VOLTS—SEE 130 VOLTS POWER PLANT (15 AMPERES, SD-26351-05, SD-81822-01)
- POWER PLANT (400 AMPERES, SD-26337-05, SD-81999-01); -48 VOLTS—SEE -48 VOLTS POWER PLANT (400 AMPERES, SD-26337-05, SD-81999-01)
- POWER-SUPPLY (SD-25770-05); SUBSCRIBER MESSAGE REGISTER—SEE SUBSCRIBER MESSAGE REGISTER POWER-SUPPLY (SD-25770-05)
- PRACTICES CROSS REFERENCE; SCHEMATIC DRAWING TO BELL SYSTEM—SEE SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES CROSS REFERENCE
- PREFERENCE CONTROL AND MAKE-BUSY CIRCUIT FOR CONNECTORS
SD-26031-05, SD-26033-05, SD-26035-05, SD-26039-05, SD-26059-05
Tests
- RECEIVER (SD-26348-05); DUAL CHANNEL—SEE DUAL CHANNEL RECEIVER (SD-26348-05)
- RECEIVING CIRCUIT; TOUCH-TONE® CALLING—SEE TOUCH-TONE® CALLING RECEIVING CIRCUIT
- RECORDER; MEASUREMENT OF TRAFFIC USAGE USING NO. 1 PORTABLE TRAFFIC USAGE —SEE MEASUREMENT OF TRAFFIC USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER;
- RECORDER, MISCELLANEOUS TESTS; NO. 1 PORTABLE TRAFFIC USAGE —SEE NO. 1 PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS;
- RECORDER—NO. 1 PORTABLE.; TRAFFIC USAGE —SEE TRAFFIC USAGE RECORDER—NO. 1 PORTABLE.;
- RECORDING AND MAKE-BUSY FACILITIES; LOCAL AND REMOTE TROUBLE—SEE LOCAL AND REMOTE TROUBLE RECORDING AND MAKE-BUSY FACILITIES
- RECORDING-COMPLETING SPECIAL-SERVICE TRUNK CIRCUITS
SD-26090-05, SD-26091-05, SD-26098-05, SD-26099-05
Tests
- REFERENCE; SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES CROSS—SEE SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES CROSS REFERENCE
- REGISTER (SD-26323-05); INCOMING—SEE INCOMING REGISTER (SD-26323-05)
- REGISTER LEAD TEST INDEX; TRAFFIC —SEE TRAFFIC REGISTER LEAD TEST INDEX;
- REGISTER LINK CIRCUIT (SD-26330-05); INCOMING—SEE INCOMING REGISTER LINK CIRCUIT (SD-26330-05)
- REGISTER MARKER CONNECTOR AND CONTROL CIRCUITS; ORIGINATING AND INCOMING—SEE ORIGINATING AND INCOMING REGISTER MARKER CONNECTOR AND CONTROL CIRCUITS
- REGISTER POWER-SUPPLY (SD-25770-05); SUBSCRIBER MESSAGE—SEE SUBSCRIBER MESSAGE REGISTER POWER-SUPPLY (SD-25770-05)
- REGISTER; SUBSCRIBER MESSAGE—SEE SUBSCRIBER MESSAGE REGISTER
- REGISTERS (DP OR TT CALLING); ORIGINATING—SEE ORIGINATING REGISTERS (DP OR TT CALLING)
- REGISTERS (SD-25793-05); PLANT—SEE PLANT REGISTERS (SD-25793-05)
- REGISTERS (SD-25795-05); GROUP-BUSY CIRCUIT FOR ORIGINATING AND INCOMING—SEE GROUP-BUSY CIRCUIT FOR ORIGINATING AND INCOMING REGISTERS (SD-25795-05)
- RELEASE CIRCUITS; COIN-SUPERVISORY AND—SEE COIN-SUPERVISORY AND RELEASE CIRCUITS
- REMOTE TROUBLE RECORDING AND MAKE-BUSY FACILITIES; LOCAL AND—SEE LOCAL AND REMOTE TROUBLE RECORDING AND MAKE-BUSY FACILITIES
- REQUIREMENTS, ON SITE TESTS; PERFORMANCE —SEE PERFORMANCE REQUIREMENTS, ON SITE TESTS;
- RESTORING SERVICE ON CUSTOMER LINES; DENYING AND—SEE DENYING AND RESTORING SERVICE ON CUSTOMER LINES
- REVERTING-CALL TRUNK CIRCUITS
SD-26068-05, SD-26069-05
Tests
- RING CONTROL (SD-27820-01); IMMEDIATE—SEE IMMEDIATE RING CONTROL (SD-27820-01)
- RINGING AND TONE POWER PLANT (J29179A-50, SD-26352-05, SD-26355-05)
Operating Methods
- RINGING GENERATOR (SOLID STATE, J29182A-50, SD-26353-05)
Requirements and Adjusting Procedures
- SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES CROSS REFERENCE
SD-25695-05
SD-25736-05
SD-25770-05
SD-25793-05
SD-25795-05
SD-25814-05
- 218-974-503
- 218-965-507
- 218-965-507
- 218-965-521
- 218-748-501
- 218-979-520
- 218-972-502
- 218-979-512
- 218-965-502
- 167-789-301
- 155-416-701

SCHEMATIC DRAWING TO BELL SYSTEM (Cont)

SD-25859-05
 SD-25870-05
 SD-25892-05
 SD-26019-05
 SD-26020-05
 SD-26022-05
 SD-26023-05
 SD-26025-05
 SD-26029-05-1
 SD-26029-05-2
 SD-26030-05
 SD-26031-05
 SD-26032-05
 SD-26033-05
 SD-26034-05
 SD-26035-05
 SD-26039-05
 SD-26040-05
 SD-26059-05-1
 SD-26059-05-2
 SD-26060-05
 SD-26062-05
 SD-26064-05
 SD-26068-05
 SD-26069-05
 SD-26070-05
 SD-26071-05
 SD-26073-05
 SD-26077-05
 SD-26085-05
 SD-26086-05
 SD-26087-05
 SD-26090-05
 SD-26091-05
 SD-26098-05
 SD-26099-05
 SD-26109-01
 SD-26121-05
 SD-26123-05
 SD-26128-05
 SD-26134-05
 SD-26135-05
 SD-26138-05
 SD-26318-05
 SD-26320-05
 SD-26321-05
 SD-26322-05
 SD-26323-05
 SD-26324-05
 SD-26325-05
 SD-26327-05
 SD-26328-05
 SD-26329-05
 SD-26330-05
 SD-26332-05-1
 SD-26332-05-2
 SD-26334-05
 SD-26337-05
 SD-26339-05
 SD-26340-05
 SD-26341-05
 SD-26342-05
 SD-26343-05
 SD-26344-05
 SD-26345-05

218-965-521
 218-961-505
 218-979-001
 218-970-501
 218-974-504
 218-974-501
 218-974-502
 218-974-502
 218-974-501
 218-974-502
 218-960-501
 218-974-503
 218-964-501
 218-974-503
 218-967-501
 218-974-503
 218-974-503
 218-972-501
 218-974-503
 218-975-501
 218-965-501
 218-965-501
 218-965-501
 218-965-502
 218-965-502
 218-965-503
 218-965-503
 218-965-503
 218-965-506
 218-965-506
 218-965-506
 218-965-507
 218-965-507
 218-965-507
 218-965-507
 218-965-507
 218-965-520
 218-965-505
 218-965-503
 218-961-501
 218-961-505
 218-961-505
 218-961-501
 218-973-001
 218-977-100
 218-977-100
 218-969-501
 218-968-501
 218-977-100
 218-971-501
 218-975-501
 218-975-503
 218-710-301
 218-710-501
 103-337-100
 167-789-302
 218-961-505
 218-961-505
 218-961-505
 218-975-504
 218-979-511
 218-965-506

SCHEMATIC DRAWING TO BELL SYSTEM (Cont)

SD-26346-05
 SD-26347-05
 SD-26348-05
 SD-26349-05-1
 SD-26349-05-2
 SD-26350-05-1
 SD-26350-05-2
 SD-26351-05
 SD-26352-05
 SD-26353-05
 SD-26354-05
 SD-26355-05
 SD-26371-05
 SD-26372-05
 SD-26373-05
 SD-26374-05
 SD-27008-01
 SD-27009-05
 SD-27546-05
 SD-27547-05
 SD-27550-05
 SD-27551-05
 SD-27593-05
 SD-27594-05
 SD-27632-01
 SD-27820-01
 SD-27980-01
 SD-81822-01-1
 SD-81822-01-2
 SD-81999-01-1
 SD-81999-01-2
 SD-90070-01-1
 SD-90070-01-2
 SD-95277-01
 SD-95283-01
 SD-96494-01-1
 SD-96494-01-2
 SD-96494-01-3
 SD-98100-01
 SD-98148-01
 SD-99303-01
 SD-99304-01

218-965-503
 218-979-331
 179-615-505
 218-965-503
 218-965-506
 218-965-503
 218-965-506
 167-789-303
 167-789-301
 155-416-701
 161-294-301
 167-789-301
 218-977-100
 218-977-100
 218-965-506
 218-977-100
 218-977-100
 218-977-100
 218-965-508
 218-965-508
 218-965-508
 218-965-504
 218-979-510
 218-971-502
 218-749-501
 218-753-501
 167-279-301
 167-789-303
 167-745-301
 167-789-302
 662-400-101
 662-400-500
 666-600-500
 034-354-701
 252-121-301
 252-121-501
 951-510-101
 103-240-500
 201-821-301
 201-576-501
 201-570-501

**SENDER TRUNK IDENTIFIER; OUTSENDER
 CONNECTOR, OUTSENDER LINK, AND
 STUCK—SEE OUTSENDER CONNECTOR,
 OUTSENDER LINK, AND STUCK SENDER TRUNK
 IDENTIFIER**

**SENDING CIRCUIT (SD-26344-05);
 ALARM—SEE ALARM SENDING CIRCUIT
 (SD-26344-05)**

**SENDING CIRCUIT (SD-27594-05);
 ALARM—SEE ALARM SENDING CIRCUIT
 (SD-27594-05)**

**SERVICE ON CUSTOMER LINES; DENYING AND
 RESTORING—SEE DENYING AND RESTORING
 SERVICE ON CUSTOMER LINES**

**SIGNAL GENERATOR (SD-95867-01);
 MULTIFREQUENCY—SEE MULTIFREQUENCY
 SIGNAL GENERATOR (SD-95867-01)**

**SIGNAL HOLDING TRUNK AND ASSOCIATED
 CIRCUITS; PERMANENT—SEE PERMANENT
 SIGNAL HOLDING TRUNK AND ASSOCIATED
 CIRCUITS**

SITE TESTS; PERFORMANCE REQUIREMENTS, ON —SEE PERFORMANCE REQUIREMENTS, ON SITE TESTS;		
SPECIAL-SERVICE TRUNK CIRCUITS; RECORDING-COMPLETING—SEE RECORDING-COMPLETING SPECIAL-SERVICE TRUNK CIRCUITS		
STUCK SENDER TRUNK IDENTIFIER; OUTSENDER CONNECTOR, OUTSENDER LINK, AND—SEE OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER TRUNK IDENTIFIER		
SUBSCRIBER MESSAGE REGISTER <i>Tests</i>	218-978-501	
SUBSCRIBER MESSAGE REGISTER POWER-SUPPLY (SD-25770-05) <i>Tests</i>	218-748-501	
SUPERVISORY LINK CIRCUIT (SD-26343-05); COIN—SEE COIN SUPERVISORY LINK CIRCUIT (SD-26343-05)		
SYSTEM PRACTICES CROSS REFERENCE; SCHEMATIC DRAWING TO BELL—SEE SCHEMATIC DRAWING TO BELL SYSTEM PRACTICES CROSS REFERENCE		
TERMINATED TRUNKS; TRUNK TRANSMISSION-TESTS—LLF —SEE TRUNK TRANSMISSION-TESTS—LLF TERMINATED TRUNKS;		
TERMINATION CIRCUIT (SD-26334-05); TEST—SEE TEST TERMINATION CIRCUIT (SD-26334-05)		
TEST INDEX; TRAFFIC REGISTER LEAD —SEE TRAFFIC REGISTER LEAD TEST INDEX;		
TEST LINE OR TRUNK (SD-98100-01); TRANSMISSION—SEE TRANSMISSION TEST LINE OR TRUNK (SD-98100-01)		
TEST TERMINATION CIRCUIT (SD-26334-05) <i>Description</i>	103-337-100	
<i>Maintenance</i>	103-337-100	
<i>Operation</i>	103-337-100	
TESTS; NO. 1 PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS —SEE NO. 1 PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS;		
TESTS; PERFORMANCE REQUIREMENTS, ON SITE —SEE PERFORMANCE REQUIREMENTS, ON SITE TESTS;		
TESTS, INDEX; MARKER —SEE MARKER TESTS, INDEX;		
TIME-OF-DAY CIRCUIT (SD-26347-05) <i>Method of Procedure</i>	218-979-331	
TIMER-5A (SD-99304-01) <i>Tests</i>	201-570-501	
TONE GENERATOR-400A (SD-99303-01) <i>Tests</i>	201-576-501	
TONE POWER PLANT (J29179A-50, SD-26352-05, SD-26355-05); RINGING AND—SEE RINGING AND TONE POWER PLANT (J29179A-50, SD-26352-05, SD-26355-05)		
TOUCH-TONE® CALLING RECEIVING CIRCUIT SD-98148-01 <i>Test</i>	201-821-301	
TRAFFIC CONTROL CIRCUIT (SD-26020-05); MASTER—SEE MASTER TRAFFIC CONTROL CIRCUIT (SD-26020-05)		
TRAFFIC REGISTER LEAD TEST INDEX		218-979-001
TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS; NO. 1 PORTABLE —SEE NO. 1 PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS;		
TRAFFIC USAGE RECORDER—NO. 1 PORTABLE.		951-510-101
TRAFFIC USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER; MEASUREMENT OF —SEE MEASUREMENT OF TRAFFIC USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER;		
TRANSLATOR (SD-26019-05); ANI—SEE ANI TRANSLATOR (SD-26019-05)		
TRANSLATOR LINE VERIFICATION, (USING PORTABLE ATLV CIRCUIT SD-27632-01); ANI—SEE ANI TRANSLATOR LINE VERIFICATION, (USING PORTABLE ATLV CIRCUIT SD-27632-01)		
TRANSMISSION MAINTENANCE <i>Overall 1000-Hz Loss Measurements on Message Trunks</i>		660-402-300
TRANSMISSION TEST LINE OR TRUNK (SD-98100-01) <i>Tests</i>		103-240-500
TRANSMISSION-TESTS—LLF TERMINATED TRUNKS; TRUNK —SEE TRUNK TRANSMISSION-TESTS—LLF TERMINATED TRUNKS;		
TRANSMISSION-TESTS—TLF TERMINATED TRUNKS; TRUNK —SEE TRUNK TRANSMISSION-TESTS—TLF TERMINATED TRUNKS;		
TRANSVERTER AND CONNECTOR CIRCUIT; ANI—SEE ANI TRANSVERTER AND CONNECTOR CIRCUIT		
TROUBLE RECORDING AND MAKE-BUSY FACILITIES; LOCAL AND REMOTE—SEE LOCAL AND REMOTE TROUBLE RECORDING AND MAKE-BUSY FACILITIES		
TRUNK (SD-98100-01); TRANSMISSION TEST LINE OR—SEE TRANSMISSION TEST LINE OR TRUNK (SD-98100-01)		
TRUNK AND ASSOCIATED CIRCUITS; PERMANENT SIGNAL HOLDING—SEE PERMANENT SIGNAL HOLDING TRUNK AND ASSOCIATED CIRCUITS		
TRUNK AND JUNCTOR CIRCUITS; OUTGOING—SEE OUTGOING TRUNK AND JUNCTOR CIRCUITS		
TRUNK CIRCUIT (SD-26121-05); INTERCEPT—SEE INTERCEPT TRUNK CIRCUIT (SD-26121-05)		
TRUNK CIRCUIT (SD-27593-05); TWO-WAY OPERATOR-OFFICE—SEE TWO-WAY OPERATOR-OFFICE TRUNK CIRCUIT (SD-27593-05)		
TRUNK CIRCUITS; INCOMING—SEE INCOMING TRUNK CIRCUITS		
TRUNK CIRCUITS; INTRAOFFICE—SEE INTRAOFFICE TRUNK CIRCUITS		

SECTION 218-000-002

TRUNK CIRCUITS; RECORDING-COMPLETING SPECIAL-SERVICE—SEE RECORDING-COMPLETING SPECIAL-SERVICE TRUNK CIRCUITS		VERIFICATION, (USING PORTABLE ATLV CIRCUIT SD-27632-01); ANI TRANSLATOR LINE—SEE ANI TRANSLATOR LINE VERIFICATION, (USING PORTABLE ATLV CIRCUIT SD-27632-01)	
TRUNK CIRCUITS; REVERTING-CALL—SEE REVERTING-CALL TRUNK CIRCUITS		VOICE ALARM AND CONTROL CIRCUIT (FOR USE WITH 7A ANNOUNCEMENT SYSTEM SD-27980-01)	
TRUNK CIRCUITS; TWO-WAY—SEE TWO-WAY TRUNK CIRCUITS		<i>Tests</i>	218-753-501
TRUNK CONDUCTORS; CUSTOMER LINES AND OUTGOING—SEE CUSTOMER LINES AND OUTGOING TRUNK CONDUCTORS		130 VOLTS POWER PLANT (15 AMPERES, SD-26351-05, SD-81822-01)	
TRUNK IDENTIFIER; OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER—SEE OUTSENDER CONNECTOR, OUTSENDER LINK, AND STUCK SENDER TRUNK IDENTIFIER		<i>Operating Methods</i>	167-789-303
TRUNK LINK CIRCUITS (SD-26032-05)			
<i>Tests</i>	218-964-501		
TRUNK TO TSP OR TSPS NO. 1; OUTGOING—SEE OUTGOING TRUNK TO TSP OR TSPS NO. 1			
TRUNK TRANSMISSION-TESTS—LLF TERMINATED TRUNKS	218-965-516		
TRUNK TRANSMISSION-TESTS—TLF TERMINATED TRUNKS	218-965-515		
TRUNKS; MESSAGE CIRCUIT NOISE MEASUREMENTS ON MESSAGE—SEE MESSAGE CIRCUIT NOISE MEASUREMENTS ON MESSAGE TRUNKS			
TSP OR TSPS NO. 1; OUTGOING TRUNK TO—SEE OUTGOING TRUNK TO TSP OR TSPS NO. 1			
TSPS NO. 1; OUTGOING TRUNK TO TSP OR—SEE OUTGOING TRUNK TO TSP OR TSPS NO. 1			
TWO-WAY OPERATOR-OFFICE TRUNK CIRCUIT (SD-27593-05)			
<i>Tests</i>	218-965-504		
TWO-WAY TRUNK CIRCUITS			
Bylink Operation (DP) SD-26350-05			
<i>Incoming Tests</i>	218-965-503		
<i>Outgoing Tests</i>	218-965-506		
E and M Lead Supervision (MF) SD-26349-05			
<i>Incoming Tests</i>	218-965-503		
<i>Outgoing Tests</i>	218-965-506		
USAGE RECORDER, MISCELLANEOUS TESTS; NO. 1 PORTABLE TRAFFIC —SEE NO. 1 PORTABLE TRAFFIC USAGE RECORDER, MISCELLANEOUS TESTS;			
USAGE RECORDER—NO. 1 PORTABLE; TRAFFIC —SEE TRAFFIC USAGE RECORDER—NO. 1 PORTABLE;			
USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER; MEASUREMENT OF TRAFFIC —SEE MEASUREMENT OF TRAFFIC USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER;			
USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER; MEASUREMENT OF TRAFFIC USAGE —SEE MEASUREMENT OF TRAFFIC USAGE USING NO. 1 PORTABLE TRAFFIC USAGE RECORDER;			
VERIFICATION; LINE—SEE LINE VERIFICATION			