

EQUIPMENT TEST LIST
LOCAL SELECTORS
STEP-BY-STEP SYSTEMS

	CONTENTS	PAGE
1. GENERAL	1
12.1 355A/35-E-97 CDO	2
12.2 356A CDO	9
12.3 350A/360A CDO	13
12.4 ALL OTHERS	15
12.5 TROUBLE TESTS	16

1. GENERAL

1.01 This section provides an index and information access system to locate the standard tests applicable to equipment listed in the preceding table

of contents. Test classification and frequency of periodic routine are also provided.

1.02 This is the first issuance of the "reformatted ETL" which provides better organization of the various tests. The "reformatted ETLs" replace the ETLs previously provided for this equipment.

1.03 Comments on this section should be made by following the instructions in Bell System Practices (BSP), Section 000-010-015.

1.04 Routine test information is arranged in the following order from left to right: Section number, issue/addendum, test letter or paragraph number, test title, test class, frequency, and the last space is for a locally assigned job number.

1.05 Section 010-300-011 provides Equipment Test List instructions.

NOTICE

Not for use or disclosure outside the Bell System except under written agreement

SECTION 226-001-012

12.0 SELECTORS, LOCAL

12.1 SELECTORS, LOCAL; 355A/35-E-97 CDO

40C TEST SET & J34717A

SELECT ONLY ONE CATEGORY

J34701A W RLE

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-501	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J34722B W RLE

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

OTHER THAN J34701A OR J34722B W RLE

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
J34701A W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-501	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
J34722B W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
OTHER W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----

SECTION 226-001-012

069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. MW * -----
 BANKS, COMMUTATORS AND WIPERS

J34716A & J34717A

SELECT ONLY ONE CATEGORY

J34701A W RLE

226-300-500 (4/0) A OVERALL PULSING TEST MR 24M -----
 226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----
 226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----
 226-305-501 (4/0) A LOCAL SELECTORS MR 24M -----
 C RESTRICTED SVC & CLS OF SVC FEATURES MR 24M -----
 030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----
 030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----
 030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR * -----
 069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. MW * -----
 BANKS, COMMUTATORS AND WIPERS

J34722B W RLE

226-300-500 (4/0) A OVERALL PULSING TEST MR 24M -----
 226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----
 226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----
 226-305-502 (4/0) A LOCAL SELECTORS MR 24M -----
 C RESTRICTED SVC & CLS OF SVC FEATURES MR 24M -----
 030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----
 030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----
 030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR * -----
 069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. MW * -----
 BANKS, COMMUTATORS AND WIPERS

OTHER THAN J34701A OR J34722B W RLE

226-300-500 (4/0) A OVERALL PULSING TEST MR 24M -----
 226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----
 226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----
 226-305-500 (9/0) A LOCAL SELECTORS MR 24M -----
 C RESTRICTED SVC & CLS OF SVC FEATURES MR 24M -----
 030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----
 030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----
 030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR * -----
 069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. MW * -----
 BANKS, COMMUTATORS AND WIPERS

J34701A W/O RESTRICTED LEVELS EQUIPPED

226-300-500 (4/0) A OVERALL PULSING TEST MR 24M -----
 226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----
 226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----
 226-305-501 (4/0) A LOCAL SELECTORS MR 24M -----

030-700-701	(3/0)	ALL	2.01,2.02	CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01		LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26	ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)			CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J34722B W/O RESTRICTED LEVELS EQUIPPED

226-300-500	(4/0)	A		OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A		ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A		B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A		LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02	CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01		LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26	ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)			CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OTHER W/O RESTRICTED LEVELS EQUIPPED

226-300-500	(4/0)	A		OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A		ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A		B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A		LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02	CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01		LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26	ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)			CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

WITH J94713A

226-300-505	(2/0)	B		STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
-------------	-------	---	--	-------------------------------------	--------	-------

WITHOUT J94713A

226-300-505	(2/0)	A		ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
		B		STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----

J34707A & J34717A

SELECT ONLY ONE CATEGORY

J34701A W RLE

226-300-500	(4/0)	A		OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A		ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A		B RELAY RELEASE TEST	MR 24M	-----
226-305-501	(4/0)	A		LOCAL SELECTORS	MR 24M	-----
		C		RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02	CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01		LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26	ADJ 197/198 SWITCHES	MR *	-----

SECTION 226-001-012

069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
J34722B W RLE					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
OTHER THAN J34701A OR J34722B W RLE					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
J34701A W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-501	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
J34722B W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----

069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
OTHER W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY					
WITH J94713A					
226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
WITHOUT J94713A					
226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
OTHER					
SELECT ONLY ONE CATEGORY					
J34701A W RLE					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-501	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
J34722B W RLE					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----

SECTION 226-001-012

069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
OTHER THAN J34701A OR J34722B W RLE					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
J34701A W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-501	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
J34722B W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
OTHER W/O RESTRICTED LEVELS EQUIPPED					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----

030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

12.2 SELECTORS,LOCAL; 356A CDO

40C TEST SET & J34717A

SELECT ONLY ONE CATEGORY

J94713A W J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J94713A W/O J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

W/O J94713A W J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

W/O J94713A W/O J34722B

SECTION 226-001-012

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J34716A & J34717A

SELECT ONLY ONE CATEGORY

J94713A W J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J94713A W/O J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

W/O J94713A W J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----

226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

W/O J94713A W/O J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J34707A & J34717A

SELECT ONLY ONE CATEGORY

J94713A W J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J94713A W/O J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

SECTION 226-001-012

W/O J94713A W J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

W/O J94713A W/O J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OTHER TEST SETS

SELECT ONLY ONE CATEGORY

J94713A W J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

J94713A W/O J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----

030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

W/O J94713A W J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-502	(4/0)	A	LOCAL SELECTORS	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

W/O J94713A W/O J34722B

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

12.3 SELECTORS, LOCAL; 350A/360A CDO

40C & J34717A

FOR ALL UNITS

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01, 2.02 CLEAN, LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

RESTRICTED LEVELS EQUIPPED

SECTION 226-001-012

226-305-503	(6/0)	A	LOCAL SELECTORS	MR 24M	-----
		D	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
NOT RESTRICTED LEVELS EQUIPPED					
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
J34716A & J34717A					
FOR ALL UNITS					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
OPTIONAL FEATURES					
J94713A NOTAVAILABLE					
226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY					
RESTRICTED LEVELS EQUIPPED					
226-305-503	(6/0)	A	LOCAL SELECTORS	MR 24M	-----
		D	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
NOT RESTRICTED LEVELS EQUIPPED					
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
J34707A & J34717A					
FOR ALL UNITS					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
OPTIONAL FEATURES					
J94713A NOTAVAILABLE					
226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY					
RESTRICTED LEVELS EQUIPPED					
226-305-503	(6/0)	A	LOCAL SELECTORS	MR 24M	-----

226-305-503	(6/0)	D	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
NOT RESTRICTED LEVELS EQUIPPED					
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
OTHER					
FOR ALL UNITS					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY					
RESTRICTED LEVELS EQUIPPED					
226-305-503	(6/0)	A	LOCAL SELECTORS	MR 24M	-----
		D	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
NOT RESTRICTED LEVELS EQUIPPED					
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
12.4 SELECTORS,LOCAL; ALL OTHERS					
40C & J34717A					
FOR ALL UNITS					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
J34716A & J34717A					
FOR ALL UNITS					
226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----

SECTION 226-001-012

226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
-------------	-------	---	--------------------	--------	-------

J34707A & J34717A

FOR ALL UNITS

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

OTHER

FOR ALL UNITS

226-300-500	(4/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	A	LOCAL SELECTORS	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

> 12.5 SELECTORS LOCAL; TROUBLE TESTS

> TROUBLE TESTS

>	J34717A TEST SET				
>	226-300-500 (4/0)	B	OVERALL PULSING & C RELAY RLS TESTS	TT	-----
>		C	MAGNET PULSING TEST	TT	-----
>	DIAL HAND TEST SET				
>	226-300-501 (4/0)		PARTS 1-3 ROTARY TESTS	TT	-----
>	J94713A TEST SET				
>	226-300-506 (5/0)	B	C RELAY RELEASE TEST	TT	-----
>	226-300-507 (6/0)	B	C RELAY RELEASE TEST	TT	-----