

**EQUIPMENT TEST LIST**  
**TOLL SELECTORS**  
**STEP-BY-STEP SYSTEMS**

	<b>CONTENTS</b>	<b>PAGE</b>	
<b>1. GENERAL</b>	. . . . .	<b>1</b>	of contents. Test classification and frequency of periodic routine are also provided.
<b>13.1 355A CDO</b>	. . . . .	<b>2</b>	<b>1.02</b> This is the first issuance of the "reformatted ETL" which provides better organization of the various tests. The "reformatted ETLs" replace the ETLs previously provided for this equipment.
<b>13.2 35-E-97 CDO</b>	. . . . .	<b>4</b>	
<b>13.3 350A/360A CDO</b>	. . . . .	<b>6</b>	<b>1.03</b> Comments on this section should be made by following the instructions in Bell System Practices (BSP), Section 000-010-015.
<b>13.4 ALL OTHERS</b>	. . . . .	<b>8</b>	
<b>13.5 TROUBLE TESTS</b>	. . . . .	<b>10</b>	<b>1.04</b> Routine test information is arranged in the following order from left to right: Section number, issue/addendum, test letter or paragraph number, test title, test class, frequency, and the last space is for a locally assigned job number.
<b>1. GENERAL</b>			<b>1.05</b> Section 010-300-011 provides Equipment Test List instructions.
<b>1.01</b>	This section provides an index and information access system to locate the standard tests applicable to equipment listed in the preceding table		

**NOTICE**

Not for use or disclosure outside the Bell System except under written agreement

## 13.0 SELECTORS, TOLL

## 13.1 SELECTORS, TOLL; 355A CDO

## 40C TEST SET

## FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34701A &amp; J34722B NOT AVAIL

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

## J34701A &amp; J34722B NOT AVAIL AND RLE

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34701A

226-305-501	(4/0)	B	TOLL SELECTORS (355A ONLY)	MR 24M	-----
-------------	-------	---	----------------------------	--------	-------

## J34701A AND RLE

226-305-501	(4/0)	B	TOLL SELECTORS (355A ONLY)	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34722B

226-305-502	(4/0)	B	TOLL SELECTORS (355A OFFICES ONLY)	MR 24M	-----
-------------	-------	---	------------------------------------	--------	-------

## J34722B AND RLE

226-305-502	(4/0)	B	TOLL SELECTORS (355A OFFICES ONLY)	MR 24M	-----
		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

## J34716A

## FOR ALL UNITS

226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OPTIONAL FEATURES

## J94713A NOT AVAIL

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
-------------	-------	---	--------------------	--------	-------

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34701A &amp; J34722B NOT AVAIL

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

## J34701A &amp; J34722B NOT AVAIL AND RLE

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
--	--	---	--------------------------------------	--------	-------

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34701A

226-305-501	(4/0)	B	TOLL SELECTORS (355A ONLY)	MR 24M	-----
-------------	-------	---	----------------------------	--------	-------

## J34701A AND RLE

226-305-501	(4/0)	B	TOLL SELECTORS (355A ONLY)	MR 24M	-----
-------------	-------	---	----------------------------	--------	-------

		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
--	--	---	--------------------------------------	--------	-------

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34722B

226-305-502	(4/0)	B	TOLL SELECTORS (355A OFFICES ONLY)	MR 24M	-----
-------------	-------	---	------------------------------------	--------	-------

## J34722B AND RLE

226-305-502	(4/0)	B	TOLL SELECTORS (355A OFFICES ONLY)	MR 24M	-----
-------------	-------	---	------------------------------------	--------	-------

		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
--	--	---	--------------------------------------	--------	-------

## J34707A

## FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
-------------	-------	---	---------------------------------------	--------	-------

226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
-------------	-------	---	----------------------	--------	-------

030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 S WITCHES	MR 6M	-----
-------------	-------	-----	--	-------	-------

030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
-------------	--------	------	----------------------------	--------	-------

030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
-------------	-------	-----	--------------------------------	------	-------

069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
-------------	--------	--	---	------	-------

## OPTIONAL FEATURES

## J94713A NOT AVAIL

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34701A &amp; J34722B NOT AVAIL

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

## J34701A &amp; J34722B NOT AVAIL AND RLE

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

		C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
--	--	---	--------------------------------------	--------	-------

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

SECTION 226-001-013

J34701A

226-305-501 (4/0) B TOLL SELECTORS (355A ONLY) MR 24M -----

J34701A AND RLE

226-305-501 (4/0) B TOLL SELECTORS (355A ONLY) MR 24M -----

C RESTRICTED SVC & CLS OF SVC FEATURES MR 24M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34722B

226-305-502 (4/0) B TOLL SELECTORS (355A OFFICES ONLY) MR 24M -----

J34722B AND RLE

226-305-502 (4/0) B TOLL SELECTORS (355A OFFICES ONLY) MR 24M -----

C RESTRICTED SVC & CLS OF SVC FEATURES MR 24M -----

OTHER

FOR ALL UNITS

226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----

226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----

226-300-501 (4/0) ROTARY TEST MR 24M -----

030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----

030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----

030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR \* -----

069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS MW \* -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A & J34722B NOT AVAIL

226-305-500 (9/0) B TOLL SELECTORS MR 24M -----

J34701A & J34722B NOT AVAIL AND RLE

226-305-500 (9/0) B TOLL SELECTORS MR 24M -----

C RESTRICTED SVC & CLS OF SVC FEATURES MR 24M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-305-501 (4/0) B TOLL SELECTORS (355A ONLY) MR 24M -----

J34701A AND RLE

226-305-501 (4/0) B TOLL SELECTORS (355A ONLY) MR 24M -----

C RESTRICTED SVC & CLS OF SVC FEATURES MR 24M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34722B

226-305-502 (4/0) B TOLL SELECTORS (355A OFFICES ONLY) MR 24M -----

J34722B AND RLE

226-305-502 (4/0) B TOLL SELECTORS (355A OFFICES ONLY) MR 24M -----

C RESTRICTED SVC & CLS OF SVC FEATURES MR 24M -----

13.2 SELECTORS,TOLL; 35-E-97 CDO

40C TEST SET

## FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

NEITHER J34701 NOR J34722B &amp; RLE

226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
J34701A & RLE					
226-305-501	(4/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
J34722B & RLE					
226-305-502	(4/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

## J34716A

## FOR ALL UNITS

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OPTIONAL FEATURES

J94713A

226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
-------------	-------	---	-------------------------	--------	-------

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

NEITHER J34701 NOR J34722B &amp; RLE

226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
J34701A & RLE					
226-305-501	(4/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
J34722B & RLE					
226-305-502	(4/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----

## J34707A

SECTION 226-001-013

FOR ALL UNITS

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197,198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

NEITHER J34701 NOR J34722B & RLE

226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

J34701A & RLE

226-305-501	(4/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

J34722B & RLE

226-305-502	(4/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

OTHER

FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

NEITHER J34701 NOR J34722B & RLE

226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

J34701A & RLE

226-305-501	(4/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

J34722B & RLE

226-305-502	(4/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

13.3 SELECTORS,TOLL; 350A/360A CDO

40C TEST SET

FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34704A

226-305-503	(6/0)	B	TOLL SELECTORS TEST SET SD-90210-01	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

## J34704A NOT AVAILABLE

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

## OPTIONAL FEATURES

## RESTRICTED LEVELS EQUIPPED

226-305-503	(6/0)	D	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

## J34716A

## FOR ALL UNITS

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OPTIONAL FEATURES

## J94713A

226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
-------------	-------	---	-------------------------	--------	-------

## OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

## J34704A

226-305-503	(6/0)	B	TOLL SELECTORS TEST SET SD-90210-01	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

## J34704A NOT AVAILABLE

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

## OPTIONAL FEATURES

## RESTRICTED LEVELS EQUIPPED

226-305-503	(6/0)	D	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

## J34707A

## FOR ALL UNITS

SECTION 226-001-013

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34704A

226-305-503	(6/0)	B	TOLL SELECTORS TEST SET SD-90210-01	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

J34704A NOT AVAILABLE

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

OPTIONAL FEATURES

RESTRICTED LEVELS EQUIPPED

226-305-503	(6/0)	D	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

OTHER

FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
-------------	-------	---	---------------------------------------	--------	-------

226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
-------------	-------	---	----------------------	--------	-------

226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
-------------	-------	--	-------------	--------	-------

030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
-------------	-------	-----	---------------------------------------	-------	-------

030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
-------------	--------	------	----------------------------	--------	-------

030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
-------------	-------	-----	--------------------------------	------	-------

069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----
-------------	--------	--	--	------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34704A

226-305-503	(6/0)	B	TOLL SELECTORS TEST SET SD-90210-01	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

J34704A NOT AVAILABLE

226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
-------------	-------	---	----------------	--------	-------

OPTIONAL FEATURES

RESTRICTED LEVELS EQUIPPED

226-305-503	(6/0)	D	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
-------------	-------	---	--------------------------------------	--------	-------

13.4 SELECTORS,TOLL; ALL OTHERS

40C TEST SET

FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
-------------	-------	---	--------------------	--------	-------

226-300-503	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
> RESTRICTED LEVELS EQUIPPED					
226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
J34716A					
FOR ALL UNITS					
226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
OPTIONAL FEATURES					
> J94713A					
226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
> RESTRICTED LEVELS EQUIPPED					
226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
J34707A					
FOR ALL UNITS					
226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
OPTIONAL FEATURES					
> J94713A					
226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----

SECTION 226-001-013

>	RESTRICTED LEVELS EQUIPPED					
	226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
	OTHER					
	FOR ALL UNITS					
	226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
	226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
	226-305-500	(9/0)	B	TOLL SELECTORS	MR 24M	-----
	226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
	030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
	030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
	030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
	069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
>	RESTRICTED LEVELS EQUIPPED					
	226-305-500	(9/0)	C	RESTRICTED SVC & CLS OF SVC FEATURES	MR 24M	-----
>	13.5 SELECTORS, TOLL; TROUBLE TESTS					
>	TROUBLE TESTS					
>	DIAL AND TEST SET					
>	226-300-501	(4/0)		PART 1-3 ROTARY TEST	TT	-----
>	J94713A TEST SET					
>	226-300-506	(5/0)	B	C RELAY RELEASE TEST	TT	-----
>	226-300-507	(6/0)	B	C RELAY RELEASE TEST	TT	-----
>	SELECTOR SEIZURE TOOL					
>	226-305-504	(2/0)		PART 1-3	TT	-----