

EQUIPMENT TEST LIST
TOLL TRANSMISSION LOOP DIAL SELECTORS
STEP-BY-STEP SYSTEMS

	CONTENTS	PAGE
1.	GENERAL	1
14.1.	NON-COIN	2
14.2	COIN	6
14.3	A-B TYPE	11
14.4	TROUBLE TESTS	14

1. GENERAL

1.01 This section provides an index and information access system to locate the standard tests applicable to equipment listed in the preceding table

of contents. Test classification and frequency of periodic routine are also provided.

1.02 This is the first issuance of the "reformatted ETL" which provides better organization of the various tests. The "reformatted ETLs" replace the ETLs previously provided for this equipment.

1.03 Comments on this section should be made by following the instructions in Bell System Practices (BSP), Section 000-010-015.

1.04 Routine test information is arranged in the following order from left to right: Section number, issue/addendum, test letter or paragraph number, test title, test class, frequency, and the last space is for a locally assigned job number.

1.05 Section 010-300-011 provides Equipment Test List instructions.

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

SECTION 226-001-014

14.0 SEL TOLL TX LPDL

14.1 SEL TOLL TX LPDL; NON-COIN

40C TEST SET

FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-500	(3/0)	E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----
		C	IDLE LINE TEST LOOP-NONCN (USING NEARBY STA.)	MW 12M	-----

J34701A NOT AVAILABLE

226-310-500	(3/0)	B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----
-------------	-------	---	---	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34713A & 99TERM

226-310-501	(5/0)	A	BSY LINE - LP WITH LK CN & NONCN SEL	MW 12M	-----
		B	IDLE LINE TEST - LP - CN & NONCN SEL	MW 12M	-----
		C	A.P.B., LP, CN & NONCN SELS	MW 12M	-----

99TERM NOT AVAIL

226-310-502	(5/0)	A	BUSY LINE - LP & LK CN & NONCN	MW 12M	-----
		B	IDLE LINE TEST LOOP - CN & NONCN	MW 12M	-----
		C	A.P.B. - LP, CN AND NONCN	MW 12M	-----

OPTIONAL FEATURES

J33017AB

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----

226-310-504 (3/0) D IDLE LINE LP. CN & NONCN USING NEARBY CN BOX MW 12M -----
 STA

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500 (3/0) G DIGIT-ABSORBING AND BLOCKING TESTS MW 12M -----
 226-310-501 (5/0) D DIGIT ABSORBING AND BLOCKING TESTS MW 12M -----
 226-310-502 (5/0) D DIGIT-ABSORBING AND BLOCKING TESTS MW 12M -----
 226-310-504 (3/0) F DIGIT ABSORBING AND BLOCKING TESTS MW 12M -----

NOT DIGIT ABSORBING

226-310-500 (3/0) F ALL PATHS BUSY TEST - LOOP WITH LEAK MW 12M -----
 226-310-504 (3/0) E A.P.B. - LP, CN & NONCN MW 12M -----

J34716A

FOR ALL UNITS

226-300-504 (4/0) B STOP ON IDLE TRUNK TEST MR 24M -----
 226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----
 226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----
 226-310-500 (3/0) E BL TEST-LOOP WITH LEAK, COIN & NONCOIN MW 12M -----
 226-315-503 (3/0) A IDLE LINE TEST - LOOP MW 12M -----
 B BUSY LINE TEST - LEAK MW 12M -----
 C ALL PATHS BUSY TEST - LOOP MW 12M -----
 D RERING TEST - LP - DELAYED RINGING MW 12M -----
 226-437-500 (1/0) C TOLL TRANSMISSION SELECTORS MW * -----
 030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----
 030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----
 030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR * -----
 069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. MW * -----
 BANKS,COMMUTATORS AND WIPERS

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-310-500 (3/0) A IDLE LINE TEST LOOP-COIN AND NONCOIN MW 12M -----
 B IDLE LINE TEST LOOP-NONCN (USING 99 TERM) MW 12M -----
 C IDLE LINE TEST LOOP-NONCN (USING NEARBY STA.) MW 12M -----

J34701A NOT AVAILABLE

226-310-500 (3/0) B IDLE LINE TEST LOOP-NONCN (USING 99 TERM) MW 12M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34713A & 99TERM

226-310-501 (5/0) A BSY LINE - LP WITH LK CN & NONCN SEL MW 12M -----
 B IDLE LINE TEST - LP - CN & NONCN SEL MW 12M -----
 C A.P.B., LP, CN & NONCN SELS MW 12M -----

99TERM NOT AVAIL

226-310-502 (5/0) A BUSY LINE - LP & LK CN & NONCN MW 12M -----

SECTION 226-001-014

226-310-502	(5/0)	B	IDLE LINE TEST LOOP - CN & NONCN	MW 12M	-----
		C	A.P.B. - LP, CN AND NONCN	MW 12M	-----

OPTIONAL FEATURES

J33017AB

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-501	(5/0)	D	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-502	(5/0)	D	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NOT DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

J34707A

FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-500	(3/0)	E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----

226-310-500 (3/0)	C	IDLE LINE TEST LOOP-NONCN (USING NEARBY STA.)	MW 12M	-----
J34701A NOT AVAILABLE				
226-310-500 (3/0)	B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----
OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY				
J34713A & 99TERM				
226-310-501 (5/0)	A	BSY LINE - LP WITH LK CN & NONCN SEL	MW 12M	-----
	B	IDLE LINE TEST - LP - CN & NONCN SEL	MW 12M	-----
	C	A.P.B., LP, CN & NONCN SELS	MW 12M	-----
99TERM NOT AVAIL				
226-310-502 (5/0)	A	BUSY LINE - LP & LK CN & NONCN	MW 12M	-----
	B	IDLE LINE TEST LOOP - CN & NONCN	MW 12M	-----
	C	A.P.B. - LP, CN AND NONCN	MW 12M	-----
OPTIONAL FEATURES				
J33017AB				
226-310-504 (3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
	B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
	C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
	D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----
OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY				
DIGIT ABSORBING				
226-310-500 (3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-501 (5/0)	D	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-502 (5/0)	D	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504 (3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
NOT DIGIT ABSORBING				
226-310-500 (3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504 (3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----
OTHER				
FOR ALL UNITS				
226-300-506 (5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507 (6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501 (4/0)		ROTARY TEST	MR 24M	-----
226-310-500 (3/0)	E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-315-503 (3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
	B	BUSY LINE TEST - LEAK	MW 12M	-----
	C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
	D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500 (1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701 (3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706 (12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----

SECTION 226-001-014

030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----
		C	IDLE LINE TEST LOOP-NONCN (USING NEARBY STA.)	MW 12M	-----

J34701A NOT AVAILABLE

226-310-500	(3/0)	B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----
-------------	-------	---	---	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34713A & 99TERM

226-310-501	(5/0)	A	BSY LINE - LP WITH LK CN & NONCN SEL	MW 12M	-----
		B	IDLE LINE TEST - LP - CN & NONCN SEL	MW 12M	-----
		C	A.P.B., LP, CN & NONCN SELS	MW 12M	-----

99TERM NOT AVAIL

226-310-502	(5/0)	A	BUSY LINE - LP & LK CN & NONCN	MW 12M	-----
		B	IDLE LINE TEST LOOP - CN & NONCN	MW 12M	-----
		C	A.P.B. - LP, CN AND NONCN	MW 12M	-----

OPTIONAL FEATURES

J33017AB

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-501	(5/0)	D	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-502	(5/0)	D	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NOT DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

14.2 SEL TOLL TX LPDL; COIN

40C TEST SET

FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-310-503	(5/0)		COIN CONTROL TESTS	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----
OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY					
J34713A					
226-310-501	(5/0)	A	BSY LINE - LP WITH LK CN & NONCN SEL	MW 12M	-----
		B	IDLE LINE TEST - LP - CN & NONCN SEL	MW 12M	-----
		C	A.P.B., LP, CN & NONCN SELS	MW 12M	-----
J34713A & 99TERM NOT AVAIL					
226-310-502	(5/0)	A	BUSY LINE - LP & LK CN & NONCN	MW 12M	-----
		C	A.P.B. - LP, CN AND NONCN	MW 12M	-----
		B	IDLE LINE TEST LOOP - CN & NONCN	MW 12M	-----
99TRM BUT J34713A NOT AVAIL					
226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----
OPTIONAL FEATURES					
INBAND COIN CONTROL					
226-310-500	(3/0)	D	IDLE LINE TEST LOOP - CN (USING NEARBY STA.)	MW 12M	-----
OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY					
DIGIT ABSORBING					
226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-501	(5/0)	D	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-502	(5/0)	D	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
NON DIGIT ABSORBING					
226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----

SECTION 226-001-014

226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----
J34716A					
FOR ALL UNITS					
226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-310-503	(5/0)		COIN CONTROL TESTS	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
-------------	-------	---	--------------------	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34713A

226-310-501	(5/0)	A	BSY LINE - LP WITH LK CN & NONCN SEL	MW 12M	-----
		B	IDLE LINE TEST - LP - CN & NONCN SEL	MW 12M	-----
		C	A.P.B., LP, CN & NONCN SELS	MW 12M	-----

J34713A & 99TERM NOT AVAIL

226-310-502	(5/0)	A	BUSY LINE - LP & LK CN & NONCN	MW 12M	-----
		C	A.P.B. - LP, CN AND NONCN	MW 12M	-----
		B	IDLE LINE TEST LOOP - CN & NONCN	MW 12M	-----

99TRM BUT J34713A NOT AVAIL

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

OPTIONAL FEATURES

INBAND COIN CONTROL

226-310-500	(3/0)	D	IDLE LINE TEST LOOP - CN (USING NEARBY STA.)	MW 12M	-----
-------------	-------	---	--	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-501	(5/0)	D	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-502	(5/0)	D	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NON DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

J34707A

FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-310-503	(5/0)		COIN CONTROL TESTS	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34713A

226-310-501	(5/0)	A	BSY LINE - LP WITH LK CN & NONCN SEL	MW 12M	-----
		B	IDLE LINE TEST - LP - CN & NONCN SEL	MW 12M	-----
		C	A.P.B., LP, CN & NONCN SELS	MW 12M	-----

J34713A & 99TERM NOT AVAIL

226-310-502	(5/0)	A	BUSY LINE - LP & LK CN & NONCN	MW 12M	-----
		C	A.P.B. - LP, CN AND NONCN	MW 12M	-----
		B	IDLE LINE TEST LOOP - CN & NONCN	MW 12M	-----

99TRM BUT J34713A NOT AVAIL

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----

SECTION 226-001-014

226-310-504	(3/0)	C	IDLE LINE - LP, CN & NONCN (SD-31425-01	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

OPTIONAL FEATURES

INBAND COIN CONTROL

226-310-500	(3/0)	D	IDLE LINE TEST LOOP - CN (USING NEARBY STA.)	MW 12M	-----
-------------	-------	---	--	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-501	(5/0)	D	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-502	(5/0)	D	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NON DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

OTHER

FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-310-503	(5/0)		COIN CONTROL TESTS	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34713A

226-310-501	(5/0)	A	BSY LINE - LP WITH LK CN & NONCN SEL	MW 12M	-----
		B	IDLE LINE TEST - LP - CN & NONCN SEL	MW 12M	-----
		C	A.P.B., LP, CN & NONCN SELS	MW 12M	-----

J34713A & 99TERM NOT AVAIL

226-310-502	(5/0)	A	BUSY LINE - LP & LK CN & NONCN	MW 12M	-----
		C	A.P.B. - LP, CN AND NONCN	MW 12M	-----

226-310-502 (5/0)	B	IDLE LINE TEST LOOP - CN & NONCN	MW 12M	-----
99TRM BUT J34713A NOT AVAIL				
226-310-504 (3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
	B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
	C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
	D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

OPTIONAL FEATURES

INBAND COIN CONTROL

226-310-500 (3/0)	D	IDLE LINE TEST LOOP - CN (USING NEARBY STA.)	MW 12M	-----
-------------------	---	--	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500 (3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-501 (5/0)	D	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-502 (5/0)	D	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504 (3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NON DIGIT ABSORBING

226-310-500 (3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504 (3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

14.3 SEL TOLL TX LPDL; A-B TYPE

40C TEST SET

FOR ALL UNITS

226-300-503 (4/0)	A	ROTARY ACTION TEST	MR 24M	-----
	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
	C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506 (5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507 (6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-315-500 (3/0)	C	BUSY LINE TEST-LOOP WITH LEAK	MW 12M	-----
	D	A.P.B. TEST - LOOP	MW 12M	-----
226-315-502 (4/0)	C	OVERALL PULSING AND C RELAY RLS TEST	MW 12M	-----
	E	PULSE REPEATING TESTS OF A RELAY	MW 12M	-----
226-315-503 (3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
	B	BUSY LINE TEST - LEAK	MW 12M	-----
	C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
	D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500 (1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701 (3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706 (12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704 (8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801 (13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

SECTION 226-001-014

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

> SELECTOR-CONNECTOR TEST LINE
 226-315-500 (3/0) A IDLE LINE TEST LP USING CONN TEST LINE MW 12M -----
 > SELECTOR-CONNECTOR TEST LINE NOT PROVIDED
 226-315-500 (3/0) B IDLE LINE TEST LP USING NEARBY STA MW 12M -----

OPTIONAL FEATURES

> DIGIT ABSORBING FEATURE
 226-315-501 (3/0) A IDLE LINE TEST MW 12M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

> SELECTORS ARRANGED FOR BLOCKING
 226-315-501 (3/0) C DIGIT-ABSORBING AND BLOCKING TEST MW 12M -----
 > SELECTORS NOT ARRANGED FOR BLOCKING
 226-315-501 (3/0) B A.P.B. TST - NOT ARRANGED FOR BLOCKING MW 12M -----

J34716A

FOR ALL UNITS

226-300-504 (4/0) B STOP ON IDLE TRUNK TEST MR 24M -----
 226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----
 226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----
 226-315-500 (3/0) C BUSY LINE TEST-LOOP WITH LEAK MW 12M -----
 D A.P.B. TEST - LOOP MW 12M -----
 226-315-502 (4/0) C OVERALL PULSING AND C RELAY RLS TEST MW 12M -----
 E PULSE REPEATING TESTS OF A RELAY MW 12M -----
 226-315-503 (3/0) A IDLE LINE TEST - LOOP MW 12M -----
 B BUSY LINE TEST - LEAK MW 12M -----
 C ALL PATHS BUSY TEST - LOOP MW 12M -----
 D RERING TEST - LP - DELAYED RINGING MW 12M -----
 226-437-500 (1/0) C TOLL TRANSMISSION SELECTORS MW * -----
 030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----
 030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----
 030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR * -----
 069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. MW * -----
 BANKS,COMMUTATORS AND WIPERS

OPTIONAL FEATURES

> J94713A NOT AVAILABLE
 226-300-504 (4/0) A ROTARY ACTION TEST MR 24M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

> SELECTOR-CONNECTOR TEST LINE
 226-315-500 (3/0) A IDLE LINE TEST LP USING CONN TEST LINE MW 12M -----
 > SELECTOR-CONNECTOR TEST LINE NOT PROVIDED
 226-315-500 (3/0) B IDLE LINE TEST LP USING NEARBY STA MW 12M -----

OPTIONAL FEATURES

> DIGIT ABSORBING FEATURE
 226-315-501 (3/0) A IDLE LINE TEST MW 12M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

> SELECTORS ARRANGED FOR BLOCKING
 226-315-501 (3/0) C DIGIT-ABSORBING AND BLOCKING TEST MW 12M -----

> SELECTORS NOT ARRANGED FOR BLOCKING
 226-315-501 (3/0) B A.P.B. TST - NOT ARRANGED FOR BLOCKING MW 12M -----

J34707A

FOR ALL UNITS

226-300-505 (2/0) B STOP ON IDLE TRUNK TEST MIN SLV RES MR 24M -----

226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----

226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----

226-315-500 (3/0) C BUSY LINE TEST-LOOP WITH LEAK MW 12M -----

D A.P.B. TEST - LOOP MW 12M -----

226-315-502 (4/0) C OVERALL PULSING AND C RELAY RLS TEST MW 12M -----

E PULSE REPEATING TESTS OF A RELAY MW 12M -----

226-315-503 (3/0) A IDLE LINE TEST - LOOP MW 12M -----

B BUSY LINE TEST - LEAK MW 12M -----

C ALL PATHS BUSY TEST - LOOP MW 12M -----

D RERING TEST - LP - DELAYED RINGING MW 12M -----

226-437-500 (1/0) C TOLL TRANSMISSION SELECTORS MW * -----

030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----

030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----

030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR * -----

069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC.
 BANKS,COMMUTATORS AND WIPERS MW * -----

OPTIONAL FEATURES

> J94713A NOT AVAILABLE

226-300-505 (2/0) A ROTARY ACTION TEST - MAX SLEEVE RES MR 24M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

> SELECTOR-CONNECTOR TEST LINE
 226-315-500 (3/0) A IDLE LINE TEST LP USING CONN TEST LINE MW 12M -----

> SELECTOR-CONNECTOR TEST LINE NOT PROVIDED
 226-315-500 (3/0) B IDLE LINE TEST LP USING NEARBY STA MW 12M -----

OPTIONAL FEATURES

> DIGIT ABSORBING FEATURE
 226-315-501 (3/0) A IDLE LINE TEST MW 12M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

> SELECTORS ARRANGED FOR BLOCKING
 226-315-501 (3/0) C DIGIT-ABSORBING AND BLOCKING TEST MW 12M -----

> SELECTORS NOT ARRANGED FOR BLOCKING

SECTION 226-001-014

	226-315-501	(3/0)	B	A.P.B. TST - NOT ARRANGED FOR BLOCKING	MW 12M	-----
OTHER						
FOR ALL UNITS						
	226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
	226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
	226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
	226-315-500	(3/0)	C	BUSY LINE TEST-LOOP WITH LEAK	MW 12M	-----
			D	A.P.B. TEST - LOOP	MW 12M	-----
	226-315-502	(4/0)	C	OVERALL PULSING AND C RELAY RLS TEST	MW 12M	-----
			E	PULSE REPEATING TESTS OF A RELAY	MW 12M	-----
	226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
			B	BUSY LINE TEST - LEAK	MW 12M	-----
			C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
			D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
	226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
	030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
	030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
	030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
	069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

>	SELECTOR-CONNECTOR TEST LINE					
	226-315-500	(3/0)	A	IDLE LINE TEST LP USING CONN TEST LINE	MW 12M	-----
>	SELECTOR-CONNECTOR TEST LINE NOT PROVIDED					
	226-315-500	(3/0)	B	IDLE LINE TEST LP USING NEARBY STA	MW 12M	-----

OPTIONAL FEATURES

>	DIGIT ABSORBING FEATURE					
	226-315-501	(3/0)	A	IDLE LINE TEST	MW 12M	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

>	SELECTORS ARRANGED FOR BLOCKING					
	226-315-501	(3/0)	C	DIGIT-ABSORBING AND BLOCKING TEST	MW 12M	-----
>	SELECTORS NOT ARRANGED FOR BLOCKING					
	226-315-501	(3/0)	B	A.P.B. TST - NOT ARRANGED FOR BLOCKING	MW 12M	-----

> 14.4 SEL TOLL TX LPDL; TROUBLE TESTS

>	TROUBLE TESTS					
>	J94713A TEST SET					
>	226-300-506	(5/0)	B	C RELAY RELEASE TEST	TT	-----
>	226-300-507	(6/0)	B	C RELAY RELEASE TEST	TT	-----
>	SEIZURE TEST TOOL					
>	226-305-504	(2/0)		PARTS 1-3 SEIZURE TEST	TT	-----
>	J34720A & J34717A TEST SETS					

>	226-315-502 (4/0)	A	OVERALL PULSING TEST 3 LETTER CODE	TT	-----
>		B	OVERALL PULSING TEST 3 LETTER CODE	TT	-----
>		D	MAGNET PULSING TESTS	TT	-----