

EQUIPMENT TEST LIST
TOLL TRANSMISSION REPEATED DIAL SELECTORS
STEP-BY-STEP SYSTEMS

	CONTENTS	PAGE
1.	GENERAL	1
15.1	NON-COIN	2
15.2	COIN	6
15.3	A-B TYPE	10
15.4	TROUBLE TESTS	13

1. GENERAL

1.01 This section provides an index and information access system to locate the standard tests applicable to equipment listed in the preceding table

of contents. Test classification and frequency of periodic routine are also provided.

1.02 This is the first issuance of the "reformatted ETL" which provides better organization of the various tests. The "reformatted ETLs" replace the ETLs previously provided for this equipment.

1.03 Comments on this section should be made by following the instructions in Bell System Practices (BSP), Section 000-010-015.

1.04 Routine test information is arranged in the following order from left to right: Section number, issue/addendum, test letter or paragraph number, test title, test class, frequency, and the last space is for a locally assigned job number.

1.05 Section 010-300-011 provides Equipment Test List instructions.

NOTICE
Not for use or disclosure outside the
Bell System except under written agreement

SECTION 226-001-015

15.0 SEL TOLL TX RPDL

15.1 SEL TOLL TX RPDL; NON-COIN

40C TEST SET

FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-500	(3/0)	E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		C	IDLE LINE TEST LOOP-NONCN (USING NEARBY STA.)	MW 12M	-----

J34701A NOT AVAILABLE

226-310-500	(3/0)	B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----
-------------	-------	---	---	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J94710A OR J33017AB OR AM

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

NONE OF ABOVE OPTIONS

226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
226-310-507	(1/0)		COIN CONT TSTS	MW 12M	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NOT DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

OPTIONAL FEATURES

X70087

226-310-505	(5/0)	A	BUSY LINE TEST - LOOP	MW 12M	-----
		B	IDLE LINE TEST - LEAK	MW 12M	-----
		C	A.P.B. TEST	MW 12M	-----

J34716A

FOR ALL UNITS

226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-500	(3/0)	E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
-------------	-------	---	--------------------	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		C	IDLE LINE TEST LOOP-NONCN (USING NEARBY STA.)	MW 12M	-----

J34701A NOT AVAILABLE

226-310-500	(3/0)	B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----
-------------	-------	---	---	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J94710A OR J33017AB OR AM

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

NONE OF ABOVE OPTIONS

226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
-------------	-------	--	--------------------	--------	-------

SECTION 226-001-015

226-310-507 (1/0) COIN CONT TSTS MW 12M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500 (3/0) G DIGIT-ABSORBING AND BLOCKING TESTS MW 12M -----

226-310-504 (3/0) F DIGIT ABSORBING AND BLOCKING TESTS MW 12M -----

NOT DIGIT ABSORBING

226-310-500 (3/0) F ALL PATHS BUSY TEST - LOOP WITH LEAK MW 12M -----

226-310-504 (3/0) E A.P.B. - LP, CN & NONCN MW 12M -----

OPTIONAL FEATURES

X70087

226-310-505 (5/0) A BUSY LINE TEST - LOOP MW 12M -----

B IDLE LINE TEST - LEAK MW 12M -----

C A.P.B. TEST MW 12M -----

J34707A

FOR ALL UNITS

226-300-505 (2/0) B STOP ON IDLE TRUNK TEST MIN SLV RES MR 24M -----

226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----

226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----

226-310-500 (3/0) E BL TEST-LOOP WITH LEAK, COIN & NONCOIN MW 12M -----

226-315-503 (3/0) A IDLE LINE TEST - LOOP MW 12M -----

B BUSY LINE TEST - LEAK MW 12M -----

C ALL PATHS BUSY TEST - LOOP MW 12M -----

D RERING TEST - LP - DELAYED RINGING MW 12M -----

226-437-500 (1/0) C TOLL TRANSMISSION SELECTORS MW *

030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----

030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----

030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR *

069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS MW *

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-505 (2/0) A ROTARY ACTION TEST - MAX SLEEVE RES MR 24M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-310-500 (3/0) A IDLE LINE TEST LOOP-COIN AND NONCOIN MW 12M -----

C IDLE LINE TEST LOOP-NONCN (USING NEARBY STA.) MW 12M -----

J34701A NOT AVAILABLE

226-310-500 (3/0) B IDLE LINE TEST LOOP-NONCN (USING 99 TERM) MW 12M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J94710A OR J33017AB OR AM

226-310-504 (3/0) A BSY LINE - LP & LK, CN & NONCN MW 12M -----

226-310-504	(3/0)	B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

NONE OF ABOVE OPTIONS

226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
226-310-507	(1/0)		COIN CONT TSTS	MW 12M	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NOT DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

OPTIONAL FEATURES

X70087

226-310-505	(5/0)	A	BUSY LINE TEST - LOOP	MW 12M	-----
		B	IDLE LINE TEST - LEAK	MW 12M	-----
		C	A.P.B. TEST	MW 12M	-----

OTHER

FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
226-310-500	(3/0)	E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J34701A

226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		C	IDLE LINE TEST LOOP-NONCN (USING NEARBY STA.)	MW 12M	-----

J34701A NOT AVAILABLE

226-310-500	(3/0)	B	IDLE LINE TEST LOOP-NONCN (USING 99 TERM)	MW 12M	-----
-------------	-------	---	---	--------	-------

SECTION 226-001-015

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

J94710A OR J33017AB OR AM

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

NONE OF ABOVE OPTIONS

226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
226-310-507	(1/0)		COIN CONT TSTS	MW 12M	-----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NOT DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

OPTIONAL FEATURES

X70087

226-310-505	(5/0)	A	BUSY LINE TEST - LOOP	MW 12M	-----
		B	IDLE LINE TEST - LEAK	MW 12M	-----
		C	A.P.B. TEST	MW 12M	-----

15.2 SEL TOLL TX RPD; COIN

40C TEST SET

FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J94701A AND 99 TERM AND J33017AB AND J33017AM

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

X70087 AND 90 TERMINAL

226-310-505	(5/0)	A	BUSY LINE TEST - LOOP	MW 12M	-----
		B	IDLE LINE TEST - LEAK	MW 12M	-----
		C	A.P.B. TEST	MW 12M	-----

NONE OF ABOVE OPTIONS

226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
226-310-507	(1/0)		COIN CONT TSTS	MW 12M	-----

INBAND COIN CONTROL

226-310-500	(3/0)	D	IDLE LINE TEST LOOP - CN (USING NEARBY STA.)	MW 12M	-----
-------------	-------	---	--	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NOT DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

J34716A

FOR ALL UNITS

226-300-504	(4/0)	B	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

SECTION 226-001-015

226-300-504 (4/0) A ROTARY ACTION TEST MR 24M -----
 J94701A AND 99 TERM AND J33017AB AND J33017AM
 226-310-504 (3/0) A BSY LINE - LP & LK, CN & NONCN MW 12M -----
 B IDLE LINE - LP, CN & NONCN (SD-31636-01) MW 12M -----
 C IDLE LINE - LP, CN & NONCN (SD-31425-01) MW 12M -----
 D IDLE LINE LP. CN & NONCN USING NEARBY CN BOX MW 12M -----
 STA

X70087 AND 90 TERMINAL

226-310-505 (5/0) A BUSY LINE TEST - LOOP MW 12M -----
 B IDLE LINE TEST - LEAK MW 12M -----
 C A.P.B. TEST MW 12M -----

NONE OF ABOVE OPTIONS

226-310-506 (1/0) OPR & CN CONT TSTS MW 12M -----
 226-310-507 (1/0) COIN CONT TSTS MW 12M -----

INBAND COIN CONTROL

226-310-500 (3/0) D IDLE LINE TEST LOOP - CN (USING NEARBY STA.) MW 12M -----

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500 (3/0) G DIGIT-ABSORBING AND BLOCKING TESTS MW 12M -----
 226-310-504 (3/0) F DIGIT ABSORBING AND BLOCKING TESTS MW 12M -----

NOT DIGIT ABSORBING

226-310-500 (3/0) F ALL PATHS BUSY TEST - LOOP WITH LEAK MW 12M -----
 226-310-504 (3/0) E A.P.B. - LP, CN & NONCN MW 12M -----

J34707A

FOR ALL UNITS

226-300-505 (2/0) A ROTARY ACTION TEST - MAX SLEEVE RES MR 24M -----
 226-300-506 (5/0) A ROTARY SPEED AND C RELAY RELEASE TEST MR 24M -----
 226-300-507 (6/0) A B RELAY RELEASE TEST MR 24M -----
 226-315-503 (3/0) A IDLE LINE TEST - LOOP MW 12M -----
 B BUSY LINE TEST - LEAK MW 12M -----
 C ALL PATHS BUSY TEST - LOOP MW 12M -----
 D RERING TEST - LP - DELAYED RINGING MW 12M -----
 226-437-500 (1/0) C TOLL TRANSMISSION SELECTORS MW * -----
 226-310-500 (3/0) A IDLE LINE TEST LOOP-COIN AND NONCOIN MW 12M -----
 E BL TEST-LOOP WITH LEAK, COIN & NONCOIN MW 12M -----
 030-700-701 (3/0) ALL 2.01,2.02 CLEAN,LUBE 188/189 SWITCHES MR 6M -----
 030-705-706 (12/0) 3.01 LUBRICATE 197/198 SWITCHES MW 36M -----
 030-705-704 (8/3) ALL 2.01-2.26 ADJ 197/198 SWITCHES MR * -----
 069-501-801 (13/2) CLEAN 197/198 SWITCHES AND ASSOC. MW * -----
 BANKS,COMMUTATORS AND WIPERS

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

J94701A AND 99 TERM AND J33017AB AND J33017AM

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

X70087 AND 90 TERMINAL

226-310-505	(5/0)	A	BUSY LINE TEST - LOOP	MW 12M	-----
		B	IDLE LINE TEST - LEAK	MW 12M	-----
		C	A.P.B. TEST	MW 12M	-----

NONE OF ABOVE OPTIONS

226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
226-310-507	(1/0)		COIN CONT TSTS	MW 12M	-----

INBAND COIN CONTROL

226-310-500	(3/0)	D	IDLE LINE TEST LOOP - CN (USING NEARBY STA.)	MW 12M	-----
-------------	-------	---	--	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NOT DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

OTHER

FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
226-310-500	(3/0)	A	IDLE LINE TEST LOOP-COIN AND NONCOIN	MW 12M	-----
		E	BL TEST-LOOP WITH LEAK, COIN & NONCOIN	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

SECTION 226-001-015

J94701A AND 99 TERM AND J33017AB AND J33017AM

226-310-504	(3/0)	A	BSY LINE - LP & LK, CN & NONCN	MW 12M	-----
		B	IDLE LINE - LP, CN & NONCN (SD-31636-01)	MW 12M	-----
		C	IDLE LINE - LP, CN & NONCN (SD-31425-01)	MW 12M	-----
		D	IDLE LINE LP. CN & NONCN USING NEARBY CN BOX STA	MW 12M	-----

X70087 AND 90 TERMINAL

226-310-505	(5/0)	A	BUSY LINE TEST - LOOP	MW 12M	-----
		B	IDLE LINE TEST - LEAK	MW 12M	-----
		C	A.P.B. TEST	MW 12M	-----

NONE OF ABOVE OPTIONS

226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
226-310-507	(1/0)		COIN CONT TSTS	MW 12M	-----

INBAND COIN CONTROL

226-310-500	(3/0)	D	IDLE LINE TEST LOOP - CN (USING NEARBY STA.)	MW 12M	-----
-------------	-------	---	--	--------	-------

OPTIONAL FEATURES, SELECT NO MORE THAN ONE CATEGORY

DIGIT ABSORBING

226-310-500	(3/0)	G	DIGIT-ABSORBING AND BLOCKING TESTS	MW 12M	-----
226-310-504	(3/0)	F	DIGIT ABSORBING AND BLOCKING TESTS	MW 12M	-----

NOT DIGIT ABSORBING

226-310-500	(3/0)	F	ALL PATHS BUSY TEST - LOOP WITH LEAK	MW 12M	-----
226-310-504	(3/0)	E	A.P.B. - LP, CN & NONCN	MW 12M	-----

15.3 SEL TOLL TX RPD; A-B TYPE

40C TEST SET

FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-315-500	(3/0)	A	IDLE LINE TEST LP USING CONN TEST LINE	MW 12M	-----
		B	IDLE LINE TEST LP USING NEARBY STA	MW 12M	-----
		C	BUSY LINE TEST-LOOP WITH LEAK	MW 12M	-----
		D	A.P.B. TEST - LOOP	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
226-315-501	(3/0)	B	A.P.B. TST - NOT ARRANGED FOR BLOCKING	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----

030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

DIGIT ABSORBING

226-315-501	(3/0)	A	IDLE LINE TEST	MW 12M	-----
-------------	-------	---	----------------	--------	-------

SELECTORS ARR FOR BLOCKING

226-315-501	(3/0)	C	DIGIT-ABSORBING AND BLOCKING TEST	MW 12M	-----
-------------	-------	---	-----------------------------------	--------	-------

J34716A

FOR ALL UNITS

226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-315-500	(3/0)	A	IDLE LINE TEST LP USING CONN TEST LINE	MW 12M	-----
		B	IDLE LINE TEST LP USING NEARBY STA	MW 12M	-----
		C	BUSY LINE TEST-LOOP WITH LEAK	MW 12M	-----
		D	A.P.B. TEST - LOOP	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
226-315-501	(3/0)	B	A.P.B. TST - NOT ARRANGED FOR BLOCKING	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS, COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
-------------	-------	---	--------------------	--------	-------

DIGIT ABSORBING

226-315-501	(3/0)	A	IDLE LINE TEST	MW 12M	-----
-------------	-------	---	----------------	--------	-------

SELECTORS ARR FOR BLOCKING

226-315-501	(3/0)	C	DIGIT-ABSORBING AND BLOCKING TEST	MW 12M	-----
-------------	-------	---	-----------------------------------	--------	-------

J34707A

FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-315-500	(3/0)	A	IDLE LINE TEST LP USING CONN TEST LINE	MW 12M	-----

SECTION 226-001-015

226-315-500	(3/0)	B	IDLE LINE TEST LP USING NEARBY STA	MW 12M	-----
		C	BUSY LINE TEST-LOOP WITH LEAK	MW 12M	-----
		D	A.P.B. TEST - LOOP	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
226-315-501	(3/0)	B	A.P.B. TST - NOT ARRANGED FOR BLOCKING	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

DIGIT ABSORBING

226-315-501	(3/0)	A	IDLE LINE TEST	MW 12M	-----
-------------	-------	---	----------------	--------	-------

SELECTORS ARR FOR BLOCKING

226-315-501	(3/0)	C	DIGIT-ABSORBING AND BLOCKING TEST	MW 12M	-----
-------------	-------	---	-----------------------------------	--------	-------

OTHER

FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
226-315-500	(3/0)	A	IDLE LINE TEST LP USING CONN TEST LINE	MW 12M	-----
		B	IDLE LINE TEST LP USING NEARBY STA	MW 12M	-----
		C	BUSY LINE TEST-LOOP WITH LEAK	MW 12M	-----
		D	A.P.B. TEST - LOOP	MW 12M	-----
226-315-503	(3/0)	A	IDLE LINE TEST - LOOP	MW 12M	-----
		B	BUSY LINE TEST - LEAK	MW 12M	-----
		C	ALL PATHS BUSY TEST - LOOP	MW 12M	-----
		D	RERING TEST - LP - DELAYED RINGING	MW 12M	-----
226-437-500	(1/0)	C	TOLL TRANSMISSION SELECTORS	MW *	-----
226-315-501	(3/0)	B	A.P.B. TST - NOT ARRANGED FOR BLOCKING	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

	DIGIT ABSORBING			
	226-315-501 (3/0)	A	IDLE LINE TEST	MW 12M -----
	SELECTORS ARR FOR BLOCKING			
	226-315-501 (3/0)	C	DIGIT-ABSORBING AND BLOCKING TEST	MW 12M -----
>	15.4 SEL TOLL TX RPDL; TROUBLE TESTS			
>	TROUBLE TESTS			
>	J94713A TEST SET			
>	226-300-506 (5/0)	B	C RELAY RELEASE TEST	TT -----
>	226-300-507 (6/0)	B	C RELAY RELEASE TEST	TT -----
>	SEIZURE TEST TOOL			
>	226-305-504 (2/0)		PARTS 1-3 SEIZURE TEST	TT -----
>	J34720A & J34717A TEST SETS			
>	226-315-502 (4/0)	A	OVERALL PULSING TEST 3 LETTER CODE	TT -----
>		B	OVERALL PULSING TEST 3 LETTER CODE	TT -----
>		D	MAGNET PULSING TESTS	TT -----