

**EQUIPMENT TEST LIST**  
**MISCELLANEOUS SELECTORS**  
**STEP-BY-STEP SYSTEMS**

	<b>CONTENTS</b>	<b>PAGE</b>
<b>1. GENERAL</b>	. . . . .	<b>1</b>
<b>16.1 TOLL COIN CNT SW</b>	. . . . .	<b>2</b>
<b>16.2 COIN CONTROL</b>	. . . . .	<b>4</b>
<b>16.3 REPEATERS</b>	. . . . .	<b>5</b>
<b>16.4 REVERTING CALL</b>	. . . . .	<b>8</b>
<b>16.5 CODE SELECTORS</b>	. . . . .	<b>10</b>

**1. GENERAL**

**1.01** This section provides an index and information access system to locate the standard tests applicable to equipment listed in the preceding table

of contents. Test classification and frequency of periodic routine are also provided.

**1.02** This is the first issuance of the "reformatted ETL" which provides better organization of the various tests. The "reformatted ETLs" replace the ETLs previously provided for this equipment.

**1.03** Comments on this section should be made by following the instructions in Bell System Practices (BSP), Section 000-010-015.

**1.04** Routine test information is arranged in the following order from left to right: Section number, issue/addendum, test letter or paragraph number, test title, test class, frequency, and the last space is for a locally assigned job number.

**1.05** Section 010-300-011 provides Equipment Test List instructions.

**NOTICE**

Not for use or disclosure outside the  
Bell System except under written agreement

SECTION 226-001-016

16.0 SELECTORS, MISC

16.1 SELECTORS, MISC; TOLL COIN CNT SW

40C TEST SET

FOR ALL UNITS

226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
		C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J34716A

FOR ALL UNITS

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J34716A & J94713A

FOR ALL UNITS

226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J94713A

FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----

226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## J34707A

## FOR ALL UNITS

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## J34707A &amp; J94713A

## FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OTHER

## FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
226-310-506	(1/0)		OPR & CN CONT TSTS	MW 12M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## &gt; TROUBLE TESTS

SECTION 226-001-016

>	J94713A TEST SET				
>	226-300-506 (5/0)	B	C RELAY RELEASE TEST	TT	-----
>	226-300-507 (6/0)	B	C RELAY RELEASE TEST	TT	-----

16.2 SELECTORS, MISC; COIN CONTROL

40C TEST SET

FOR ALL UNITS

226-300-503 (4/0)	A	ROTARY ACTION TEST	MR 24M	-----
	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
	C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506 (5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507 (6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-320-500 (2/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-320-501 (2/0)	A	RELEASE TEST OF B RELAY	MR 24M	-----
	B	RELEASE TEST OF C RELAY	MR 24M	-----
	C	RELEASE TEST OF E RELAY	MR 24M	-----
030-700-701 (3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706 (12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704 (8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801 (13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

J34716A

FOR ALL UNITS

226-300-504 (4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506 (5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507 (6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-320-500 (2/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-320-501 (2/0)	A	RELEASE TEST OF B RELAY	MR 24M	-----
	B	RELEASE TEST OF C RELAY	MR 24M	-----
	C	RELEASE TEST OF E RELAY	MR 24M	-----
030-700-701 (3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706 (12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704 (8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801 (13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-504 (4/0)	A	ROTARY ACTION TEST	MR 24M	-----
-------------------	---	--------------------	--------	-------

J34707A

FOR ALL UNITS

226-300-505 (2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506 (5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----

226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-320-500	(2/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-320-501	(2/0)	A	RELEASE TEST OF B RELAY	MR 24M	-----
		B	RELEASE TEST OF C RELAY	MR 24M	-----
		C	RELEASE TEST OF E RELAY	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OPTIONAL FEATURES

## J94713A NOT AVAILABLE

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
-------------	-------	---	-------------------------------------	--------	-------

## OTHER

## FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
226-320-500	(2/0)	A	OVERALL PULSING TEST	MR 24M	-----
226-320-501	(2/0)	A	RELEASE TEST OF B RELAY	MR 24M	-----
		B	RELEASE TEST OF C RELAY	MR 24M	-----
		C	RELEASE TEST OF E RELAY	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## &gt; TROUBLE TESTS

## &gt; J94713A TEST SET

>	226-300-506	(5/0)	B	C RELAY RELEASE TEST	TT	-----
>	226-300-507	(6/0)	B	C RELAY RELEASE TEST	TT	-----
>	226-320-502	(4/0)	A	COIN RETURN-LOOP	TT	-----
>			B	COIN RETURN-LEAK	TT	-----

## &gt; SD-31481-01 PULSING TEST SET

>	226-320-500	(2/0)	B	MAGNET PULSING TEST	TT	-----
---	-------------	-------	---	---------------------	----	-------

## 16.3 SELECTORS, MISC; REPEATERS

## 40C TEST SET

## FOR ALL UNITS

	226-300-503	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
			B	STOP ON IDLE TRUNK TEST	MR 24M	-----
			C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----

## SECTION 226-001-016

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-330-501	(2/0)	A	ROTARY SPEED TEST	MR 24M	-----
		B	C RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## J34716A

## FOR ALL UNITS

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-330-501	(2/0)	A	ROTARY SPEED TEST	MR 24M	-----
		B	C RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## J34716A &amp; J94713A

## FOR ALL UNITS

226-300-504	(4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-330-501	(2/0)	A	ROTARY SPEED TEST	MR 24M	-----
		B	C RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## J34707A

## FOR ALL UNITS

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
		B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-330-501	(2/0)	A	ROTARY SPEED TEST	MR 24M	-----
		B	C RELAY RELEASE TEST	MR 24M	-----

030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## J34707A &amp; J94713A

## FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-330-501	(2/0)	A	ROTARY SPEED TEST	MR 24M	-----
		B	C RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## J94713A

## FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-330-501	(2/0)	A	ROTARY SPEED TEST	MR 24M	-----
		B	C RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OTHER

## FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
226-330-501	(2/0)	A	ROTARY SPEED TEST	MR 24M	-----
		B	C RELAY RELEASE TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

&gt; TROUBLE TESTS

## SECTION 226-001-016

>	J94713A TEST SET				
>	226-300-506 (5/0)	B	C RELAY RELEASE TEST	TT	-----
>	226-300-507 (6/0)	A	C RELAY RELEASE TEST	TT	-----
>	J34701A & J94710A TEST SET				
>	226-330-502 (3/0)	A	SELECTOR FEATURE	TT	-----
>		B	REPEATER FEATURE	TT	-----
>		C	RLS OF MAIN OFFICE TRK ON PERM SIGS	TT	-----
>		D	FIRST LEVEL	TT	-----
>		E	ZERO LEVEL	TT	-----
>		F	RESTRICTED SERVICE AND CLS OF SVC	TT	-----

## 16.4 SELECTORS, MISC; REVERTING CALL

## 40C TEST SET

## FOR ALL UNITS

226-300-503 (4/0)	A	ROTARY ACTION TEST	MR 24M	-----
	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
	C	ROT. ACTION & 11TH ROT. STEP SPRING TEST	MR 24M	-----
226-300-506 (5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507 (6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-340-500 (3/0)	A	OVERALL PULSING TEST	MR 24M	-----
030-700-701 (3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706 (12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704 (8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801 (13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## 8 OR 10 PARTY

226-340-511 (7/0)	A	B RELAY RELEASE	MR 24M	-----
	B	C RELAY RELEASE	MR 24M	-----
	C	E RELAY RELEASE	MR 24M	-----

## J34716A

## FOR ALL UNITS

226-300-504 (4/0)	B	STOP ON IDLE TRUNK TEST	MR 24M	-----
226-300-506 (5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507 (6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-340-500 (3/0)	A	OVERALL PULSING TEST	MR 24M	-----
030-700-701 (3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706 (12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704 (8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801 (13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

## OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-504	(4/0)	A	ROTARY ACTION TEST	MR 24M	-----
8 OR 10 PARTY					
226-340-511	(7/0)	A	B RELAY RELEASE	MR 24M	-----
		B	C RELAY RELEASE	MR 24M	-----
		C	E RELAY RELEASE	MR 24M	-----

J34707A

FOR ALL UNITS

226-300-505	(2/0)	B	STOP ON IDLE TRUNK TEST MIN SLV RES	MR 24M	-----
226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-340-500	(3/0)	A	OVERALL PULSING TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

OPTIONAL FEATURES

J94713A NOT AVAILABLE

226-300-505	(2/0)	A	ROTARY ACTION TEST - MAX SLEEVE RES	MR 24M	-----
8 OR 10 PARTY					
226-340-511	(7/0)	A	B RELAY RELEASE	MR 24M	-----
		B	C RELAY RELEASE	MR 24M	-----
		C	E RELAY RELEASE	MR 24M	-----

OTHER

FOR ALL UNITS

226-300-506	(5/0)	A	ROTARY SPEED AND C RELAY RELEASE TEST	MR 24M	-----
226-300-507	(6/0)	A	B RELAY RELEASE TEST	MR 24M	-----
226-300-501	(4/0)		ROTARY TEST	MR 24M	-----
226-340-500	(3/0)	A	OVERALL PULSING TEST	MR 24M	-----
030-700-701	(3/0)	ALL	2.01,2.02 CLEAN,LUBE 188/189 SWITCHES	MR 6M	-----
030-705-706	(12/0)	3.01	LUBRICATE 197/198 SWITCHES	MW 36M	-----
030-705-704	(8/3)	ALL	2.01-2.26 ADJ 197/198 SWITCHES	MR *	-----
069-501-801	(13/2)		CLEAN 197/198 SWITCHES AND ASSOC. BANKS,COMMUTATORS AND WIPERS	MW *	-----

8 OR 10 PARTY

226-340-511	(7/0)	A	B RELAY RELEASE	MR 24M	-----
		B	C RELAY RELEASE	MR 24M	-----
		C	E RELAY RELEASE	MR 24M	-----

> TROUBLE TESTS

> J94713A TEST SET

>	226-300-506	(5/0)	B	C RELAY RELEASE TEST	TT	-----
---	-------------	-------	---	----------------------	----	-------

SECTION 226-001-016

>	226-300-507 (6/0)	A	C RELAY RELEASE TEST	TT	-----
>	J34717A TEST SET				
>	225-340-500 (3/0)	B	MAGNET PULSING TEST	TT	-----
>	J94704A TEST SET & SD-31298-01 TEST LINE				
>	226-340-501 (2/0)		PARTS 1-4 OPERATION TEST	TT	-----
>	J94710A TEST SET & SD-31298-01 TEST LINE				
>	226-340-502 (2/0)		PARTS 1-4 OPERATION TEST	TT	-----
>	2-, 4-PARTY USING DIAL HAND SET & TEST CKT SD-30998-01				
>	226-340-503 (3/0)	A	SEMI-SELECTIVE TYPE OFFICES	TT	-----
>		B	FULL SELECTIVE TYPE OFFICES	TT	-----
>		C	2-PTY M.R. SEMI & FULL SELECTIVE	TT	-----
>	2, 4-PARTY USING DL HAND TST SET & TST CKT SD-31478 OR SD-31479 TST LN				
>	226-340-504 (2/0)	A	SEMI-SELECTIVE TYPE OFCS	TT	-----
>		B	FULL SELECTIVE TYPE OFCS	TT	-----
>		C	2-PTY M.R. SEMI & FULL SELECTIVE	TT	-----
>	2-, 4-PARTY USING J34701A TST SET & SD-31857 TST LN				
>	226-340-505 (3/0)		PARTS 1-4 OPERATION TSTS	TT	-----
>	2-, 4-PARTY USING J34722B TST SET & SD-31857 TST LN				
>	226-340-506 (3/0)		PARTS 1-4 OPERATION TESTS	TT	-----
>	8 PARTY USING DL HAND TST SET & SD-30998 TST LN				
>	226-340-507 (2/0)		PARTS 1-4 OPERATION TSTS	TT	-----
>	8 PARTY USING J34701A TST SET & SD-31857 TST LN				
>	226-340-508 (2/0)		PARTS 1-4 OPERATION TSTS	TT	-----
>	8 PARTY USING J34722B TST SET & SD 31857 & SD-30981 TST LNS				
>	226-340-509 (2/0)		PARTS 1-4 OPERATION TSTS	TT	-----
>	8 PARTY USING DL HAND TST SET & SD-31478 OR SD-31479 TST LN				
>	226-340-510 (1/0)		PARTS 1-4 OPERATION TSTS	TT	-----
>	10 PARTY USING DL HAND TST SET & SD-31478 OR SD-31479 TST LN				
>	226-340-512 (1/0)		PARTS 1-4 OPERATION TSTS	TT	-----
>	10 PARTY USING DL HAND TST SET & SD-30998 TST LN				
>	226-340-513 (2/0)		PARTS 1-4 OPERATION TESTS	TT	-----
>	5-, 10-, 20-PARTY USING SD-31858 & SD-31857 TST LNS				
>	226-340-514 (2/0)	A	5-CODE-5 PTY RNG OR 10-PTY TST	TT	-----
>		B	10-CODE-10 PTY RINGING OR 20-PTY TST	TT	-----
>	5-, 10-, 20-PARTY USING J34722B TST SET & SD-31857 TST LN				
>	226-340-515 (2/0)	A	5 CODE-5-PTY RINGING OR 10-PTY RINGING	TT	-----
>		B	10 CODE-10-PTY RINGING OR 20-PTY RINGING	TT	-----
>	16.5 SELECTORS, MISC; CODE SELECTORS				
>	TROUBLE TESTS				
>	DIAL HAND TST SET				

>	226-325-500 (1/0)	A	OPERATION TEST-LOOP	TT	-----
>		B	OPERATION TEST-LOOP-TRK TRANSFER	TT	-----