



3B20D Computer Equipment Test List

Contents	Page
	*
1. Overview	1
2. 3B21D Computer	3
3. 3B20D Model 1 Computer	4
3B20D Model 1 Computer, Tape Unit Frame with KS-22091 Tape Transport	4
3B20D Model 1 Computer, 300-MB Moving Head Disk Drive KS-22072-L1	4
3B20D Model 1 Computer, 300-MB Moving Head Disk Drive KS-22072-L2	5
3B20D Model 1 Computer, Common Systems	6
3B20D Model 1 Computer, Control Unit Frame	6

**Copyright © 1998 Lucent Technologies
All Rights Reserved**

This material is protected by the copyright laws of the United States and other countries. It may not be reproduced, distributed, or altered in any fashion by any entity, including other Lucent Technologies Business Units or Divisions, without the expressed written consent of the Customer Technical Support and Information organization.

For permission to reproduce or distribute please contact:
Lucent Technologies 3B20D and 3B21D Computers, Product Development Manager 1-888-LTINFO6

Contents	Page
3B20D Model 1 Computer, Peripheral Control Frame	6
3B20D Model 1 Computer, DC Power Distribution Frame	6
3B20D Model 1 Computer, Tape Unit Frame with KS-22762 Tape Transport	7
3B20D Model 1 Computer, Tape/Disk Cabinet	7
3B20D Model 1 Computer, Small Computer System Interface (SCSI)	8

4. 3B20D Model 2 Computer	9
3B20D Model 2 Computer, Common Systems	9
3B20D Model 2 Computer, Processor Control Frame or Processor Cabinet	10
3B20D Model 2 Computer, 300-MB Moving Head Disk, KS-22072-L1	11
3B20D Model 2 Computer, 300-MB Moving Head Disk, KS-22072-L2	12
3B20D Model 2 Computer, 300-MB Moving Head Disk, KS-22707-L1	13
3B20D Model 2 Computer, 300-MB Moving Head Disk, KS-22707-L2	14
3B20D Model 2 Computer, DC Power Distribution Frame	15
3B20D Model 2 Computer, Tape Unit Frame	15
3B20D Model 2 Computer, Tape/Disk Cabinet	16
3B20D Model 2 Computer, Minimodule Disk Frame	17
3B20D Model 2 Computer, SCSI	18

5. 3B20D Model 3 Computer	19
3B20D Model 3 Computer, Common Systems	19
3B20D Model 3 Computer, Processor Control Frame or Processor Cabinet	20
3B20D Model 3 Computer, DC Power Distribution Frame	20

Contents	Page
3B20D Model 3 Computer, Tape/Disk Cabinet	21
3B20D Model 3 Computer, Power Cabinet	22
3B20D Model 3 Computer, SCSI	22

1. Overview

1.01 This practice provides information in table format to locate the standard tests applicable to the Lucent Technologies 3B20D Model 1, 2, and 3 computers. Test classification and frequency of periodic routine maintenance are also provided. This practice is divided into the following sections:

1. Overview
2. 3B21D Computer
3. 3B20D Model 1 Computer
4. 3B20D Model 2 Computer
5. 3B20D Model 3 Computer.

1.02 This practice is being reissued to incorporate the following changes:

- Update issue and revision numbers for referenced practices.
- Add references to NTP-008 and NTP-025 in the 3B20D Model 2 and 3 computer lists.
- Remove the scheduled maintenance list for the 3B21D computer (now included in 254-303-101, *3B21D Computer Routine Maintenance Tasks*).
- Add references to DLP-625 in the 3B20D Model 2 and 3 computer lists.

Change bars (|) in the far right-hand side of the text are used to denote changes made to the current issue. Change bars will help you understand at a glance what has changed from the previous issue. The position of deleted text is shown by a single asterisk (*). Not all of the editorial changes will be marked with change bars.

1.03 This practice contains no safety labels.

1.04 Lucent Technologies welcomes your comments on this practice. Your comments will aid us in improving the quality and usefulness of Lucent Technologies documentation. Please use the Feedback Form provided at the back of this practice.

1.05 This practice is distributed by the Lucent Technologies Customer Information Center in Indianapolis, Indiana. Orders for additional copies may be placed from the continental United States by calling **1-888-LUCENT-8 (1-888-582-3688)** or faxing to **1-800-566-9568**. Customers outside the continental United States may place orders by contacting the in-country Lucent Technologies market manager. Lucent Technologies personnel outside the continental United States can order additional copies by faxing to **1-317-322-6699**.

1.06 Lucent Technologies provides a support telephone number to use for reporting errors or asking questions about information contained in this practice. The support telephone number is **1-888-LTINFO6 (1-888-584-6366)**.

*

2. 3B21D Computer

This practice no longer contains information relating to the 3B21D computer. See 254-303-101, *3B21D Computer Routine Maintenance Tasks*, for information on scheduled maintenance and unscheduled printer maintenance for the 3B21D computer.

3. 3B20D Model 1 Computer

3B20D Model 1 Computer, Tape Unit Frame with KS-22091 Tape Transport

FOR ALL UNITS:

254-301-811 (5/2)	003	CLEAN KS-22091 TAPE TRANSPORT	MW	1M*	_____
	004	INSPECT KS-22091 TAPE TRANSPORT	MW	1M*	_____
	009	DIAGNOSE KS-22091 TAPE TRANSPORT	MW	1W	_____

* Or after 8 hours of operation.

3B20D Model 1 Computer, 300-MB Moving Head Disk Drive KS-22072-L1

FOR ALL UNITS:

254-301-811 (5/2)	007	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____
	030	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
254-301-821 (1/0)	1	CLEAN PRIMARY AIR INTAKE FILTER	MW	3M	_____
	2	CHECK +5 V AND -5 V OUTPUTS	MW	3M	_____
	3	CLEAN SHROUD AND SPINDLE	MW	6M	_____
	4	CLEAN AND LUBRICATE LOCKSHAFT	MW	6M	_____
	5	CLEAN CARRIAGE RAILS AND BEARINGS	MW	6M	_____
	6	REPLACE ABSOLUTE AIR FILTER	MW	12M	_____

**3B20D Model 1 Computer, 300-MB Moving Head
Disk Drive KS-22072-L2**

FOR ALL UNITS:

254-301-811 (5/2)	007	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____
	030	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
254-301-822 (1/0)	1	CLEAN EXTERNAL CABINET SURFACES	MW	2M	_____
	2	CLEAN AIR SHROUD	MW	2M	_____
	3	INSPECT, CLEAN, AND LUBRICATE SPINDLE SURFACE	MW	2M	_____
	4	INSPECT SPINDLE DRIVE BELT	MW	2M	_____
	5	CLEAN INTAKE AIR FILTER	MW	2M	_____
	6	CLEAN INTERNAL CABINET SURFACES	MW	6M	_____
	7	INSPECT AND CLEAN CARRIAGE AND WAY ASSEMBLY	MW	6M	_____
	8	CHECK RESISTANCE OF SPINDLE BRUSH GROUNDING	MW	6M	_____
	9	CHECK POWER SUPPLY VOLTAGES	MW	6M	_____
	10	CHECK POSITIONING SYSTEM ADJUSTMENT	MW	6M	_____
	11	CHECK SPINDLE DRIVE SYSTEM OPERATION	MW	6M	_____
	12	REPLACE ABSOLUTE AIR FILTER	MW	12M	_____

3B20D Model 1 Computer, Common Systems

FOR ALL UNITS:

254-301-811 (5/2)	011	VERIFY OPERATOR INTERFACE	MW	1M*	_____
	019	TEST MICRO LEVEL TEST SET LOCAL FUNCTIONS	MW	6M*	_____
	020	CLEAN PRINTER	MW	1M*	_____
	024	PERFORM SYSTEM DEMAND DIAGNOSTICS (LESS DFCs AND MHDs)	MW	1M	_____

* Or as required.

3B20D Model 1 Computer, Control Unit Frame

FOR ALL UNITS:

254-301-811 (5/2)	022	TEST CONTROL UNIT POWER AND COOLING	MW	3M	_____
	023	TEST CONTROL UNIT ALARMS	MW	3M	_____

3B20D Model 1 Computer, Peripheral Control Frame

FOR ALL UNITS:

254-301-811 (5/2)	026	TEST PERIPHERAL CONTROL FRAME POWER AND COOLING	MW	1M	_____
	027	TEST PERIPHERAL CONTROL FRAME ALARMS	MW	12M	_____

3B20D Model 1 Computer, DC Power Distribution Frame

FOR ALL UNITS:

254-301-811 (5/2)	032	TEST DC POWER DISTRIBUTION FRAME ALARMS	MW	12M	_____
-------------------	-----	--	----	-----	-------

3B20D Model 1 Computer, Tape Unit Frame with KS-22762 Tape Transport

FOR ALL UNITS:

254-301-811 (5/2)	035	INSPECT KS-22762 OR KS-23113 TAPE TRANSPORT	MW	1W	_____
	036	CLEAN KS-22762 OR KS-23113 TAPE TRANSPORT	MW	1M*	_____
	038	PERFORM KS-22762 OR KS-23113 TAPE TRANSPORT DEMAND DIAGNOSTICS	MW	1W†	_____

3B20D Model 1 Computer, Tape/Disk Cabinet

FOR ALL UNITS:

254-301-811 (5/2)	035	INSPECT KS-22762 OR KS-23113 TAPE TRANSPORT	MW	1W	_____
	036	CLEAN KS-22762 OR KS-23113 TAPE TRANSPORT	MW	1M*	_____
	038	PERFORM KS-22762 OR KS-23113 TAPE TRANSPORT DEMAND DIAGNOSTICS	MW	1W†	_____
	040	TEST 340-MB MOVING HEAD DISK ALARM	MW	12M	_____
	041	SERVICE 340-MB MOVING HEAD DISK AIR FILTER	MW	3M	_____

* Or after 8 hours of operation.

† Or prior to writing tape.

**3B20D Model 1 Computer, Small Computer
System Interface (SCSI)**

FOR ALL UNITS:

254-301-811 (5/2)	014	SCSI DUP — WARM SPARE UNITS	MW	1M*	_____	
	015	TEST SCSI DISK CABINET ALARMS	MW	12M	_____	
	553	CHECK SCSI DUP LEDs	MW	12M	_____	

* Or as required.

4. 3B20D Model 2 Computer

3B20D Model 2 Computer, Common Systems

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	003	VERIFY OPERATOR INTERFACE	MW	1M*	_____
	004	CLEAN PRINTER	MW	1M*	_____
	010	SWAP HOT SPARE SMD MHD INTO SERVICE	MW	1M*	_____
	011	TEST MICRO LEVEL TEST SET LOCAL FUNCTIONS	MW	6M*	_____
	013	PERFORM SYSTEM DEMAND DIAGNOSTICS	MW	1M	_____
	025	TEST POWER CABINET ALARMS	MW	12M	_____

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	003	VERIFY OPERATOR INTERFACE	MW	1M*	_____
	004	CLEAN PRINTER	MW	1M*	_____
	010	SWAP HOT SPARE SMD MHD INTO SERVICE	MW	1M*	_____
	011	TEST MICRO LEVEL TEST SET LOCAL FUNCTIONS	MW	6M*	_____
	013	PERFORM SYSTEM DEMAND DIAGNOSTICS	MW	1M	_____
	025	TEST POWER CABINET ALARMS	MW	12M	_____

* Or as required.

**3B20D Model 2 Computer, Processor Control
Frame or Processor Cabinet**

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	006	TEST PROCESSOR CONTROL FRAME OR PROCESSOR CABINET ALARMS	MW	12M	_____
	012	VERIFY PROCESSOR POWER AND COOLING UNITS	MW	12M	_____
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M*	_____

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	006	TEST PROCESSOR CONTROL FRAME OR PROCESSOR CABINET ALARMS	MW	12M	_____
	012	VERIFY PROCESSOR POWER AND COOLING UNITS	MW	12M	_____
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M*	_____

* At minimum, change filter once per year.

3B20D Model 2 Computer, 300-MB Moving Head Disk, KS-22072-L1

FOR ALL UNITS:

254-302-821	(1/0)	1	CLEAN PRIMARY AIR INTAKE FILTER	MW	3M	_____
		2	CHECK +5 V AND -5 V OUTPUTS	MW	3M	_____
		3	CLEAN SHROUD AND SPINDLE	MW	6M	_____
		4	CLEAN AND LUBRICATE LOCKSHAFT	MW	6M	_____
		5	CLEAN CARRIAGE RAILS AND BEARINGS	MW	6M	_____
		6	REPLACE ABSOLUTE AIR FILTER	MW	12M	_____

OPTIONAL FEATURES, SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831	(8/0)	007	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
		023	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841	(8/0)	007	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
		023	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____

3B20D Model 2 Computer, 300-MB Moving Head Disk, KS-22072-L2

FOR ALL UNITS:

254-302-822 (1/0)	1	CLEAN EXTERNAL CABINET SURFACES	MW	2M	_____
	2	CLEAN AIR SHROUD	MW	2M	_____
	3	INSPECT, CLEAN, AND LUBRICATE SPINDLE SURFACE	MW	2M	_____
	4	INSPECT SPINDLE DRIVE BELT	MW	2M	_____
	5	CLEAN INTAKE AIR FILTER	MW	2M	_____
	6	CLEAN INTERNAL CABINET SURFACES	MW	6M	_____
	7	INSPECT AND CLEAN CARRIAGE AND WAY ASSEMBLY	MW	6M	_____
	8	CHECK RESISTANCE OF SPINDLE BRUSH GROUNDING	MW	6M	_____
	9	CHECK POWER SUPPLY VOLTAGES	MW	6M	_____
	10	CHECK POSITIONING SYSTEM ADJUSTMENT	MW	6M	_____
	11	CHECK SPINDLE DRIVE SYSTEM OPERATION	MW	6M	_____
	12	REPLACE ABSOLUTE AIR FILTER	MW	12M	_____

OPTIONAL FEATURES, SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	007	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
	023	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	007	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
	023	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____

3B20D Model 2 Computer, 300-MB Moving Head Disk, KS-22707-L1

FOR ALL UNITS:

254-302-823 (1/0)	1	CLEAN PRIMARY AIR INTAKE FILTER	MW	3M	_____
	2	CHECK +5 V AND -5 V OUTPUTS	MW	3M	_____
	3	CLEAN SHROUD AND SPINDLE	MW	6M	_____
	4	CLEAN AND LUBRICATE LOCKSHAFT	MW	6M	_____
	5	CLEAN CARRIAGE RAILS AND BEARINGS	MW	6M	_____
	6	REPLACE ABSOLUTE AIR FILTER	MW	12M	_____

OPTIONAL FEATURES, SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	007	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
	023	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	007	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
	023	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____

3B20D Model 2 Computer, 300-MB Moving Head Disk, KS-22707-L2

FOR ALL UNITS:

254-302-824 (1/0)	1	CLEAN EXTERNAL CABINET SURFACES	MW	2M	_____
	2	CLEAN AIR SHROUD	MW	2M	_____
	3	INSPECT, CLEAN, AND LUBRICATE SPINDLE SURFACE	MW	2M	_____
	4	INSPECT SPINDLE DRIVE BELT	MW	2M	_____
	5	CLEAN INTAKE AIR FILTER	MW	2M	_____
	6	CLEAN INTERNAL CABINET SURFACES	MW	6M	_____
	7	INSPECT AND CLEAN CARRIAGE AND WAY ASSEMBLY	MW	6M	_____
	8	CHECK RESISTANCE OF SPINDLE BRUSH GROUNDING	MW	6M	_____
	9	CHECK POWER SUPPLY VOLTAGES	MW	6M	_____
	10	CHECK POSITIONING SYSTEM ADJUSTMENT	MW	6M	_____
	11	CHECK SPINDLE DRIVE SYSTEM OPERATION	MW	6M	_____
	12	REPLACE ABSOLUTE AIR FILTER	MW	12M	_____

OPTIONAL FEATURES, SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	007	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
	023	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	007	TEST 300-MB MOVING HEAD DISK FRAME ALARM	MW	12M	_____
	023	SERVICE 300-MB MOVING HEAD DISK AIR FILTERS	MW	3M	_____

3B20D Model 2 Computer, DC Power Distribution Frame

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831	(8/0)	008	TEST DC POWER DISTRIBUTION FRAME ALARMS	MW	12M	_____	
-------------	-------	-----	--	----	-----	-------	--

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841	(8/0)	008	TEST DC POWER DISTRIBUTION FRAME ALARMS	MW	12M	_____	
-------------	-------	-----	--	----	-----	-------	--

3B20D Model 2 Computer, Tape Unit Frame

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831	(8/0)	019	INSPECT TAPE DRIVE	MW	1M*	_____	
		020	CLEAN TAPE DRIVE	MW	1M*	_____	
		022	PERFORM TAPE DRIVE DEMAND DIAGNOSTICS	MW	1W	_____	

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841	(8/0)	019	INSPECT TAPE DRIVE	MW	1M*	_____	
		020	CLEAN TAPE DRIVE	MW	1M*	_____	
		022	PERFORM TAPE DRIVE DEMAND DIAGNOSTICS	MW	1W	_____	

* Or after 8 hours of operation.

3B20D Model 2 Computer, Tape/Disk Cabinet

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	019	INSPECT TAPE DRIVE	MW	1M*	_____	
	020	CLEAN TAPE DRIVE	MW	1M*	_____	
	022	PERFORM TAPE DRIVE DEMAND DIAGNOSTICS	MW	1W	_____	
	024	TEST 340-MB MOVING HEAD DISK ALARM	MW	12M	_____	
	027	SERVICE 340-MB MOVING HEAD DISK AIR FILTER	MW	3M	_____	
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M†	_____	
	625	STORE AND TEST SPARE 340-MB MOVING HEAD DISK	MW	3M‡	_____	

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	019	INSPECT TAPE DRIVE	MW	1M*	_____	
	020	CLEAN TAPE DRIVE	MW	1M*	_____	
	022	PERFORM TAPE DRIVE DEMAND DIAGNOSTICS	MW	1W	_____	
	024	TEST 340-MB MOVING HEAD DISK ALARM	MW	12M	_____	
	027	SERVICE 340-MB MOVING HEAD DISK AIR FILTER	MW	3M	_____	
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M†	_____	
	625	STORE AND TEST SPARE 340-MB MOVING HEAD DISK	MW	3M‡	_____	

* Or after 8 hours of operation.

† At minimum, change filter once per year.

‡ Take disk out of storage and test every 3 months.

**3B20D Model 2 Computer, Minimodule Disk
Frame**

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831	(8/0)	017	TEST 160-MB MOVING HEAD DISK ALARM	MW	12M	_____	
		026	SERVICE 160-MB MOVING HEAD DISK AIR FILTER	MW	3M	_____	

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841	(8/0)	017	TEST 160-MB MOVING HEAD DISK ALARM	MW	12M	_____	
		026	SERVICE 160-MB MOVING HEAD DISK AIR FILTER	MW	3M	_____	

3B20D Model 2 Computer, SCSI

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	014	SWAP WARM SCSI DUP SPARE UNITS	MW	1M* _____	
	015	TEST SCSI DISK CABINET ALARMS	MW	12M _____	
	533	CHECK SCSI DUP LEDs	MW	12M _____	
	012	VERIFY SDC COOLING UNITS	MW	12M _____	
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M† _____	

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	014	SWAP WARM SCSI DUP SPARE UNITS	MW	1M* _____	
	015	TEST SCSI DISK CABINET ALARMS	MW	12M _____	
	533	CHECK SCSI DUP LEDs	MW	12M _____	
	012	VERIFY SDC COOLING UNITS	MW	12M _____	
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M† _____	

* Or as required.

† At minimum, change filter once per year.

5. 3B20D Model 3 Computer

3B20D Model 3 Computer, Common Systems

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	003	VERIFY OPERATOR INTERFACE	MW	1M*	_____
	004	CLEAN PRINTER	MW	1M*	_____
	010	SWAP HOT SPARE SMD MHD INTO SERVICE	MW	1M*	_____
	011	TEST MICRO LEVEL TEST SET LOCAL FUNCTION	MW	6M*	_____
	013	PERFORM SYSTEM DEMAND DIAGNOSTICS (LESS DFCs AND MHDs)	MW	1M	_____

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	003	VERIFY OPERATOR INTERFACE	MW	1M*	_____
	004	CLEAN PRINTER	MW	1M*	_____
	010	SWAP HOT SPARE SMD MHD INTO SERVICE	MW	1M*	_____
	011	TEST MICRO LEVEL TEST SET LOCAL FUNCTION	MW	6M*	_____
	013	PERFORM SYSTEM DEMAND DIAGNOSTICS (LESS DFCs AND MHDs)	MW	1M	_____

* Or as required.

3B20D Model 3 Computer, Processor Control Frame or Processor Cabinet

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	006	TEST PROCESSOR CONTROL FRAME OR PROCESSOR CABINET ALARMS	MW	12M	_____	
	012	VERIFY PROCESSOR POWER AND COOLING UNITS	MW	12M	_____	
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M*	_____	

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	006	TEST PROCESSOR CONTROL FRAME OR PROCESSOR CABINET ALARMS	MW	12M	_____	
	012	VERIFY PROCESSOR POWER AND COOLING UNITS	MW	12M	_____	
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M*	_____	

* At minimum, change filter once per year.

3B20D Model 3 Computer, DC Power Distribution Frame

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	007	TEST 300-MB MHD FRAME ALARM	MW	12M	_____	
	008	TEST DC POWER DISTRIBUTION FRAME ALARMS	MW	12M	_____	

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	007	TEST 300-MB MHD FRAME ALARM	MW	12M	_____	
	008	TEST DC POWER DISTRIBUTION FRAME ALARMS	MW	12M	_____	

3B20D Model 3 Computer, Tape/Disk Cabinet

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0)	017	TEST 160-MB MHD ALARM	MW	12M	_____	
	019	INSPECT TAPE DRIVE	MW	1M*	_____	
	020	CLEAN TAPE DRIVE	MW	1M*	_____	
	022	PERFORM TAPE DRIVE DEMAND DIAGNOSTICS	MW	1W	_____	
	023	SERVICE 300-MB MHD AIR FILTERS	MW	3M	_____	
	024	TEST 340-MB MOVING HEAD DISK ALARM	MW	12M	_____	
	026	SERVICE 160-MB MHD AIR FILTER	MW	3M	_____	
	027	SERVICE 340-MB MOVING HEAD DISK AIR FILTER	MW	3M	_____	
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M†	_____	
	625	STORE AND TEST SPARE 340-MB MOVING HEAD DISK	MW	3M‡	_____	

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0)	017	TEST 160-MB MHD ALARM	MW	12M	_____	
	019	INSPECT TAPE DRIVE	MW	1M*	_____	
	020	CLEAN TAPE DRIVE	MW	1M*	_____	
	022	PERFORM TAPE DRIVE DEMAND DIAGNOSTICS	MW	1W	_____	
	023	SERVICE 300-MB MHD AIR FILTERS	MW	3M	_____	
	024	TEST 340-MB MOVING HEAD DISK ALARM	MW	12M	_____	
	026	SERVICE 160-MB MHD AIR FILTER	MW	3M	_____	
	027	SERVICE 340-MB MOVING HEAD DISK AIR FILTER	MW	3M	_____	
	028	INSPECT CABINET AND COOLING UNIT FILTERS	MW	6M†	_____	
	625	STORE AND TEST SPARE 340-MB MOVING HEAD DISK	MW	3M‡	_____	

* Or after 8 hours of operation.

† At minimum, change filter once per year.

‡ Take disk out of storage and test every 3 months.

3B20D Model 3 Computer, Power Cabinet

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0) 025 TEST POWER CABINET ALARMS MW 12M _____ |

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0) 025 TEST POWER CABINET ALARMS MW 12M _____ |

3B20D Model 3 Computer, SCSI

SELECT ONLY ONE CATEGORY

TASK ORIENTED PRACTICE (PDS FORMAT)

254-302-831 (8/0) 014 SCSI DISK UNIT PACKAGE — SWAP WARM SPARE UNITS MW 1M* _____ |

015 TEST SCSI DISK CABINET ALARMS MW 12M _____

533 CHECK SCSI DISK UNIT PACKAGE LEDS MW 12M _____

012 VERIFY SDC COOLING UNITS MW 12M _____

028 INSPECT CABINET AND COOLING UNIT FILTERS MW 6M† _____

TASK ORIENTED PRACTICE (MML FORMAT)

254-302-841 (8/0) 014 SCSI DISK UNIT PACKAGE — SWAP WARM SPARE UNITS MW 1M* _____ |

015 TEST SCSI DISK CABINET ALARMS MW 12M _____

533 CHECK SCSI DISK UNIT PACKAGE LEDS MW 12M _____

012 VERIFY SDC COOLING UNITS MW 12M _____

028 INSPECT CABINET AND COOLING UNIT FILTERS MW 6M† _____

* Or as required.

† At minimum, change filter once per year.

How Are We Doing?

Title: 3B20D Computer Equipment Test List

Identification No.: 254-001-014

Issue 7

Date: June 1998

Lucent Technologies welcomes your feedback on this Information Product (IP). Your comments can be of great value in helping us improve our IPs.

1. Please rate the effectiveness of this IP in the following areas:

	Excellent	Good	Fair	Poor	Not Applicable
Ease of Use					////////////////////
Clarity					////////////////////
Completeness					////////////////////
Accuracy					////////////////////
Organization					////////////////////
Appearance					////////////////////
Examples					
Illustrations					
Overall Satisfaction					////////////////////

2. Please check the ways you feel we could improve this IP:

- Improve the overview/introduction
- Improve the table of contents
- Improve the organization
- Include more figures
- Add more examples
- Add more detail
- Make it more concise/brief
- Add more step-by-step procedures/tutorials
- Add more troubleshooting information
- Make it less technical
- Add more/better quick reference aids
- Improve the index

Please provide details for the suggested improvement. _____

3. What did you like most about this IP?

4. Feel free to write any comments below or on an attached sheet.

If we may contact you concerning your comments, please complete the following:

Name: _____ Telephone Number: _____

Company/Organization: _____ Date: _____

Address: _____


When you have completed this form, please fold, tape, and return to address on back or Fax to: 336-727-3043.

-----Do Not Cut—Fold Here And Tape-----

Lucent Technologies
Bell Labs Innovations



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 1999 GREENSBORO, N.C.

POSTAGE WILL BE PAID BY ADDRESSEE

DOCUMENTATION SERVICES
2400 Reynolda Road
Winston-Salem, NC 27199-2029

