

DIMENSION[®] PBX
FEATURE TEST
INWARD RESTRICTION

CONTENTS

- | | |
|-------------------------------------|------------------------------|
| 1. GENERAL | 5. LDN TEST CALL |
| 2. RECORDS | 6. DID TEST CALL (OPTIONAL) |
| 3. TEST EQUIPMENT AND DOCUMENTATION | 7. CCSA TEST CALL (OPTIONAL) |
| 4. TEST SET-UP | 8. RESTORATION |

1. GENERAL

- 1.1 This section provides testing information for Inward Restriction.
- 1.2 A station line with Inward Restriction is prevented from receiving incoming exchange network calls either DID or Attendant Completed. Attendant Completed calls are routed to intercept tone. DID calls are routed to the Attendant or to Intercept Tone, depending upon the option selected.
- 1.3 Inward Restriction is administered by the Line Class of Service Assignments.
- 1.4 Figure 1 is provided to record data required for this test and gives a summary of the steps involved.

2. RECORDS

- 2.1 Form SD-97-1313 is required for recording the results of these tests.

3. TEST EQUIPMENT AND DOCUMENTATION

3.1 Test Equipment

One 500 Type Telephone Set (Dial Pulse) or 2500 Type Telephone Sets (Touch Tone).

3.2 Documentation

- 3.21 Using the Customer Order document determine the following:
- 3.211 From Class of Service Assignments, determine a class of service which has Inward Restriction. Record on Figure 1.

3.212 From Station Line Assignments pick a station line which has a class of service determined above. (With Inward Restriction) Record extension number and equipment location of this line on Figure 1.

3.213 From System and Feature Summary under Intercept Treatment DID/CCSA determine if Attendant or Intercept Tone option is provided. Record in Figure 1.

4. TEST SET-UP

4.1 Connect telephone set to station line with Inward Restriction. This line will be referred to as Station A in the test procedure.

5. LDN TEST CALL

- 5.1 Arrange to have an LDN call placed.
- 5.2 Attendant answers call and extends to Station A.
- 5.21 Intercept tone received.

6. DID TEST CALL (OPTIONAL)

- 6.1 If DID trunks are provided, arrange for a DID call to Station A.
- 6.11 Intercept tone or call routed to the Attendant. Verify option provided.

7. CCSA TEST CALL (OPTIONAL)

- 7.1 If CCSA trunks are provided, arrange for a CCSA call to Station A.
- 7.11 Intercept tone or call routed to the Attendant. Verify option provided.

PRIVATE

THE INFORMATION CONTAINED HEREIN SHOULD NOT BE DISCLOSED TO UNAUTHORIZED PERSONS. IT IS MEANT SOLELY FOR USE BY AUTHORIZED BELL SYSTEM EMPLOYEES. Printed in U.S.A.

8. RESTORATION

8.1 Disconnect telephone set.

Manager, Denver PBX PECC

Attachment: Figure 1 on Page 3.

INWARD RESTRICTION

CLASS OF SERVICE WITH INWARD RESTRICTION _____

	<u>MODULE</u>	<u>CABINET</u>	<u>EXTENSION</u>	<u>CAR</u>	<u>SLOT</u>	<u>CIRCUIT</u>
STATION LINE WITH INWARD RESTRICTION (STATION A)	_____	_____	_____	_____	_____	_____

INTERCEPT TREATMENT	INTERCEPT TONE ATTENDANT OPTION	
DID TEST REQUIRED	YES	NO
CCSA TEST REQUIRED	YES	NO

(CIRCLE OPTIONS REQUIRED)




FIGURE 1