

TRUNK TRANSMISSION MAINTENANCE INDEX
BALANCE COMPONENT
INDEX TABLES

1. GENERAL

1.01 This section provides tables for use in rating performance in meeting trunk balance maintenance requirements in terms of the percentage of trunks balanced. These index tables are the System standards of performance for this component. This section is reissued to provide new index tables to take into account the revised weighting of the balance subcomponents.

1.02 The index tables apply to data for all offices having intertoll and toll connecting trunks that require either through or terminal balance.

1.03 Performance in meeting trunk balance maintenance requirements is determined in the following manner:

SUBCOMPONENT	WEIGHTING—%	INDEX TABLE
(1) Percent ERL measurements meeting median requirements	20	I
(2) Percent SP measurements meeting median requirements	20	I
(3) Percent ERL measurements under minimum requirements	20	II
(4) Percent SP measurements under minimum requirements	20	II
(5) Percent offices requiring balance certified as balanced	20	*

* See Section 301-123-500 for computation of this subcomponent.

1.04 These tables should be used only to show results on a Division, Area, or Company

basis. Smaller reporting units should concentrate their efforts on analysis of the basic data.

TABLE I
INDEX TABLE
 Percent Meeting Median Requirement
 ERL or SP

PERCENT STEP	SUB-COMP. INDEX	SUB-COMP. POINTS	PERCENT STEP	SUB-COMP. INDEX	SUB-COMP. POINTS
84.0 or More	100.0	20.0	25.1 – 26.5	78.0	15.6
78.2 – 83.9	99.5	19.9	23.6 – 25.0	76.0	15.2
72.4 – 78.1	99.0	19.8	22.1 – 23.5	74.0	14.8
66.6 – 72.3	98.5	19.7	20.6 – 22.0	72.0	14.4
60.8 – 66.5	98.0	19.6	19.1 – 20.5	70.0	14.0
55.0 – 60.7	97.5	19.5	18.1 – 19.0	68.0	13.6
49.2 – 54.9	97.0	19.4	17.1 – 18.0	66.0	13.2
47.5 – 49.1	96.5	19.3	16.1 – 17.0	64.0	12.8
45.8 – 47.4	96.0	19.2	15.1 – 16.0	62.0	12.4
44.6 – 45.7	95.5	19.1	14.1 – 15.0	60.0	12.0
43.4 – 44.5	95.0	19.0	13.1 – 14.0	56.0	11.2
42.4 – 43.3	94.5	18.9	12.1 – 13.0	52.0	10.4
41.0 – 42.1	94.0	18.8	11.1 – 12.0	48.0	9.6
40.4 – 40.9	93.5	18.7	10.1 – 11.0	44.0	8.8
39.8 – 40.3	93.0	18.6	9.1 – 10.0	40.0	8.0
39.2 – 39.7	92.5	18.5	8.1 – 9.0	36.0	7.2
38.6 – 39.1	92.0	18.4	7.1 – 8.0	32.0	6.4
38.0 – 38.5	91.5	18.3	6.1 – 7.0	28.0	5.6
37.4 – 37.9	91.0	18.2	5.1 – 6.0	24.0	4.8
36.8 – 37.3	90.5	18.1	4.1 – 5.0	20.0	4.0
35.6 – 36.7	90.0	18.0	3.1 – 4.0	16.0	3.2
34.1 – 35.5	88.0	17.6	2.1 – 3.0	12.0	2.4
32.1 – 34.0	86.0	17.2	1.1 – 2.0	8.0	1.6
30.1 – 32.0	84.0	16.8	0.1 – 1.0	4.0	0.8
28.1 – 30.0	82.0	16.4	0	0	0
26.6 – 28.0	80.0	16.0			

TABLE II INDEX TABLE Percent Below Minimum Requirement ERL or SP					
PERCENT STEP	SUB-COMP. INDEX	SUB-COMP. POINTS	PERCENT STEP	SUB-COMP. INDEX	SUB-COMP. POINTS
0 – 0.1	100.0	20.0	5.6 – 5.7	78.0	15.6
0.2 – 0.4	99.5	19.9	5.8 – 5.9	76.0	15.2
0.5 – 0.7	99.0	19.8	6.0 – 6.1	74.0	14.8
0.8 – 0.9	98.5	19.7	6.2 – 6.3	72.0	14.4
1.0 – 1.1	98.0	19.6	6.4 – 6.5	70.0	14.0
1.2 – 1.3	97.5	19.5	6.6 – 6.7	68.0	13.6
1.4 – 1.5	97.0	19.4	6.8 – 6.9	66.0	13.2
1.6 – 1.8	96.5	19.3	7.0 – 7.1	64.0	12.8
1.9 – 2.0	96.0	19.2	7.2 – 7.3	62.0	12.4
2.1 – 2.3	95.5	19.1	7.4 – 7.5	60.0	12.0
2.4 – 2.5	95.0	19.0	7.6 – 7.8	56.0	11.2
2.6 – 2.7	94.5	18.9	7.9 – 8.1	52.0	10.4
2.8 – 2.9	94.0	18.8	8.2 – 8.4	48.0	9.6
3.0	93.5	18.7	8.5 – 8.7	44.0	8.8
3.1 – 3.2	93.0	18.6	8.8 – 9.0	40.0	8.0
3.3 – 3.4	92.5	18.5	9.1 – 9.3	36.0	7.2
3.5	92.0	18.4	9.4 – 9.6	32.0	6.4
3.6	91.5	18.3	9.7 – 9.9	28.0	5.6
3.7	91.0	18.2	10.0 – 10.2	24.0	4.8
3.8	90.5	18.1	10.3 – 10.5	20.0	4.0
3.9 – 4.0	90.0	18.0	10.6 – 10.9	16.0	3.2
4.1 – 4.3	88.0	17.6	11.0 – 11.3	12.0	2.4
4.4 – 4.6	86.0	17.2	11.4 – 11.7	8.0	1.6
4.7 – 4.9	84.0	16.8	11.8 – 12.0	4.0	0.8
5.0 – 5.2	82.0	16.4	Over 12.0	0	0
5.3 – 5.5	80.0	16.0			