

**NUMERICAL INDEX — DIVISION 409
TE, TJ, TL, AND TM MICROWAVE RADIO**

1. GENERAL

- 1.01** This section provides an index of System-issued sections in Division 409.
- 1.02** This section reverted to Issue 1 in April 1975. Prior to that date there had been 99 issues of the section.
- 1.03** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.04** A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.
- 1.05** A heart (♥) indicates a new or reissued item which, because of its limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.06** A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy BSPs. In some cases, the microfiche BSP will reflect the next higher issue as a result of the reduced distribution interval.
- 1.07** "Add" is the abbreviation for Addendum.

2. LAYERS

2.01 This division is arranged in layers as follows:

- 409-0 Indexes and Equipment Test Lists
 - 1 TE Microwave Radio
 - 2 TJ or TJ/TM-1 Microwave Radio
 - 3 TL-1 Microwave Radio
 - 4 TL-2 and TM-1 Microwave Radio
 - 5 TM-2/TM-2A Microwave Radio
 - 6 Ancillary Equipment
 - 7 Overall System

3. INDEX

Section Number	Issue	Subject
409-0 INDEXES AND EQUIPMENT TEST LISTS		
● ♠ 409-000-000	31	Numerical Index — Division 409 — TE, TJ, TL, and TM Microwave Radio
	409-001-011	9 ETL — TE, TJ, TL, and TM Microwave Radio

409-1 TE MICROWAVE RADIO

409-100 Overall System

409-100-100	3	Description
409-100-500	3	Tests
409-100-501	1	Modification for NTSC Color

409-110 TE-T1 Transmitter

409-110-100	4	Description
409-110-500	4	Tests

Section Number	Issue	Subject
409-110-501	1	Modification for Remote and Local Control and Use of Improved Klystron
409-110-502	1	Modification for NTSC Color

409-120 TE-R1 Receiver

409-120-100	4	Description
409-120-500	4	Tests
409-120-501	2	Modification for Improved Operation and Maintenance
409-120-502	1	Modification for NTSC Color

409-130 TE-T2 Transmitter

409-130-100	2	Description
409-130-500	2	Tests
409-130-501	1	Modification for NTSC Color

409-140 TE-R2 Receiver

409-140-100	2	Description
409-140-500	2	Tests
409-140-501	1	Modification for Improved Operation and Maintenance
409-140-502	1	Modification for NTSC Color

409-150 TE-A1 Amplifier

409-150-100	1	Description
409-150-500	1	Tests

409-2 TJ OR TJ/TM-1 MICROWAVE RADIO

409-200 TJ Microwave Radio

Section Number	Issue	Subject
409-200 TJ Microwave Radio		Description
409-200-100	3	General
409-200-101	4	Overall System
409-200-102	3	Transmitter-Receiver Bay
409-200-103	2	Power Supply
409-200-104	4	Transmitter
409-200-105	4	Receiver
409-200-106	2	D1 Auxiliary Bay
409-200-107	1	D2 Auxiliary Bay

NOTICE
Not for use or disclosure outside the
Bell System except under written agreement

SECTION 409-000-000

Section Number	Issue	Subject
General Tests		
• Add 409-200-500	1	
409-200-500	5	General Test Information
409-200-501	2	Tools
409-200-502	5	TR Bay — Power Supply Tests and Voltage Checks
409-200-503	3	Auxiliary Bay — Power Supply Tests and Voltage Checks
409-200-504	2	Waveguide Components Losses

409-201 TJ/TM-1 Microwave Radio

Description

409-201-100	1	General
409-201-101	1	Overall System

General Tests

409-201-503	2	Auxiliary Bay — Power Supply Tests and Voltage Checks
-------------	---	---

409-210 TJ Transmitter Tests

409-210-501	4	Frequency and Power Output
409-210-502	2	Deviation
409-210-503	4	Linearity
409-210-504	3	Baseband Amplifier Response
Add 409-210-505	1	
409-210-505	3	Component Replacement

409-220 TJ Receiver Tests

409-220-501	4	RF to IF Tests
Add 409-220-502	1	
409-220-502	4	Baseband Amplifier Power Output, Frequency Response, Noise Quieting, and Squelch Adjustments
409-220-503	3	Linearity
409-220-504	3	1A Modulator or J99296AA List 3, 4 Modulator Pre-amplifier
409-220-505	4	Component Replacement
409-220-506	3	Noise Figure Measurements
409-220-507	1	IF Unit Impedance Matching

409-230 TJ Auxiliary Bay Tests

409-230-500	2	General
409-230-501	2	Diversity Switch and Transmission Unit

409-231 TJ/TM-1 Auxiliary Bay

409-231-501	1	Diversity Switch and Transmission Unit
-------------	---	--

Section Number	Issue	Subject
409-240 TJ — Systems Tests — Light Loading		

409-240-500	4	General
409-240-501	3	Initial Line-up Test Sequence
Add 409-240-502	1	
409-240-502	2	Received Signal Level
409-240-503	3	Transmitter Deviation
409-240-504	2	Receiver Gain
409-240-505	3	Net Loss Measurements
409-240-506	4	Telephone With Diversity — Comparator Tests
409-240-507	4	Signaling and Pilot Tone Levels
409-240-508	2	Pilot Monitor Tests and Adjustments

409-241 TJ/TM-1 — Systems Tests — Heavy Loading

409-241-500	2	General
Add 409-241-501	1	
409-241-501	2	Initial Line-Up Test Sequence and Periodic Test Intervals
409-241-502	3	Received Signal Level
Add 409-241-503	1	
409-241-503	2	Transmitter-Receiver Link Deviation
Add 409-241-504	1	
409-241-504	1	Transmitter-Receiver — Link Linearity Test
409-241-505	2	Net Loss Measurements
409-241-506	2	Comparator Tests and Adjustments
409-241-507	2	Signaling and Pilot Tone Levels
409-241-508	2	Pilot Monitor Tests and Adjustments
409-241-509	2	Noise Loading Measurements

409-242 TJ Microwave Radio — Systems Tests — Heavy Loading

409-242-500	1	General
409-242-501	1	Initial Line-Up Test Sequence
409-242-502	1	Received Signal Level, IF, and Squelch Tests
Add 409-242-503	1	
409-242-503	1	Transmitter-Receiver Link Deviation
409-242-504	2	Transmitter-Receiver — Link Linearity Test
409-242-505	1	Net Loss Measurements
409-242-506	2	Comparator Tests
409-242-507	1	Signaling and Pilot Tone Levels
409-242-508	1	Pilot Monitor Tests and Adjustments
409-242-509	2	Noise Loading Measurements

Section Number	Issue	Subject	Section Number	Issue	Subject
409-3 TL-1 MICROWAVE RADIO			409-306-501	2	Baseband Amplifier Gain Adjustment
409-300 Description			409-306-502	2	AFC Alignment and In-Service Checks
409-300-100	3	General	409-306-503	2	Received Signal Level
409-300-101	3	Overall System	409-306-504	2	Squelch Circuit Alignment
409-300-102	4	Transmitter-Receiver Bay	Add 409-306-505	1	
Add 409-300-103	1		409-306-505	2	Miscellaneous Out-Of-Service Checks
409-300-103	1	Transmitter	409-306-506	3	Component and Subassembly Replacement
409-300-104	2	Receiver	409-308 Power Supply Tests		
409-300-105	1	Power Supply	409-308-500	1	General
409-300-106	1	Diversity Switch	409-308-501	2	Voltage Checks
409-300-107	1	Order Wire and Alarm	409-308-502	1	Component and Sub-Assembly Replacement
409-301 Operation			409-310 Order Wire and Alarm Tests		
409-301-300	1	Operation-Order Wire and Alarm	409-310-500	1	General
409-302 General Information			409-310-501	1	Alarm Circuit Checks
409-302-330	2	Periodic Test Intervals	409-310-502	1	Level and Frequency Adjustments
409-302-500	2	General Maintenance	409-310-503	1	Encoder
409-302-501	3	Transmitter-Receiver Bay — Checks and Trouble Location	409-312 Diversity Switch Tests		
409-302-502	1	Cabinet Equipment — Miscellaneous Items	409-312-500	1	General
409-303 System Tests			409-312-501	2	Performance Checks, Alignment, and Unit Replacement
409-303-500	2	General	409-4 TL-2 AND TM-1 MICROWAVE RADIO		
409-303-501	1	Transmission Measurement	409-400 Description		
409-303-502	1	Idle Noise	409-400-100	3	General
409-303-503	1	600-Circuit Noise Loading Tests for Message Systems	409-400-101	2	TL-2 Overall System
409-303-504	1	Envelope Delay and Linearity Tests	409-400-102	4	TL-2 Transmitter-Receiver Arrangements
409-304 Transmitter Tests			409-400-103	3	Transmitter
409-304-500	1	General	409-400-104	4	Receiver
409-304-501	2	Frequency and Linearity	409-400-111	2	TM-1 Overall System
409-304-502	1	Deviation	409-400-112	3	TM-1 Transmitter-Receiver Arrangement
409-304-503	1	Baseband Amplifier	409-400-113	3	TM-1 Transmitter
Add 409-304-504	1		409-400-114	3	Receiver
409-304-504	3	Component and Subassembly Replacement	409-400-121	1	Power Supply
409-305 Transmitter-Receiver Equipment Tests			409-400-122	2	Power Supply — Chargers and Battery
409-305-500	1	Component and Subassembly Replacement	409-400-123	2	J99296L Bistable Diversity Switch — J99302M Revertive Diversity Switch
409-306 Receiver Tests			409-400-124	2	Order Wire and Alarm
409-306-500	2	General	409-400-125	2	Television Transmission Systems Equipped With J99296AC, AD, AE, and AH Video Panels

SECTION 409-000-000

Section Number	Issue	Subject
409-400-126	1	Television Transmission — J99296AJ and AK Video Panels
♥ 409-400-127	1	Hot Standby Transmitter Switch Control Panel — J99302BL
409-400-140	1	TM-A1 Power Amplifier
409-400-141	2	TM-A1 TWT Power Supply
409-400-145	1	TL-A2 Power Amplifier
409-400-146	1	TL-A2 Power Supply
409-400-150	1	TM-B1 Power Amplifier
409-400-151	1	TM-B1 Power Supply

409-401 Operation

409-401-300 1 Order Wire and Alarm

409-402 General Maintenance Tests

Add 409-402-500	1	
409-402-500	4	General
409-402-501	3	Removing and Restoring Service
409-402-502	5	Transmitter-Receiver Bay — Checks and Trouble Location
409-402-503	5	Building and Housing Equipment
409-402-504	2	TM-A1 Power Amplifier

409-403 System Tests

Add 409-403-500	1	
409-403-500	4	General
409-403-501	4	Message Transmission
409-403-502	2	Television Transmission — Systems Equipped With J99296AC, AD, AE and AH Video Panels
409-403-503	1	Television Transmission — Systems Equipped With J99296AJ and J99296AK Video Panels
409-403-504	2	Idle Noise
409-403-505	1	600 Circuit Noise-Loading Tests for Message Systems
409-403-506	1	Envelope Delay and Linearity
Add 409-403-507	2	
409-403-507	1	1200-Circuit Noise Loading Tests for Message Systems

409-404 Transmitter Tests

Add 409-404-501	1	
409-404-501	3	Frequency and Linearity
409-404-502	3	Deviation
Add 409-404-503	1	
409-404-503	3	Baseband Amplifier

Section Number	Issue	Subject
409-404-504	4	Component and Subassembly Replacement
409-404-505	3	Power Output
Add 409-404-506	1	
409-404-506	1	TM-B1 Power Amplifier — Tuneup and Replacement Procedures
409-404-507	2	TL-A2 Power Amplifier — Tuneup and Replacement Procedures

409-405 TM-A1 Power Amplifier

409-405-501 2 Component and Subassembly Replacement

409-406 Receiver Tests

409-406-500	2	General
409-406-501	2	Baseband Amplifier Gain Adjustment
409-406-502	3	AFC Alignment and In-Service Checks
409-406-503	4	Received Signal Level
409-406-504	4	Squelch Sensitivity
409-406-505	5	Miscellaneous Out-of-Service Checks
409-406-506	3	Component and Subassembly Replacement

409-408 Power Supply Tests

409-408-501	3	Regulator, Inverter, and Rectifier
409-408-503	2	Subassembly Replacement
409-408-505	2	TM-A1 Power Supply

409-410 Order-Wire and Alarm Tests

409-410-501	3	Alarm Circuit Checks
409-410-502	1	Level and Frequency Adjustments
409-410-503	3	Encoder
409-410-504	3	Transmitter Alarm Initiator

409-412 Diversity Switch Tests

409-412-501	5	Diversity Switch Tests, Alignment, and Unit Replacement
♥ 409-412-502	1	Hot Standby Transmitter Switch Control Panel J99302BL — Tests, Alignment, and Subassembly Replacement

409-420 TL-2 Portable Microwave

Description

409-420-100	1	General
409-420-101	1	Over-all System
409-420-102	1	Order Wire and Alarm
409-420-103	1	Television Transmission — J99296BF-1 Video Unit

Section Number	Issue	Subject	Section Number	Issue	Subject
Installation			409-506-502	3	Received Signal Power
409-420-200	1	Installation and Operation	409-506-503	3	IF Amplifier and FM Receiver
Tests			409-506-504	3	Component and Subassembly Replacement
Add 409-420-500	1		409-508 Power Supply Tests		
409-420-500	1	General	409-508-501	3	91A Power Unit and -19 Volt Regulator (ED-3C400.30)
409-5 TM-2/TM-2A MICROWAVE RADIO			409-508-502	3	Component and Subassembly Replacement
409-500 Description			409-512 Hot Standby Switch		
409-500-100	3	General	409-512-501	1	Receiver Tests, Alignment, and Subassembly Replacement
409-500-101	3	Overall System	409-512-502	1	Transmitter — Control Panel — Tests, Alignment, and Subassembly Replacement
409-500-102	3	Transmitter-Receiver Arrangement	409-6 ANCILLARY EQUIPMENT		
409-500-103	2	Transmitter-Receiver Panel — Description	Description		
409-500-121	2	91A and 91B Power Units	409-600-100	1	Description
509-500-122	1	220A Power Unit	409-600-101	1	Baseband Access Panel
409-502 General Maintenance Tests			409-600-102	1	Basic Radio Order Wire
409-502-500	3	General	409-600-103	1	Radio and Common Alarms
409-502-501	4	Removing and Restoring Service	409-600-104	1	2600-Hz Supply Circuit
409-502-502	3	Transmitter-Receiver Panel — Checks and Trouble Location	409-600-105	1	Baseband Monitor, Switch, and Control for HF Pilot
409-502-503	1	Transmitter — Receiver Panel — Back-To-Back Testing Methods	409-600-106	1	Order Wire and Alarm Multiplex
409-503 System Tests			409-600-107	2	Power Supply — Chargers and Battery
409-503-500	2	General	409-600-108	1	Short Haul Radio — 1A-Radio Digital System Transmission
409-503-501	1	Message Transmission	Tests		
409-503-502	1	Television Transmission	409-600-500	1	General Maintenance
409-503-503	1	Idle Noise	409-600-501	1	Baseband Access Panel
Add 409-503-504	2		409-600-502	1	Basic Radio Order Wire
409-503-504	1	1200-Circuit Noise Loading Tests for Message Systems	409-600-503	1	Radio and Common Alarms
409-503-505	1	Envelope Delay and Linearity	409-600-504	1	2600-Hz Supply Circuit
409-504 Transmitter Tests			409-600-505	1	Monitor, Alarm, and Switch Control Units for HF Pilot — Alignment and Subassembly Replacement
409-504-500	2	General	409-600-506	1	Equipment Tests — Order Wire and Alarm Multiplex
409-504-501	3	Local Oscillator	409-600-507	2	Installation and Maintenance — Power Supply — Chargers and Battery
409-504-502	5	FM Transmitter Modulator and Microwave Amplifier	409-600-508	2	Short Haul Radio — Equipment Tests — 1A-Radio Digital System Transmission
409-504-503	3	Component and Subassembly Replacement	409-506 Receiver Tests		
409-506 Receiver Tests			409-506-500	3	General
409-506-500	3	General	409-506-501	3	Local Oscillator
409-506-501	3	Local Oscillator			

SECTION 409-000-000

Section Number	Issue	Subject	Section Number	Issue	Subject
409-7 OVERALL SYSTEM					
409-700-100	1	Description	409-702-502	1	Short Haul Radio — Out-of-Service System Tests — Channel Net Gain and Baseband Response
409-700-500	1	General Test Information	409-702-503	1	Short Haul Radio — Out-of-Service System Tests — Thermal Noise and Spurious Tones
409-701-500	1	In-Service Testing	409-702-504	1	Short Haul Radio — System Tests — Noise Loading
409-701-501	1	Short Haul Radio — In-Service Testing — Channel Net Gain and Baseband Response	409-702-505	1	Short Haul Radio — System Tests — Differential Phase and Gain
409-702-500	1	Short Haul Radio — Out-of-Service System Tests — General Test Information			
409-702-501	1	Out-of-Service System Tests — Envelope Delay and Linearity			