

20-BUTTON, ROTARY DIAL, DESK TELEPHONES

CIRCUIT LABELS

1. GENERAL

1.01 This document covers the 20-button, rotary dial, desk telephones. (See Figure 1.) Circuit labels for 20-button, rotary dial, desk telephones are included. (See Table A.)



AW 86-347

Figure 1: 20-Button, Rotary Dial, Desk Telephone

1.02 This section is reissued to reflect changes in the 20-button, rotary dial, desk telephones.

1.03 For additional information on description and installation of the telephones, refer to Section 50-831-100. A replacement parts list and an exploded-view drawing for the telephones are contained in Section 50-831-101. Related documents of the ITT Telephone Apparatus Practices Manual provide information on components.

1.04 The Model 831 desk telephones are identified by a code number stamped in ink on the bottom of the base plate. Refer to Section 50-831-100 of the ITT Telephone Apparatus Practices Manual for ordering information and for an explanation of each code number.

1.05 The Model 831 desk telephones are 20-button, rotary dial, anti-sidetone type units that operate efficiently over a wide range of loop resistances and line impedances. These telephones are designed for use with key telephone systems, such as the ITT 1A2 System, where several telephones have access to the same lines, CO trunks, or intercom lines.

TABLE A
LIST OF CIRCUIT LABELS

MODEL NO	TYPE NO	FIGURE NO
831	42, 46	2
831	76	3

AW 86-424




Figure 2: Circuit Label, Model 831 Types 42, 46 (Sheet 1 of 2)




Figure 2: Circuit Label, Model 831 Types 42, 46 (Sheet 2 of 2)

183529-101

831 ***(BA/LR)76M TYPE TELEPHONE CIRCUIT

TO CONNECTOR NO. 2




Figure 3: Circuit Label, Model 831 Type 76 (Sheet 2 of 2)