

10-BUTTON, PUSHBUTTON DIAL, WALL TELEPHONES

CIRCUIT LABELS

1. GENERAL

1.01 This document covers the 10-button, pushbutton dial, wall telephones. (See Figure 1.) Circuit labels for 10-button, pushbutton dial, wall telephones are included. (See Table A.)



AW 86-394

Figure 1: 10-Button, Pushbutton Dial, Wall Telephone

1.02 This section is reissued to provide the latest issue of circuit labels for the following 10-button, pushbutton dial, wall telephones:

- (a) Model 2854, Type 42
- (b) Model 2854, Type 76

1.03 For additional information on description and installation of the telephones, refer to Section 50-854-103. A replacement parts list and an exploded-view drawing for the telephones are contained in Section 50-854-104. Related documents of the ITT Telephone Apparatus Practices Manual provide information on components.

1.04 The Model 2854 wall telephones are identified by a code number stamped in ink on the bottom of the base plate. Refer to Section 50-854-103 of the ITT Telephone Apparatus Practices Manual for ordering information and for an explanation of each code number.

1.05 The Model 2854 wall telephones are 10-button, pushbutton dial, anti-sidetone type units that operate efficiently over a wide range of loop resistances and line impedances. These telephones are designed for use with key telephone systems, such as the ITT 1A2 System, where several telephones have access to the same lines, CO trunks, or intercom lines.

TABLE A
LIST OF CIRCUIT LABELS

MODEL NO	TYPE NO	FIGURE NO
2854	42	2
2854	76	3

AW 86-395





Figure 2: Circuit Label, Model 2854 Type 42 (Sheet 1 of 2)

2854 () 42 TYPE TELEPHONE CIRCUIT



18137-101 KEY

8
ISSUE
NO

Figure 2: Circuit Label, Model 2854 Type 42 (Sheet 2 of 2)




Figure 3: Circuit Label, Model 2854 Type 76 (Sheet 1 of 2)

2854 •• (BA/LR)76M TYPE TELEPHONE CIRCUIT




Figure 3: Circuit Label, Model 2854 Type 76 (Sheet 2 of 2)