

10-BUTTON, PUSHBUTTON DIAL, DESK TELEPHONES WITH BUILT-IN CALL ANNOUNCER CIRCUIT LABELS

1. GENERAL

1.01 This document covers the 10-button, pushbutton dial, desk telephones with built-in call announcer. (See Figure 1.) Circuit labels for 10-button, pushbutton dial, desk telephones are included. (See Table A.)



AW 86-352

Figure 1: 10-Button, Pushbutton Dial, Desk Telephone With Built-In Call Announcer

1.02 This section is reissued to provide the latest issue of circuit labels for the following 10-button, pushbutton dial, desk telephones with built-in call announcer:

- (a) Model 2870, Types 42 and 46
- (b) Model 2870, Type 76

1.03 For additional information on description and installation of the telephones, refer to Section 50-870-103. A replacement parts list and an exploded-view drawing for the telephones are contained in Section 50-870-104. Related documents of the ITT Telephone Apparatus Practices Manual provide information on components.

1.04 The Model 2870 desk telephones are identified by a code number stamped in ink on the bottom of the base plate. Refer to Section 50-870-103 of the ITT Telephone Apparatus Practices Manual for ordering information and for an explanation of each code number.

1.05 The Model 2870 desk telephones are 10-button, pushbutton dial, anti-sidetone type units that operate efficiently over a wide range of loop resistances and line impedances. These telephones are designed for use with key telephone systems, such as the ITT 1A2 System, where several telephones have access to the same lines, CO trunks, or intercom lines.

TABLE A
LIST OF CIRCUIT LABELS

MODEL NO	TYPE NO	FIGURE NO
2870	42, 46	2
2870	76	3

AW 86-380




Figure 2: Circuit Label, Model 2870 Types 42, 46 (Sheet 1 of 2)

2870 CL (BA/LR) 42M, 46M, TYPE TELEPHONE CIRCUIT





Figure 2: Circuit Label, Model 2870 Types 42, 46 (Sheet 2 of 2)

Figure 3: Circuit Label, Model 2870 Type 76 (Sheet 2 of 2)



2870CL (BA/LR) 76M TYPE TELEPHONE CIRCUIT

9
ISS